

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised July 18, 2013

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-20752
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator Maverick Permian LLC		6. State Oil & Gas Lease No.
3. Address of Operator 1000 Main Street, Ste. 2900 Houston, TX 77002		7. Lease Name or Unit Agreement Name Vacuum Glorieta East Unit
4. Well Location Unit Letter F : 2310 feet from the North line and 2310 feet from the West line Sectional 33 Township 17S Range 35E NMPM. County		8. Well Number. 003
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number. 331199
		10. Pool name or Wildcat

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

5/12/25—MIRU.

5/15/25—Spot 25 sxs @ 6014' TOC @ 5652'.

5/16/25—Tag @ 5675' spot 55 sxs @ 4982' TOC @ 4186' WOC Tag @ 4210', spot 155 sxs @ 4210' TOC @ 1968'.

5/19/25—Tag @ 1979' perf @ 1733' sqz 30 sxs TOC @ 1423' Tag @ 1345', perf @ 100' sqz 65 sxs from 100' to surface verified RDMO.

5/23/25 - surface casing cut and capped

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Chris Romero TITLE Agent DATE 5/27/25

Type or print name Chris Romero E-mail address: _____ PHONE: 432-212-9165
For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____
Conditions of Approval (if any): _____

State: New Mexico
County: Lea
Spud Date: 4/15/1964

Maverick Permian LLC
Vacuum Glorieta East Unit 024-03
API# 30-025-20752

FINAL P&A WBD
5/27/2025

Surface Casing:
8-5/8" 24# J-55
Cmt w/ 600 sx to Surf

Sources		
T. Anhy.	1523	(+2433)
T. Salt	1633	(+2323)
B. Salt	2539	(+1417)
T. Yates	2822	(+1134)
T. 7 Rivers	3513	(+ 443)
T. Queen	3712	(+ 244)
T. Grayburg	4072	(- 116)
T. San Andres	4399	(- 443)
T. Glorieta	5971	(-2015)


Paddock 6093

Production
4-1/2" 9.5/11.6# J-55
Cmt w/ 1300 sx to 1,920'

MD

1,503'

6,248'



MD

100'

1,345'

1,733'

1,979'

SURFACE PLUG
TOC @ Surface
Sq 65 sx of Class C cement @ 100'
Perforate at 100'

T. SALT & RUSTLER PLUG
TOC @ 1,345'
Sq 30 sx of Class C cement @ 1,733'
Perforate at 1,733'

Casing Leak from 2,149' - 4,882'

B. SALT - GRAYBURG PLUG
TOC @ 1,979'
Spot 155 sx of Class C cement @ 4,210'

Plug covers top of casing leak at 2,149'

SAN ANDRES PLUG
TOC @ 4,210'
Spot 55 sx of Class C cement @ 4,982'

Plug covers base of casing leak at 4,882'

PADDOCK & GLORIETA PLUG
TOC @ 5,675'
Spot 25 sx of Class C cement @ 6,014'

Paddock Perforations
6,102' - 6,135'
PBTD @ 6,217'

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 467924

CONDITIONS

Operator: Maverick Permian LLC 1000 Main Street, Suite 2900 Houston, TX 77002	OGRID: 331199
	Action Number: 467924
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	Clean Location in accordance with 19.15.25.10 NMAC.	7/3/2025
gcordero	Submit C-103Q within one year of plugging.	7/3/2025