

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address XTO Energy, Inc. 6401 HOLIDAY HILL ROAD BLDG 5 MIDLAND, TX 79707		² OGRID Number 373075
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 015-45475	⁵ Pool Name PURPLE SAGE; WOLFCAMP (GAS)	⁶ Pool Code 98220
⁷ Property Code 325596	⁸ Property Name POKER LAKE UNIT 20 BD	⁹ Well Number 907H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
P	20	25S	30E		330	South	690	East	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	32	25S	30E		246	South	970	East	Eddy
¹² Lse Code Flow	¹³ Producing Method Flow	¹⁴ Gas Connection Date	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
34053	Plains Marketing, LP	O
373073	XTO Permian Midstream	

IV. Well Completion Data

²¹ Spud Date 11/16/2020	²² Ready Date 3/3/2022	^{21750 MD TD} 11164 TVD	^{21732 MD PBT} 11164 TVD	²⁵ Perforations 11,123 TO 21,652	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
14.75	11.75 J55 54#	987	1,060 -Class C		
8.75	7.625HCL80 29.7#	10,243	1,410 -Class C		
6.75	5.0 P110 18#	21,734	980 -Class C		
	2 7/8	10,545			

V. Well Test Data

³¹ Date New Oil 3/4/22	³² Gas Delivery Date 3/12/22	³³ Test Date 3/12/22	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure 430	³⁶ Csg. Pressure 343
³⁷ Choke Size	³⁸ Oil 1877	³⁹ Water 4977	⁴⁰ Gas 6175		⁴¹ Test Method Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Amanda Thames</i>			OIL CONSERVATION DIVISION		
Printed name: Amanda Thames			Approved by:		
Title: Regulatory Analyst			Title:		
E-mail Address: amanda.thames@exxonmobil.com			Approval Date:		
Date: 4/15/2022		Phone:			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office
☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT AS-DRILLED PLAT

¹ API Number 30-015-45475	² Pool Code 98220	³ Pool Name PURPLE SAGE; WOLFCAMP (GAS)
⁴ Property Code 325596	⁵ Property Name POKER LAKE UNIT 20 BD	
⁷ OGRID No. 373075	⁸ Operator Name XTO PERMIAN OPERATING, LLC.	⁶ Well Number 907H

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	20	25 S	30 E		330	SOUTH	690	EAST	EDDY

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	32	25 S	30 E		246	SOUTH	970	EAST	EDDY

¹² Dedicated Acres	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
640			

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division. NOTE: AS-DRILLED BOTTOM HOLE PLOTTED FROM DATA FURNISHED BY XTO ENERGY.

16

SHL (NAD83 NME)		LTP (NAD83 NME)	
Y = 403,752.7		Y = 393,122.3	
X = 676,424.5		X = 676,165.2	
LAT. = 32.109244 °N		LAT. = 32.080025 °N	
LONG. = 103.897036 °W		LONG. = 103.898012 °W	
KOP (NAD83 NME)		BHL (NAD83 NME)	
Y = 403,843.9		Y = 393,026.3	
X = 676,159.5		X = 676,165.0	
LAT. = 32.109497 °N		LAT. = 32.079761 °N	
LONG. = 103.897891 °W		LONG. = 103.898014 °W	
FTP (NAD83 NME)			
Y = 403,596.4			
X = 676,120.8			
LAT. = 32.108818 °N			
LONG. = 103.898019 °W			
CORNER COORDINATES (NAD83 NME)			
A - Y = 403,430.7 N		X = 677,115.2 E	
B - Y = 403,414.8 N		X = 675,779.8 E	
C - Y = 400,771.0 N		X = 677,133.6 E	
D - Y = 400,756.4 N		X = 675,797.6 E	
E - Y = 398,110.2 N		X = 677,152.4 E	
F - Y = 398,096.8 N		X = 675,815.5 E	
G - Y = 395,449.3 N		X = 677,143.4 E	
H - Y = 395,436.9 N		X = 675,809.7 E	
I - Y = 392,787.6 N		X = 677,134.3 E	
J - Y = 392,777.0 N		X = 675,803.8 E	
SHL (NAD27 NME)		LTP (NAD27 NME)	
Y = 403,694.4		Y = 393,064.3	
X = 635,239.6		X = 634,979.9	
LAT. = 32.109119 °N		LAT. = 32.079900 °N	
LONG. = 103.896553 °W		LONG. = 103.897530 °W	
KOP (NAD27 NME)		BHL (NAD27 NME)	
Y = 403,785.5		Y = 392,968.3	
X = 634,974.5		X = 634,979.7	
LAT. = 32.109372 °N		LAT. = 32.079636 °N	
LONG. = 103.897408 °W		LONG. = 103.897532 °W	
FTP (NAD27 NME)			
Y = 403,538.1			
X = 634,935.9			
LAT. = 32.108693 °N			
LONG. = 103.897536 °W			
CORNER COORDINATES (NAD27 NME)			
A - Y = 403,372.4 N		X = 635,930.2 E	
B - Y = 403,356.5 N		X = 634,594.9 E	
C - Y = 400,712.8 N		X = 635,948.5 E	
D - Y = 400,698.1 N		X = 634,612.5 E	
E - Y = 398,052.0 N		X = 635,967.3 E	
F - Y = 398,038.6 N		X = 634,630.4 E	
G - Y = 395,391.2 N		X = 635,958.2 E	
H - Y = 395,378.8 N		X = 634,624.5 E	
I - Y = 392,729.6 N		X = 635,949.0 E	
J - Y = 392,719.0 N		X = 634,618.5 E	

17 OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Amanda Thames

4/27/2022

Signature

Date

Amanda Thames

Printed Name

amanda.thames@exxonmobil.com

E-mail Address

18 SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

4-20-2022

Date of Survey

Signature and Seal of
Professional Surveyor:

[Signature]

MARK DILLON HARP 23786

Certificate Number

JC

201707100

Intent ☐ As Drilled ☒

API # 30-015-45475		
Operator Name: XTO PERMIAN OPERATING, LLC.	Property Name: POKER LAKE UNIT 20 BD	Well Number 907H

Kick Off Point (KOP)

UL P	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
	20	25S	30E		424	FSL	955	FEL	EDDY
Latitude 32.109497					Longitude 103.897891				NAD 83

First Take Point (FTP)

UL P	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
	20	25S	30E		177	FSL	994	FEL	EDDY
Latitude 32.108818					Longitude 103.898019				NAD 83

Last Take Point (LTP)

UL P	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
	32	25S	30E		342	FSL	970	FEL	EDDY
Latitude 32.080025					Longitude 103.898012				NAD 83

Is this well the defining well for the Horizontal Spacing Unit?

☐ N

Is this well an infill well?

☐ Y

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API # 30-015-45626		
Operator Name: XTO Permian Operating LLC	Property Name: Poker Lake Unit 20 BD	Well Number

KZ 06/29/2018



Oilfield Services, Central U.S. Land
Schlumberger Drilling and Measurements
Drilling Group
Geo Market Area: South West Texas Basin
7220 W I-H 20
Midland, Texas 79706
Phone : (432) 742-5400 (Main)
Fax : (432) 742-5606 (Shared)

December 16, 2020

XTO PERMIAN OPERATING LLC
6401 Holiday Hill Road Bldg 5
Midland, TX 79707

Re:

20 25S 30E Eddy NM
N 32.109119 W -103.896553

CLIENT: XTO PERMIAN OPERATING LLC
WELL: POKER LAKE UNIT 20 BD 907H
FIELD: PURPLE SAGE-WOLFCAMP (GAS)

RIG: H&P 552
COUNTY: Eddy
API NO: 30-015-45475
JOB NO: 20MLE0833

Enclosed, please find the original copy of the survey performed on the referenced well by Drilling & Measurements, a division of Schlumberger Technology Corporation (P-5 No. 754900).

Other information required by your office is as follows.

<u>Name & Title of Surveyor</u>	<u>Drainhole Number</u>	<u>Surveyed Depths</u>	<u>Dates Performed</u>	<u>Type of Survey</u>
Alexander Camacho FE	POKER LAKE UNIT 20 BD 907H Original Hole	216.00 Ft 21717.00 Ft	November 16, 2020 December 8, 2020	XBOLT

Schlumberger-Private

Oilfield Services, Central U.S. Land

Schlumberger Drilling and Measurements

Drilling Group

Geo Market Area: South West Texas Basin

7220 W I-H 20

Midland, Texas 79706

Phone : (432) 742-5400 (Main)

Fax : (432) 742-5606 (Shared)



Well Reference:

20 25S 30E Eddy NM

N 32.109119 W -103.896553

I, Alexander Camacho certify that; I am employed by Drilling & Measurements, a division of Schlumberger Technology Corporation; that I did on the day(s) of November 16, 2020 through December 08, 2020, conduct or supervise the taking of the XBOLT surveys from a depth of 216.00 feet to a depth of 21717.00 feet referenced to driller's depth; that the data is true, correct, complete and within the limitations of the tool as set forth by Drilling & Measurements, a division of Schlumberger Technology Corporation; that I am authorized and qualified to make this report; that this survey was conducted at the request of XTO PERMIAN OPERATING LLC for the POKER LAKE UNIT 20 BD 907H Well (Original Hole) API No. 30-015-45475 in New Mexico; and that I have reviewed this report and find that it conforms to the principals and procedures as set forth by Drilling & Measurements, a division of Schlumberger Technology Corporation.

Alexander Camacho

By

Alexander Camacho

FE

Subscribed and Sworn to before me this _____ day of _____ (month) _____ (yr)

My Commission expires:

_____- (signature)
Notary Public

(County State)

Schlumberger



Poker Lake Unit 20 BD 907H 0 to 21748' MD Survey Geodetic Report

(Def Survey)

Report Date: December 08, 2020 - 03:14 PM
Client: XTO Energy
Field: NM Eddy County (NAD 27)
Structure / Slot: XTO Poker Lake Unit 20 BD 907H / New Slot
Well: Poker Lake Unit 20 BD 907H
Borehole: Poker Lake Unit 20 BD 907H
UWI / API#: Unknown / 30-015-45475
Survey Name: Poker Lake Unit 20 BD 907H 0 to 21748' MD
Survey Date: November 11, 2020
Tort / AHD / DDI / ERD Ratio: 222.460' / 11406.764 ft / 6.692' / 1.016
Coordinate Reference System: NAD27 New Mexico State Plane, Eastern Zone, US Feet
Location Lat / Long: N 32° 6' 32.82806", W 103° 53' 47.59151"
Location Grid N/E Y/X: N 403694.400 ftUS, E 635239.500 ftUS
CRS Grid Convergence Angle: 0.2322 °
Grid Scale Factor: 0.99993004
Version / Patch: 2.10.821.3

Survey / DLS Computation: Minimum Curvature / Lubinski
Vertical Section Azimuth: 181.488 ° (Grid North)
Vertical Section Origin: 0.000 ft, 0.000 ft
TVD Reference Datum: RKB
TVD Reference Elevation: 3229.000 ft above MSL
Seabed / Ground Elevation: 3199.000 ft above MSL
Magnetic Declination: 6.689 °
Total Gravity Field Strength: 998.4362mgn (9.80665 Based)
Gravity Model: GARM
Total Magnetic Field Strength: 47654.000 nT
Magnetic Dip Angle: 59.720 °
Declination Date: November 26, 2020
Magnetic Declination Model: IFR1+MS
North Reference: Grid North
Grid Convergence Used: 0.2300 °
Total Corr Mag North->Grid North: 6.4590 °
Local Coord Referenced To: Well Head

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (ft/100ft)	Northing (ftUS)	Easting (ftUS)	Latitude (°)	Longitude (°)	Closure (ft)	Closure Azimuth (°)
Surface Location	0.00	0.00	272.00	0.00	0.00	0.00	0.00	N/A	403694.40	635239.50	32.109119	-103.896553	0.00	0.00
	216.00	1.84	24.11	215.96	-3.20	3.17	1.42	0.85	403697.57	635240.92	32.109128	-103.896549	3.47	24.11
	309.00	1.77	25.30	308.92	-5.89	5.83	2.64	0.09	403700.23	635242.14	32.109135	-103.896545	6.40	24.38
	401.00	1.61	32.48	400.88	-8.30	8.20	3.94	0.29	403702.60	635243.44	32.109141	-103.896540	9.10	25.67
	585.00	1.72	42.84	584.80	-12.59	12.41	7.21	0.17	403706.81	635246.71	32.109153	-103.896530	14.35	30.15
	677.00	1.89	42.86	676.75	-14.76	14.53	9.18	0.18	403708.93	635248.68	32.109159	-103.896523	17.19	32.28
	770.00	2.49	50.88	769.69	-17.23	16.93	11.79	0.72	403711.33	635251.29	32.109165	-103.896515	20.63	34.85
	862.00	3.20	59.41	861.57	-19.90	19.50	15.55	0.90	403713.90	635255.05	32.109172	-103.896503	24.94	38.57
11.75" Casing	997.00	2.42	44.75	996.41	-23.97	23.44	20.80	0.78	403717.83	635260.29	32.109183	-103.896486	31.33	41.58
	1000.00	2.40	44.32	999.41	-24.06	23.53	20.88	0.78	403717.92	635260.38	32.109183	-103.896485	31.46	41.60
	1044.00	2.01	40.80	1043.38	-25.33	24.77	22.03	0.94	403719.17	635261.53	32.109187	-103.896482	33.15	41.65
	1166.00	2.81	261.46	1165.33	-26.47	25.94	20.47	3.71	403720.34	635259.97	32.109190	-103.896487	33.05	38.28
	1233.00	3.52	251.82	1232.23	-25.49	25.06	16.89	1.32	403719.46	635256.39	32.109188	-103.896498	30.22	33.99
	1329.00	2.18	288.85	1328.11	-25.04	24.73	12.37	2.30	403719.13	635251.86	32.109187	-103.896513	27.65	26.57
	1424.00	4.12	297.36	1422.96	-27.07	26.88	7.62	2.10	403721.28	635247.12	32.109193	-103.896528	27.94	15.83
	1616.00	4.43	309.23	1614.43	-34.62	34.74	-4.25	0.49	403729.14	635235.25	32.109214	-103.896566	35.00	353.03
	1808.00	3.81	315.77	1805.94	-43.61	44.00	-14.44	0.40	403738.40	635225.06	32.109240	-103.896599	46.31	341.83
	1904.00	3.70	319.01	1901.73	-48.12	48.63	-18.70	0.25	403743.02	635220.81	32.109257	-103.896613	52.10	338.97
	2096.00	4.80	302.30	2093.21	-56.81	57.59	-29.55	0.86	403751.99	635209.95	32.109278	-103.896648	64.73	332.84
	2192.00	4.34	308.91	2188.90	-61.07	62.02	-35.77	0.73	403756.42	635203.73	32.109290	-103.896668	71.60	330.03
	2288.00	3.85	313.63	2284.66	-65.44	66.53	-40.93	0.62	403760.92	635198.57	32.109302	-103.896665	78.11	328.40
	2384.00	3.53	308.24	2380.46	-69.37	70.58	-45.59	0.49	403764.98	635193.92	32.109313	-103.896699	84.02	327.14
	2480.00	3.14	300.61	2476.30	-72.42	73.75	-50.17	0.61	403768.14	635189.33	32.109322	-103.896714	89.20	325.77
	2672.00	5.19	286.87	2667.78	-77.28	78.95	-63.01	1.18	403773.34	635176.50	32.109337	-103.896756	101.01	321.41
	2768.00	4.79	287.80	2763.42	-79.56	81.43	-70.98	0.43	403775.83	635168.53	32.109344	-103.896781	108.02	318.92
	2864.00	4.60	290.57	2859.10	-81.95	84.01	-78.40	0.31	403778.40	635161.11	32.109351	-103.896805	114.91	316.98
	2960.00	3.70	293.34	2954.85	-84.36	86.59	-84.85	0.96	403780.98	635154.66	32.109358	-103.896826	121.23	315.58
	3056.00	1.78	279.31	3050.73	-85.71	88.06	-89.16	2.10	403782.45	635150.34	32.109362	-103.896840	125.32	314.64
	3151.00	2.07	270.68	3145.68	-85.89	88.32	-92.34	0.43	403782.71	635147.17	32.109363	-103.896850	127.77	313.73
	3248.00	3.16	285.29	3242.58	-86.50	89.04	-96.67	1.31	403783.44	635142.84	32.109365	-103.896864	131.43	312.65
	3343.00	1.89	253.21	3337.49	-86.64	89.28	-100.89	1.95	403783.68	635138.82	32.109365	-103.896877	134.57	311.56
	3440.00	2.63	281.27	3434.41	-86.51	89.25	-104.41	1.35	403783.65	635135.10	32.109365	-103.896889	137.36	310.53
	3536.00	4.01	307.64	3530.26	-88.87	91.74	-109.22	2.11	403786.13	635130.28	32.109372	-103.896905	142.84	310.03
	3632.00	4.94	313.28	3626.03	-93.05	96.05	-114.28	0.41	403790.44	635125.22	32.109384	-103.896921	149.28	310.04
	3727.00	3.71	311.32	3720.81	-97.19	100.31	-118.97	0.28	403794.71	635120.54	32.109396	-103.896936	155.62	310.14
	3823.00	3.67	307.66	3816.62	-100.99	104.24	-123.73	0.25	403798.63	635115.78	32.109407	-103.896951	161.79	310.11
	3919.00	5.62	311.23	3912.30	-105.81	109.22	-129.70	2.05	403803.61	635109.81	32.109421	-103.896971	169.56	310.10
	4015.00	5.51	311.90	4007.84	-111.80	115.39	-136.67	0.13	403809.79	635102.84	32.109438	-103.896993	178.87	310.18
	4110.00	5.10	311.04	4102.44	-117.45	121.21	-143.25	0.44	403815.60	635096.26	32.109454	-103.897014	187.65	310.24
	4207.00	5.14	311.11	4199.05	-122.97	126.90	-149.77	0.04	403821.29	635089.74	32.109469	-103.897035	196.30	310.27
	4303.00	5.32	308.11	4294.65	-128.36	132.47	-156.51	0.34	403826.86	635083.00	32.109485	-103.897057	205.05	310.24
	4399.00	5.33	307.52	4390.24	-133.64	137.94	-163.55	0.06	403832.33	635075.96	32.109500	-103.897080	213.95	310.14
	4494.00	5.51	306.68	4484.81	-138.87	143.35	-170.71	0.21	403837.74	635068.80	32.109515	-103.897103	222.91	310.02
	4590.00	5.45	306.91	4580.37	-144.16	148.84	-178.05	0.07	403843.23	635061.46	32.109530	-103.897126	232.07	309.89
	4687.00	4.96	303.03	4676.97	-149.03	153.89	-185.25	0.62	403848.28	635054.26	32.109544	-103.897149	240.83	309.72
	4783.00	5.08	302.83	4772.60	-153.41	158.46	-192.30	0.13	403852.85	635047.21	32.109557	-103.897172	249.18	309.49
	4878.00	4.91	302.53	4867.24	-157.69	162.92	-199.26	0.18	403857.31	635040.25	32.109569	-103.897195	257.39	309.27
	4974.00	5.17	302.36	4962.87	-162.03	167.45	-206.38	0.27	403861.84	635033.13	32.109581	-103.897217	265.77	309.05
	5069.00	5.19	302.87	5057.48	-166.46	172.07	-213.60	0.05	403866.46	635025.91	32.109594	-103.897241	274.29	308.85
	5165.00	5.08	301.62	5153.10	-170.86	176.68	-220.87	0.16	403871.94	635018.65	32.109607	-103.897264	282.83	308.65
	5260.00	4.96	300.20	5247.73	-174.94	180.93	-228.00	0.18	403875.31	635011.51	32.109619	-103.897287	291.07	308.43
	5355.00	4.41	296.80	5342.42	-178.59	184.75	-234.75	0.59	403879.14	635004.76	32.109629	-103.897309	298.73	308.20
	5451.00	4.32	296.70	5438.14	-181.83	188.16	-241.22	0.19	403882.54	634998.30	32.109639	-103.897330	305.92	307.96
	5547.00	4.40	296.28	5533.86	-184.91	191.41	-247.75	0.09	403885.80	634991.77	32.109648	-103.897351	313.08	307.69
	5642.00	4.57	293.98	5628.57	-187.89	194.56	-254.47	0.26	403888.95	634985.04	32.109657	-103.897372	320.33	307.40
	5738.00	4.57	291.84	5724.26	-190.68	197.54	-261.52	0.18	403891.92	634978.00	32.109665	-103.897395	327.74	307.07
	5834.00	3.21	288.42	5820.04	-192.79	199.81	-267.62	1.44	403894.20	634971.90	32.109671	-103.897415	333.98	306.75
	5930.00	3.35	286.10	5915.88	-194.28	201.44	-272.86	0.20	403895.82	634966.66	32.109676	-103.897432	339.16	306.44
	6026.00	3.14	283.00	6011.73	-195.52	202.81	-278.12	0.28	403897.19	634961.40	32.109679	-103.897449	344.21	306.10
	6122.00	2.22	289.38	6107.62	-196.61	204.02	-282.44	1.01	403898.40	634957.08	32.109683	-103.897463	348.41	305.84
	6218.00	2.00	279.71	6203.56	-197.42	204.92	-285.84	0.44	403899.30	634953.68	32.109685	-103.897474	351.70	305.64
	6314.00	1.93	269.80	6299.50	-197.61	205.19	-289.11	0.36	403899.58	634950.41	32.109686	-103.897484	354.53	305.36
	6410.00	1.79	266.69	6395.45	-197.44	205.10	-292.22	0.18	403899.49	634947.30	32.109686	-103.897494	357.02	305.06
	6506.00	1.74	266.59	6491.41	-197.19	204.93	-295.17	0.05	403899.31	634944.35	32.109685	-103.897504	359.34	304.77
	6601.00	1.65	249.24	6586.37	-196.55	204.36	-297.89	0.55	403898.74	634941.63	32.109684	-103.897513	361.25	304.45
	6697.00	1.88	245.77	6682.32	-195									

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Northing (ftUS)	Easting (ftUS)	Latitude (°)	Longitude (°)	Closure (ft)	Closure Azimuth [°]
	9478.00	2.40	157.85	9460.51	-137.56	144.21	-254.24	0.51	403838.60	634985.27	32.109518	-103.897372	292.29	299.56
	9574.00	2.52	168.42	9556.42	-133.66	140.28	-253.06	0.49	403834.67	634986.46	32.109507	-103.897369	289.34	299.00
	9670.00	2.53	175.39	9652.33	-129.50	136.10	-252.47	0.32	403830.49	634987.05	32.109496	-103.897367	286.82	298.33
	9766.00	3.40	190.28	9748.20	-124.58	131.19	-252.81	1.20	403825.58	634986.71	32.109482	-103.897368	284.82	297.43
	9862.00	4.33	197.11	9843.98	-118.27	124.92	-254.38	1.08	403819.31	634985.14	32.109465	-103.897373	283.40	296.16
	9958.00	4.10	196.90	9939.72	-111.47	118.18	-256.44	0.24	403812.57	634983.07	32.109447	-103.897380	282.36	294.74
	10054.00	3.73	197.73	10035.50	-105.17	111.92	-258.39	0.39	403806.31	634981.13	32.109429	-103.897386	281.59	293.42
	10150.00	3.17	194.39	10131.32	-99.58	106.37	-260.00	0.62	403800.76	634979.52	32.109414	-103.897391	280.92	292.25
	10249.00	2.85	196.94	10230.19	-94.54	101.37	-261.40	0.35	403795.76	634978.12	32.109400	-103.897396	280.37	291.20
7.625" Casing	10305.00	2.58	198.76	10286.13	-91.99	98.84	-262.21	0.50	403793.23	634977.31	32.109394	-103.897399	280.22	290.65
	10325.00	2.49	199.50	10306.11	-91.15	98.00	-262.50	0.50	403792.40	634977.02	32.109391	-103.897400	280.20	290.47
	10421.00	2.39	202.60	10402.02	-87.30	94.19	-263.97	0.17	403788.58	634975.55	32.109381	-103.897404	280.27	289.64
	10517.00	2.60	195.12	10487.93	-83.32	90.24	-265.30	0.40	403784.63	634974.21	32.109370	-103.897409	280.23	288.78
	10612.00	9.73	176.43	10592.32	-73.19	80.12	-265.79	7.64	403774.51	634973.73	32.109342	-103.897410	277.60	286.77
	10708.00	16.34	185.16	10685.80	-51.58	58.53	-266.92	7.01	403762.93	634972.60	32.109285	-103.897414	273.26	282.37
	10804.00	24.07	191.47	10775.83	-18.77	25.84	-272.04	8.35	403720.24	634967.48	32.109193	-103.897431	273.66	275.43
	10900.00	30.94	190.81	10860.93	24.92	-17.64	-280.57	7.16	403676.78	634958.95	32.109074	-103.897459	281.12	266.40
	10996.00	37.57	189.52	10940.24	78.31	-70.80	-290.05	6.95	403623.60	634949.47	32.108928	-103.897491	298.57	256.28
	11092.00	45.11	189.19	11012.26	141.08	-133.33	-300.34	7.86	403561.08	634939.19	32.108756	-103.897525	328.60	246.06
	11188.00	52.08	187.21	11075.72	212.55	-204.55	-310.53	7.42	403489.86	634928.99	32.108560	-103.897559	371.85	236.63
	11283.00	59.31	185.27	11129.23	290.70	-282.51	-319.00	7.79	403411.91	634920.52	32.108346	-103.897587	426.11	228.47
	11379.00	67.17	183.96	11172.42	376.22	-367.88	-325.86	8.28	403326.54	634913.67	32.108111	-103.897610	491.45	221.53
	11474.00	75.25	182.26	11203.00	466.05	-457.61	-330.70	8.67	403236.82	634908.82	32.107865	-103.897627	564.60	215.85
	11569.00	82.38	181.09	11221.41	559.18	-550.71	-333.41	7.60	403143.73	634906.11	32.107609	-103.897637	643.77	211.19
FTP [330° FNL, 307° FWL]	11665.00	90.62	180.46	11227.27	654.91	-646.44	-334.70	8.61	403048.01	634904.82	32.107346	-103.897643	727.95	207.37
	11685.00	90.78	180.35	11227.03	674.91	-666.43	-334.84	0.98	403028.01	634904.68	32.107291	-103.897643	745.83	206.68
	11760.00	91.29	179.94	11225.60	749.87	-741.42	-335.04	0.98	402953.03	634904.49	32.107085	-103.897645	813.60	204.32
	11856.00	91.27	179.61	11223.38	845.80	-837.39	-334.66	0.37	402857.07	634904.87	32.106821	-103.897645	901.79	201.78
	11951.00	91.71	180.36	11220.91	940.74	-932.36	-334.63	0.92	402762.11	634904.89	32.106560	-103.897646	990.59	199.74
	12047.00	91.73	180.44	11218.02	1036.68	-1028.31	-335.30	0.09	402666.16	634904.22	32.106296	-103.897649	1081.60	198.06
	12237.00	91.22	181.09	11213.13	1226.60	-1218.23	-337.84	0.43	402476.25	634901.69	32.105774	-103.897660	1264.21	195.50
	12333.00	90.92	180.84	11211.34	1322.58	-1314.20	-339.46	0.41	402380.29	634900.07	32.105510	-103.897667	1357.34	194.48
	12429.00	91.21	179.77	11209.56	1418.54	-1410.18	-339.97	1.15	402284.32	634899.56	32.105246	-103.897669	1450.58	193.55
	12525.00	90.90	179.51	11207.79	1514.47	-1506.16	-339.36	0.42	402188.34	634900.16	32.104983	-103.897669	1543.92	192.70
	12621.00	92.30	178.63	11205.11	1610.35	-1602.11	-337.81	1.72	402092.40	634901.72	32.104719	-103.897665	1637.34	191.91
	12717.00	92.96	179.55	11200.70	1706.16	-1698.00	-336.28	1.18	401996.53	634903.24	32.104455	-103.897661	1730.98	191.20
	12812.00	91.60	179.25	11196.92	1801.02	-1792.91	-335.29	1.47	401901.62	634904.24	32.104194	-103.897659	1824.00	190.59
	12908.00	92.62	177.86	11193.39	1896.82	-1888.81	-332.87	1.80	401805.72	634906.65	32.103931	-103.897653	1917.92	189.99
	13004.00	91.14	178.71	11190.24	1992.62	-1984.72	-330.00	1.78	401709.83	634909.52	32.103667	-103.897645	2011.96	189.44
	13100.00	90.26	178.67	11189.07	2088.50	-2080.68	-327.80	0.92	401613.87	634911.72	32.103403	-103.897639	2106.35	188.95
	13196.00	90.32	178.41	11188.58	2184.37	-2176.65	-325.36	0.28	401517.91	634914.16	32.103139	-103.897632	2200.83	188.50
	13292.00	90.44	178.94	11187.94	2280.25	-2272.62	-323.14	0.57	401421.94	634916.38	32.102876	-103.897626	2295.48	188.09
	13388.00	90.16	178.98	11187.44	2376.15	-2368.61	-321.40	0.29	401325.97	634918.13	32.102612	-103.897622	2390.31	187.73
	13483.00	90.42	179.31	11186.96	2471.07	-2463.59	-319.98	0.44	401230.98	634919.54	32.102351	-103.897619	2484.29	187.40
	13578.00	90.52	179.64	11186.18	2566.01	-2558.59	-319.11	0.36	401136.00	634920.41	32.102089	-103.897617	2578.41	187.11
	13674.00	90.39	179.40	11185.42	2661.95	-2654.58	-318.30	0.28	401040.01	634921.22	32.101826	-103.897616	2673.59	186.84
	13770.00	89.26	178.73	11185.71	2757.96	-2750.56	-316.74	1.37	400944.03	634922.79	32.101562	-103.897612	2768.74	186.57
	13865.00	89.45	179.22	11187.61	2852.71	-2845.51	-314.61	0.47	400849.99	634925.31	32.101301	-103.897605	2862.81	186.30
	13959.00	89.08	178.70	11189.64	2946.51	-2939.43	-310.86	0.87	400755.18	634928.17	32.101043	-103.897595	2955.82	186.04
	14054.00	90.60	176.86	11189.90	3041.25	-3034.32	-306.36	1.83	400660.30	634933.17	32.100782	-103.897582	3049.74	185.77
	14154.00	90.96	176.82	11188.54	3140.91	-3134.16	-300.84	0.36	400560.47	634938.68	32.100507	-103.897566	3148.56	185.48
	14249.00	90.92	177.27	11186.98	3235.61	-3229.02	-295.95	0.48	400465.62	634943.57	32.100246	-103.897551	3242.55	185.24
	14345.00	90.80	177.21	11185.54	3331.34	-3324.89	-291.33	0.14	400369.74	634948.20	32.099983	-103.897537	3337.63	185.01
	14440.00	91.39	177.39	11183.73	3426.07	-3419.77	-286.85	0.65	400274.88	634952.67	32.099722	-103.897524	3431.78	184.79
	14536.00	91.13	179.32	11181.61	3521.90	-3515.70	-284.10	2.03	400178.95	634955.42	32.099458	-103.897517	3527.16	184.62
	14632.00	91.89	179.16	11179.08	3617.79	-3611.66	-282.82	0.81	400083.00	634956.70	32.099194	-103.897514	3622.72	184.48
	14727.00	90.86	179.18	11176.80	3712.68	-3706.62	-281.45	1.08	399988.04	634958.07	32.098933	-103.897510	3717.29	184.34
	14822.00	90.52	179.93	11175.66	3807.62	-3801.61	-280.71	0.87	399893.06	634958.81	32.098672	-103.897509	3811.96	184.22
	14918.00	90.28	179.93	11174.99	3903.58	-3897.61	-280.59	0.25	399797.07	634958.93	32.098408	-103.897510	3907.70	184.12
	15012.00	90.28	179.62	11174.53	3997.54	-3991.61	-280.22	0.33	399703.08	634959.30	32.098150	-103.897510	4001.43	184.02
	15204.00	90.47	180.04	11173.27	4189.45	-4183.60	-279.65	0.24	399511.10	634959.87	32.097622	-103.897511	4192.94	183.82
	15396.00	89.96	180.51	11172.56	4380.41	-4374.60	-280.57	0.36	399320.12	634958.95	32.097097	-103.897516	4383.59	183.67
	15490.00	89.61	180.19	11172.91	4475.39	-4469.59	-281.15	0.50	399225.13	634958.37	32.096836	-103.897519	4478.43	183.60
	15586.00	90.11	180.80	11173.15	4571.37	-4565.59	-281.81	0.47	399129.14	634957.71	32.096572	-103.897523	4573.48	183.53
	15681.00	90.87	177.13	11170.36	4666.36	-4660.59	-282.82	0.27	399034.15	634956.90	32.096304	-103.897527	4668.15	183.47
	15777.00	89.71	180.55	11173.30	4762.34	-4756.58	-283.39	0.36	398938.16	634956.13	32.096047	-103.897530	4765.02	183.41
	15873.00	89.62	180.22	11173.86	4858.32	-4852.58	-284.03	0.36	398842.17	634955.49	32.095783	-103.897534	4860.89	183.35
	15968.00	89.76	180.44	11174.38	4953.30	-4947.58	-284.58	0.27	398747.18	634954.94	32.095522	-103.8975		

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Northing (ftUS)	Easting (ftUS)	Latitude (°)	Longitude (°)	Closure (ft)	Closure Azimuth (°)
	20950.00	90.24	179.48	11170.43	9932.45	-9928.93	-264.58	0.75	393766.18	634974.94	32.081829	-103.897537	9932.46	181.53
	21046.00	90.60	179.96	11169.73	10028.41	-10024.93	-264.11	0.62	393670.19	634975.41	32.081566	-103.897537	10028.41	181.51
	21141.00	90.58	179.76	11168.75	10123.36	-10119.92	-263.88	0.21	393575.21	634975.64	32.081304	-103.897537	10123.36	181.49
	21237.00	90.57	179.08	11167.79	10219.29	-10215.91	-262.90	0.71	393479.22	634976.62	32.081041	-103.897536	10219.29	181.47
	21333.00	90.39	179.49	11166.98	10315.22	-10311.90	-261.71	0.47	393383.24	634977.81	32.080777	-103.897533	10315.22	181.45
	21429.00	90.52	179.58	11166.22	10411.16	-10407.89	-260.93	0.16	393287.25	634978.59	32.080513	-103.897532	10411.16	181.44
	21525.00	90.43	179.34	11165.42	10507.10	-10503.89	-260.02	0.27	393191.27	634979.50	32.080249	-103.897530	10507.10	181.42
	21621.00	90.16	180.08	11164.93	10603.05	-10599.88	-259.54	0.82	393095.28	634979.98	32.079985	-103.897530	10603.06	181.40
LTP [328' FSL, 360' FWL]	21666.00	90.30	180.10	11164.75	10648.04	-10644.88	-259.61	0.32	393050.28	634979.91	32.079861	-103.897530	10648.05	181.40
Last Survey	21717.00	90.46	180.13	11164.41	10699.02	-10695.88	-259.71	0.32	392999.29	634979.81	32.079721	-103.897531	10699.03	181.39
Projection to Bit [254' FSL, 361' FWL]	21748.00	90.46	180.13	11164.16	10730.01	-10726.88	-259.78	0.00	392966.29	634979.74	32.079636	-103.897532	10730.03	181.39

Survey Type: Def Survey

Survey Error Model: ISCWSA Rev 0 *** 3-D 95.000% Confidence 2.7955 sigma
Survey Program:

Description	Part	MD From (ft)	MD To (ft)	EOU Freq (ft)	Hole Size	Casing Diameter (in)	Survey Tool Type	Borehole / Survey
	1	0.000	30.000	1/98.425	14.750	11.750	NAL_MWD_IFR1+MS-Depth Only	Poker Lake Unit 20 BD 907H / Poker Lake Unit 20 BD 907H 0 to 21748' MD
	1	30.000	30.000	Act Stns	14.750	11.750	NAL_MWD_IFR1+MS-Depth Only	Poker Lake Unit 20 BD 907H / Poker Lake Unit 20 BD 907H 0 to 21748' MD
	1	30.000	997.000	Act Stns	14.750	11.750	NAL_MWD_IFR1+MS	Poker Lake Unit 20 BD 907H / Poker Lake Unit 20 BD 907H 0 to Poker Lake Unit 20 BD 907H /
	1	997.000	10305.000	Act Stns	8.750	7.625	NAL_MWD_IFR1+MS	Poker Lake Unit 20 BD 907H / Poker Lake Unit 20 BD 907H 0 to Poker Lake Unit 20 BD 907H /
	1	10305.000	21748.000	Act Stns	6.750	5.500	NAL_MWD_IFR1+MS	Poker Lake Unit 20 BD 907H / Poker Lake Unit 20 BD 907H 0 to

Submit a Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-45475
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator XTO Permian Operating LLC		6. State Oil & Gas Lease No.
3. Address of Operator 6401 Holiday Hill Rd BLDG #5, Midland TX 79707		7. Lease Name or Unit Agreement Name Poker Lake Unit 20 BD
4. Well Location Unit Letter <u>p</u> : <u>330</u> feet from the <u>South</u> line and <u>690</u> feet from the <u>East</u> line Section <u>20</u> Township <u>25S</u> Range <u>30E</u> NMPM County <u>Eddy</u>		8. Well Number 907H
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3,199 GL		9. OGRID Number 373075
		10. Pool name or Wildcat Purple Sage; Wolfcamp (Gas)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK ☐	REMEDIAL WORK ☐
TEMPORARILY ABANDON ☐	ALTERING CASING ☐
PULL OR ALTER CASING ☐	COMMENCE DRILLING OPNS. ☐
DOWNHOLE COMMINGLE ☐	P AND A ☐
CLOSED-LOOP SYSTEM ☐	CASING/CEMENT JOB ☐
OTHER: ☐	OTHER: Completions Sundry ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

XTO Permian Operating, LLC. Respectfully submits a Completions sundry for the above well

KOP @ depth 10,495 ft PBTD= 21,732 ft 10/29/2021 Run RCB/GR/CCL. 12/13/2021 Pressure test 5 in csg to 8,315 psi for 30 minutes test good, open sleeve. 12/19/2021 Perf & frac 53 stages, 1,800 total shots from 11,123 to 21,652 using 514,529 bbls of fluid and 26,498,805 lbs of proppant. Tag & DO plugs. 2/9/2022 Run 2 7/8 L-80 tbg set at 10,545 ft Packer setting depth 10,530 ft. Ready date: 3/3/2022 First Production date: 3/4/2022

Spud Date:

11/16/2020

Rig Release Date:

12/9/2020

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Amanda Thames TITLE Regulatory Analyst DATE 4/15/2022

Type or print name Amanda Thames E-mail address: amanda.thames@exxonmobil.com PHONE: 432-221-7340

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505				State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017			
WELL COMPLETION OR RECOMPLETION REPORT AND LOG											
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name POKER LAKE UNIT 20 BD			
								6. Well Number: 907H			
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER											
8. Name of Operator XTO PERMIAN OPERATING LLC.								9. OGRID 373075			
10. Address of Operator 6401 HOLIDAY HILL RD BLDG #5, MIDLAND TX 79707								11. Pool name or Wildcat PURPLE SAGE;WOLFCAMP (GAS)			
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County	
Surface:	P	20	25S	30E		330	South	690	East	Eddy	
BH:	P	32	25S	30E		246	South	970	East	Eddy	
13. Date Spudded 11/16/2020	14. Date T.D. Reached 12/7/2020		15. Date Rig Released 12/9/2020			16. Date Completed (Ready to Produce) 3/3/2022			17. Elevations (DF and RKB, RT, GR, etc.) 3199' GL		
18. Total Measured Depth of Well 21,750			19. Plug Back Measured Depth 21,732			20. Was Directional Survey Made? Yes			21. Type Electric and Other Logs Run CBL		
22. Producing Interval(s), of this completion - Top, Bottom, Name 11,123 TO 21,652 PURPLE SAGE;WOLFCAMP (GAS)											
23. CASING RECORD (Report all strings set in well)											
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED	
11 3/4"		54.0		987'		14 3/4"		1,060			
7 5/8"		29.7		10,243'		8 3/4"		1,410			
5"		18.0		21,734'		6 3/4"		980			
24. LINER RECORD						25. TUBING RECORD					
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET	PACKER SET			
						2 7/8"	10,545	10,530			
26. Perforation record (interval, size, and number) 11,123 TO 21,652 , 2spf, 1,800 Total Shots 53 stages						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.					
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED			
						11,123- 21,652		514,529 bbl fluid + 26,498,805 lbs proppant			
28. PRODUCTION											
Date First Production 3/4/22		Production Method (<i>Flowing, gas lift, pumping - Size and type pump</i>) Flowing					Well Status (<i>Prod. or Shut-in</i>) Producing				
Date of Test 3/12/22	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 1877	Gas - MCF 6175	Water - Bbl. 4977	Gas - Oil Ratio 3290				
Flow Tubing Press. 430	Casing Pressure 343	Calculated 24-Hour Rate	Oil - Bbl. 1877	Gas - MCF 6175	Water - Bbl. 4977	Oil Gravity - API - (<i>Corr.</i>)					
29. Disposition of Gas (<i>Sold, used for fuel, vented, etc.</i>) Sold								30. Test Witnessed By			
31. List Attachments C-104 NW, C-102 & Supplement , Directional Survey (Log uploaded to NMOCD)											
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date: 12/9/2020			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:											
Latitude				Longitude				NAD83			
<i>I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief</i>											
Signature <i>Amanda Thames</i>				Printed Name <i>Amanda Thames</i>				Title <i>Regulatory Analyst</i>			
E-mail Address <i>amanda.thames@exxonmobil.com</i>								Date <i>4/15/2022</i>			

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt 949'	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt 3,469'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand 3,689'	T. Morrison	
T. Drinkard	T. Bone Springs 7,454'	T. Todilto	
T. Abo	T. Rustler	T. Entrada	
T. Wolfcamp 10,777'	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology



XTO Energy Inc
EMHC.W4.4A.288
22777 Springwoods Village Pkwy
Spring TX 77389-1425
832-625-4370 - Direct Phone
carlos.salinas@exxonmobil.com

April 26, 2022

New Mexico Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, New Mexico 87505

RE: **Waiver of Objection: Non-Standard Location**

Sections 20, 29, and 32, Township 25 South, Range 30 East, Eddy County, New Mexico.
For the following wells:

- Poker Lake Unit 20 BD 126H (API: 30-015-45625)
- Poker Lake Unit 20 BD 128H (API: 30-015-45627)
- Poker Lake Unit 20 BD 905H (API: 30-015-45538)
- Poker Lake Unit 20 BD 907H (API: 30-015-45475)

To whom it may concern:

As operator of the Poker Lake Unit, and 100% owner of the leasehold in the Wolfcamp (Pool Code: 98820) formation (at the time of drilling) on the adjoining sections, XTO Permian Operating, LLC ("XTO") hereby waives its own right to object to the application for an administrative order from the New Mexico Oil Conservation Division approving XTO's future application(s) for a non-standard location(s) comprised of any combination of the above described lands and wells in Eddy County, New Mexico.

Should you have any questions regarding XTO's self-waiver, please do not hesitate to contact the undersigned at the information provided.

Sincerely,

A handwritten signature in blue ink, appearing to read 'C.R. Salinas'.

C.R. Salinas
Sr. Landman – Delaware Basin
XTO Energy Inc.
832.625.4370
carlos.salinas@exxonmobil.com

An ExxonMobil Subsidiary



XTO Energy Inc
EMHC.W4.4A.288
22777 Springwoods Village Pkwy
Spring TX 77389-1425
832-625-4370 - Direct Phone
carlos.salinas@exxonmobil.com

April 26, 2022

New Mexico Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, New Mexico 87505

RE: **Waiver of Objection: Non-Standard Spacing Unit or Units**

Any combination of the SW/4 of Section 20, the W/2 of Section 29, and the W/2 of Section 32, Township 25 South, Range 30 East, Eddy County, New Mexico. For the following wells:

- Poker Lake Unit 20 BD 126H (API: 30-015-45625)
- Poker Lake Unit 20 BD 905H (API: 30-015-45538)
- Poker Lake Unit 20 BD 128H (API: 30-015-45627)
- Poker Lake Unit 20 BD 907H (API: 30-015-45475)

To whom it may concern:

As operator of the Poker Lake Unit, and 100% owner of the leasehold in the Wolfcamp (Pool Code: 98820) formation (at the time of drilling) on adjoining sections, XTO Permian Operating, LLC ("XTO") hereby waives its own right to object to the application for an administrative order from the New Mexico Oil Conservation Division approving XTO's future application(s) for a non-standard spacing unit(s) comprised of any combination of the above described lands and wells in Eddy County, New Mexico.

Should you have any questions regarding XTO's self-waiver, please do not hesitate to contact the undersigned at the information provided.

Sincerely,

A handwritten signature in blue ink, appearing to read 'C.R. Salinas'.

C.R. Salinas
Sr. Landman – Delaware Basin
XTO Energy Inc.
832.625.4370
carlos.salinas@exxonmobil.com

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 101758

ACKNOWLEDGMENTS

Operator: XTO PERMIAN OPERATING LLC. 6401 HOLIDAY HILL ROAD MIDLAND, TX 79707	OGRID: 373075
	Action Number: 101758
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 101758

CONDITIONS

Operator: XTO PERMIAN OPERATING LLC. 6401 HOLIDAY HILL ROAD MIDLAND, TX 79707	OGRID: 373075
	Action Number: 101758
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
crystal.walker	None	8/12/2025