

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address XTO Energy, Inc. 6401 HOLIDAY HILL ROAD BLDG 5 MIDLAND, TX 79707		² OGRID Number 5380
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 015-46482	⁵ Pool Name PURPLE SAGE;WOLFCAMP (GAS)	⁶ Pool Code 98220
⁷ Property Code 326508	⁸ Property Name CORRAL CANYON 8 32 FEDERAL	⁹ Well Number 124H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
K	08	25S	29E		2437	South	1876	West	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
K	32	24S	29E		2444	South	1989	West	Eddy
¹² Lse Code	¹³ Producing Method Code	¹⁴ Gas Connection Date	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				
F	F								

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
248440	Western Refining	O
329302	Enlink	G/W

IV. Well Completion Data

²¹ Spud Date	²² Ready Date	20575 MD ²³ TD	20560 MB ²⁴ BTD	²⁵ Perforations	²⁶ DHC, MC
2/26/2020	4/7/2022	10108 TVD	10108 TVD	10,584 TO 20,435	
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
14.75	11.75 J55 54#	626	870		
10.625	8.625 HCL80 32#	9,039	1,780		
7.875	5.5 RYP110 23#	20,562	2,335		
	2 7/8 L80 6.5#	9550			

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
4/8/2022	4/18/2022	4/18/2022	24 hrs	1770	181
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method
	956	4066	3741		Flowing

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature:

Amanda Thames

Printed name:

Amanda Thames

Title:

Regulatory Analyst

E-mail Address:

amanda.thames@exxonmobil.com

Date:

5/17/2022

Phone:

432.221.7340

OIL CONSERVATION DIVISION

Approved by:

Title:

Approval Date:

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office
☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT AS-DRILLED PLAT

¹ API Number 30-015-46482		² Pool Code 98220	³ Pool Name PURPLE SAGE; WOLFCAMP (GAS)
⁴ Property Code 326508	⁵ Property Name CORRAL CANYON 8-32 FED		⁶ Well Number 124H
⁷ OGRID No. 005380	⁸ Operator Name XTO ENERGY, INC.		⁹ Elevation 2,962'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
K	8	25 S	29 E		2,437	SOUTH	1,876	WEST	EDDY

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
K	32	24 S	29 E		2,444	SOUTH	1,989	WEST	EDDY

¹² Dedicated Acres 638.97	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
---	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division. NOTE: AS-DRILLED BOTTOM HOLE PLOTTED FROM DATA FURNISHED BY XTO ENERGY

¹⁶ <table border="1"> <tr> <td>SHL (NAD83 NME) Y = 416,326.3 X = 641,665.6 LAT. = 32.144145 "N LONG. = 104.009174 "W</td> <td>LTP (NAD83 NME) Y = 426,761.9 X = 641,789.4 LAT. = 32.172830 "N LONG. = 104.008673 "W</td> </tr> <tr> <td>KOP (NAD83 NME) Y = 416,229.8 X = 641,759.3 LAT. = 32.143878 "N LONG. = 104.008873 "W</td> <td>BHL (NAD83 NME) Y = 426,901.8 X = 641,786.0 LAT. = 32.173214 "N LONG. = 104.008683 "W</td> </tr> <tr> <td colspan="2"> CORNER COORDINATES (NAD83 NME) <table border="1"> <tr><td>A - Y = 416,530.4 N</td><td>X = 642,450.5 E</td></tr> <tr><td>B - Y = 416,542.3 N</td><td>X = 641,119.7 E</td></tr> <tr><td>C - Y = 419,177.2 N</td><td>X = 642,447.0 E</td></tr> <tr><td>D - Y = 419,187.0 N</td><td>X = 641,118.1 E</td></tr> <tr><td>E - Y = 421,823.8 N</td><td>X = 642,448.1 E</td></tr> <tr><td>F - Y = 421,830.0 N</td><td>X = 641,126.7 E</td></tr> <tr><td>G - Y = 424,457.9 N</td><td>X = 642,449.2 E</td></tr> <tr><td>H - Y = 424,457.0 N</td><td>X = 641,135.2 E</td></tr> <tr><td>I - Y = 427,117.7 N</td><td>X = 642,433.5 E</td></tr> <tr><td>J - Y = 427,119.8 N</td><td>X = 641,114.0 E</td></tr> </table> </td> </tr> <tr> <td>SHL (NAD27 NME) Y = 416,267.7 X = 600,481.7 LAT. = 32.144020 "N LONG. = 104.008686 "W</td> <td>LTP (NAD27 NME) Y = 426,703.0 X = 600,605.7 LAT. = 32.172706 "N LONG. = 104.008183 "W</td> </tr> <tr> <td>KOP (NAD27 NME) Y = 416,171.2 X = 600,575.4 LAT. = 32.143754 "N LONG. = 104.008384 "W</td> <td>BHL (NAD27 NME) Y = 426,843.0 X = 600,602.3 LAT. = 32.173090 "N LONG. = 104.008193 "W</td> </tr> <tr> <td colspan="2"> CORNER COORDINATES (NAD27 NME) <table border="1"> <tr><td>A - Y = 416,471.7 N</td><td>X = 601,266.6 E</td></tr> <tr><td>B - Y = 416,483.6 N</td><td>X = 599,935.8 E</td></tr> <tr><td>C - Y = 419,118.5 N</td><td>X = 601,263.1 E</td></tr> <tr><td>D - Y = 419,128.3 N</td><td>X = 599,934.3 E</td></tr> <tr><td>E - Y = 421,765.0 N</td><td>X = 601,264.3 E</td></tr> <tr><td>F - Y = 421,771.3 N</td><td>X = 599,942.9 E</td></tr> <tr><td>G - Y = 424,399.1 N</td><td>X = 601,265.5 E</td></tr> <tr><td>H - Y = 424,398.2 N</td><td>X = 599,951.5 E</td></tr> <tr><td>I - Y = 427,058.8 N</td><td>X = 601,249.8 E</td></tr> <tr><td>J - Y = 427,061.0 N</td><td>X = 599,930.4 E</td></tr> </table> </td> </tr> </table>	SHL (NAD83 NME) Y = 416,326.3 X = 641,665.6 LAT. = 32.144145 "N LONG. = 104.009174 "W	LTP (NAD83 NME) Y = 426,761.9 X = 641,789.4 LAT. = 32.172830 "N LONG. = 104.008673 "W	KOP (NAD83 NME) Y = 416,229.8 X = 641,759.3 LAT. = 32.143878 "N LONG. = 104.008873 "W	BHL (NAD83 NME) Y = 426,901.8 X = 641,786.0 LAT. = 32.173214 "N LONG. = 104.008683 "W	CORNER COORDINATES (NAD83 NME) <table border="1"> <tr><td>A - Y = 416,530.4 N</td><td>X = 642,450.5 E</td></tr> <tr><td>B - Y = 416,542.3 N</td><td>X = 641,119.7 E</td></tr> <tr><td>C - Y = 419,177.2 N</td><td>X = 642,447.0 E</td></tr> <tr><td>D - Y = 419,187.0 N</td><td>X = 641,118.1 E</td></tr> <tr><td>E - Y = 421,823.8 N</td><td>X = 642,448.1 E</td></tr> <tr><td>F - Y = 421,830.0 N</td><td>X = 641,126.7 E</td></tr> <tr><td>G - Y = 424,457.9 N</td><td>X = 642,449.2 E</td></tr> <tr><td>H - Y = 424,457.0 N</td><td>X = 641,135.2 E</td></tr> <tr><td>I - Y = 427,117.7 N</td><td>X = 642,433.5 E</td></tr> <tr><td>J - Y = 427,119.8 N</td><td>X = 641,114.0 E</td></tr> </table>		A - Y = 416,530.4 N	X = 642,450.5 E	B - Y = 416,542.3 N	X = 641,119.7 E	C - Y = 419,177.2 N	X = 642,447.0 E	D - Y = 419,187.0 N	X = 641,118.1 E	E - Y = 421,823.8 N	X = 642,448.1 E	F - Y = 421,830.0 N	X = 641,126.7 E	G - Y = 424,457.9 N	X = 642,449.2 E	H - Y = 424,457.0 N	X = 641,135.2 E	I - Y = 427,117.7 N	X = 642,433.5 E	J - Y = 427,119.8 N	X = 641,114.0 E	SHL (NAD27 NME) Y = 416,267.7 X = 600,481.7 LAT. = 32.144020 "N LONG. = 104.008686 "W	LTP (NAD27 NME) Y = 426,703.0 X = 600,605.7 LAT. = 32.172706 "N LONG. = 104.008183 "W	KOP (NAD27 NME) Y = 416,171.2 X = 600,575.4 LAT. = 32.143754 "N LONG. = 104.008384 "W	BHL (NAD27 NME) Y = 426,843.0 X = 600,602.3 LAT. = 32.173090 "N LONG. = 104.008193 "W	CORNER COORDINATES (NAD27 NME) <table border="1"> <tr><td>A - Y = 416,471.7 N</td><td>X = 601,266.6 E</td></tr> <tr><td>B - Y = 416,483.6 N</td><td>X = 599,935.8 E</td></tr> <tr><td>C - Y = 419,118.5 N</td><td>X = 601,263.1 E</td></tr> <tr><td>D - Y = 419,128.3 N</td><td>X = 599,934.3 E</td></tr> <tr><td>E - Y = 421,765.0 N</td><td>X = 601,264.3 E</td></tr> <tr><td>F - Y = 421,771.3 N</td><td>X = 599,942.9 E</td></tr> <tr><td>G - Y = 424,399.1 N</td><td>X = 601,265.5 E</td></tr> <tr><td>H - Y = 424,398.2 N</td><td>X = 599,951.5 E</td></tr> <tr><td>I - Y = 427,058.8 N</td><td>X = 601,249.8 E</td></tr> <tr><td>J - Y = 427,061.0 N</td><td>X = 599,930.4 E</td></tr> </table>		A - Y = 416,471.7 N	X = 601,266.6 E	B - Y = 416,483.6 N	X = 599,935.8 E	C - Y = 419,118.5 N	X = 601,263.1 E	D - Y = 419,128.3 N	X = 599,934.3 E	E - Y = 421,765.0 N	X = 601,264.3 E	F - Y = 421,771.3 N	X = 599,942.9 E	G - Y = 424,399.1 N	X = 601,265.5 E	H - Y = 424,398.2 N	X = 599,951.5 E	I - Y = 427,058.8 N	X = 601,249.8 E	J - Y = 427,061.0 N	X = 599,930.4 E	T24S R29E SEC. 32 SEC. 33 17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. <i>Amanda Thames</i> 5/17/2022 Signature Date Amanda Thames Printed Name amanda.thames@exxonmobil.com E-mail Address
	SHL (NAD83 NME) Y = 416,326.3 X = 641,665.6 LAT. = 32.144145 "N LONG. = 104.009174 "W	LTP (NAD83 NME) Y = 426,761.9 X = 641,789.4 LAT. = 32.172830 "N LONG. = 104.008673 "W																																																			
KOP (NAD83 NME) Y = 416,229.8 X = 641,759.3 LAT. = 32.143878 "N LONG. = 104.008873 "W	BHL (NAD83 NME) Y = 426,901.8 X = 641,786.0 LAT. = 32.173214 "N LONG. = 104.008683 "W																																																				
CORNER COORDINATES (NAD83 NME) <table border="1"> <tr><td>A - Y = 416,530.4 N</td><td>X = 642,450.5 E</td></tr> <tr><td>B - Y = 416,542.3 N</td><td>X = 641,119.7 E</td></tr> <tr><td>C - Y = 419,177.2 N</td><td>X = 642,447.0 E</td></tr> <tr><td>D - Y = 419,187.0 N</td><td>X = 641,118.1 E</td></tr> <tr><td>E - Y = 421,823.8 N</td><td>X = 642,448.1 E</td></tr> <tr><td>F - Y = 421,830.0 N</td><td>X = 641,126.7 E</td></tr> <tr><td>G - Y = 424,457.9 N</td><td>X = 642,449.2 E</td></tr> <tr><td>H - Y = 424,457.0 N</td><td>X = 641,135.2 E</td></tr> <tr><td>I - Y = 427,117.7 N</td><td>X = 642,433.5 E</td></tr> <tr><td>J - Y = 427,119.8 N</td><td>X = 641,114.0 E</td></tr> </table>		A - Y = 416,530.4 N	X = 642,450.5 E	B - Y = 416,542.3 N	X = 641,119.7 E	C - Y = 419,177.2 N	X = 642,447.0 E	D - Y = 419,187.0 N	X = 641,118.1 E	E - Y = 421,823.8 N	X = 642,448.1 E	F - Y = 421,830.0 N	X = 641,126.7 E	G - Y = 424,457.9 N	X = 642,449.2 E	H - Y = 424,457.0 N	X = 641,135.2 E	I - Y = 427,117.7 N	X = 642,433.5 E	J - Y = 427,119.8 N	X = 641,114.0 E																																
A - Y = 416,530.4 N	X = 642,450.5 E																																																				
B - Y = 416,542.3 N	X = 641,119.7 E																																																				
C - Y = 419,177.2 N	X = 642,447.0 E																																																				
D - Y = 419,187.0 N	X = 641,118.1 E																																																				
E - Y = 421,823.8 N	X = 642,448.1 E																																																				
F - Y = 421,830.0 N	X = 641,126.7 E																																																				
G - Y = 424,457.9 N	X = 642,449.2 E																																																				
H - Y = 424,457.0 N	X = 641,135.2 E																																																				
I - Y = 427,117.7 N	X = 642,433.5 E																																																				
J - Y = 427,119.8 N	X = 641,114.0 E																																																				
SHL (NAD27 NME) Y = 416,267.7 X = 600,481.7 LAT. = 32.144020 "N LONG. = 104.008686 "W	LTP (NAD27 NME) Y = 426,703.0 X = 600,605.7 LAT. = 32.172706 "N LONG. = 104.008183 "W																																																				
KOP (NAD27 NME) Y = 416,171.2 X = 600,575.4 LAT. = 32.143754 "N LONG. = 104.008384 "W	BHL (NAD27 NME) Y = 426,843.0 X = 600,602.3 LAT. = 32.173090 "N LONG. = 104.008193 "W																																																				
CORNER COORDINATES (NAD27 NME) <table border="1"> <tr><td>A - Y = 416,471.7 N</td><td>X = 601,266.6 E</td></tr> <tr><td>B - Y = 416,483.6 N</td><td>X = 599,935.8 E</td></tr> <tr><td>C - Y = 419,118.5 N</td><td>X = 601,263.1 E</td></tr> <tr><td>D - Y = 419,128.3 N</td><td>X = 599,934.3 E</td></tr> <tr><td>E - Y = 421,765.0 N</td><td>X = 601,264.3 E</td></tr> <tr><td>F - Y = 421,771.3 N</td><td>X = 599,942.9 E</td></tr> <tr><td>G - Y = 424,399.1 N</td><td>X = 601,265.5 E</td></tr> <tr><td>H - Y = 424,398.2 N</td><td>X = 599,951.5 E</td></tr> <tr><td>I - Y = 427,058.8 N</td><td>X = 601,249.8 E</td></tr> <tr><td>J - Y = 427,061.0 N</td><td>X = 599,930.4 E</td></tr> </table>		A - Y = 416,471.7 N	X = 601,266.6 E	B - Y = 416,483.6 N	X = 599,935.8 E	C - Y = 419,118.5 N	X = 601,263.1 E	D - Y = 419,128.3 N	X = 599,934.3 E	E - Y = 421,765.0 N	X = 601,264.3 E	F - Y = 421,771.3 N	X = 599,942.9 E	G - Y = 424,399.1 N	X = 601,265.5 E	H - Y = 424,398.2 N	X = 599,951.5 E	I - Y = 427,058.8 N	X = 601,249.8 E	J - Y = 427,061.0 N	X = 599,930.4 E																																
A - Y = 416,471.7 N	X = 601,266.6 E																																																				
B - Y = 416,483.6 N	X = 599,935.8 E																																																				
C - Y = 419,118.5 N	X = 601,263.1 E																																																				
D - Y = 419,128.3 N	X = 599,934.3 E																																																				
E - Y = 421,765.0 N	X = 601,264.3 E																																																				
F - Y = 421,771.3 N	X = 599,942.9 E																																																				
G - Y = 424,399.1 N	X = 601,265.5 E																																																				
H - Y = 424,398.2 N	X = 599,951.5 E																																																				
I - Y = 427,058.8 N	X = 601,249.8 E																																																				
J - Y = 427,061.0 N	X = 599,930.4 E																																																				
18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. 5-3-2022 Date of Survey Signature and Seal of Professional Surveyor: MARK DILLON HARP 23786 Certificate Number LS 2017091560																																																					

Intent ☐ As Drilled ☒

API # 30-015-46482		
Operator Name: XTO ENERGY, INC.	Property Name: CORRAL CANYON 8-32 FED	Well Number 124H

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
K	8	25S	29E		2,341	FSL	1,969	FWL	EDDY
Latitude 32.143878					Longitude 104.008873				NAD 83

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
F	8	25S	29E		2,266	FNL	2,021	FWL	EDDY
Latitude 32.145763					Longitude 104.008701				NAD 83

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
K	32	24S	29E		2,304	FSL	1,991	FWL	EDDY
Latitude 32.172830					Longitude 104.008673				NAD 83

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API # 30-015-47115		
Operator Name: XTO Energy Inc.	Property Name: Corral Canyon 8 32 Federal	Well Number 161H

KZ 06/29/2018



MWD SURVEY CERTIFICATION
Legacy Directional Drilling, LLC.

State of NEW MEXICO

County of Eddy

I, Neill Cooper certify that; I am employed by Legacy Directional Drilling, LLC.;

that I did on the day(s) of February 27, 2020 through May 19, 2020 conduct or supervise

the taking of a MWD survey from a depth of 233 Feet to a depth of 20575 Feet;

that the data is true, correct, complete and within the limitations of the tool set forth by

Legacy Directional Drilling, LLC.; that I am authorized and qualified to make this report; that this survey was

conducted at the request of XTO ENERGY INC. for the

Corral Canyon 8-32 Fed 124H Well, A.P.I No. 30-015-46482 in

Purple Sage: Wolfcamp Field and that I have reviewed this report and find that it conforms

to the principles and procedures set forth by Legacy Directional Drilling, LLC.

Neill Cooper

Surveyor's Signature

MWD Field Operator

Title

James B Enoch

Supervisor's Signature

James B Enoch

Printed Name

MWD Manager

Title



Legacy Directional Drilling, LLC. MWD Survey Data Certification

OPERATOR:	XTO ENERGY INC.	JOB NUMBER:	HU200039
-----------	-----------------	-------------	----------

WELL NAME:	CORRAL CANYON 8-32 FED 124H	COUNTY & STATE:	EDDY Co., NM
------------	-----------------------------	-----------------	--------------

FIELD:	PURPLE SAGE: WOLFCAMP	API NUMBER:	30-015-46482
--------	-----------------------	-------------	--------------

TIE-IN DATA							
DEPTH (FT)	INC (°)	AZM (°)	TVD (FT)	N/S (FT)	E/W (FT)	PROPOSED DIRECTION	DATA SOURCE
0	0	0	0	0	0	0.06	

FIRST SURVEY			
DATE	DEPTH (FT)	INC (°)	AZM (°)
27-Feb-2020	233	0.54	296.73

SURVEY INSTRUMENT TYPE:	Legacy MWD
TOTAL CORRECTION USED:	6.75
NORTH REFERENCE:	GRID

LAST SURVEY			
DATE	DEPTH (FT)	INC (°)	AZM (°)
19-May-2020	20510	90.03	358.66

TO THE BEST OF MY KNOWLEDGE I CERTIFY THIS SURVEY DATA TO
BE TRUE AND CORRECT

PROJECTION TO TD			
DATE	DEPTH (FT)	INC (°)	AZM (°)
19-May-2020	20575	90.03	358.66

Neill Cooper

Print Name

MWD OPERATOR(S) PERFORMING SURVEYS:

BRANDON COX

NEILL COOPER

Neill Cooper

Signature

May 19, 2020

Today's Date



Directional Survey Report

Company Name: XTO ENERGY INC.

State/Prov: NM

Survey Company: Legacy Directional

Proposed Azimuth: 0.06°

Well Name: CORRAL CANYON 8-32 FED 124H

County: Eddy

Job Number: HU200039

Declination: 6.75°

Field: PURPLE SAGE: WOLFCAMP

Location: SEC 8 / T25S /R29E

Latitude: 32° 8' 38.472" N

North Reference: GRID

Rig ID: AKITA 803

API/UWI: 30-015-46482

Longitude: 104° 0' 31.27" W

KB: 2993 FT

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	CD	CA	Temp
Tie-In	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0
1	233	0.54	296.73	233.00	0.49	-0.98	0.49	0.23	233.00	1.10	296.73	65.9
2	323	0.66	300.92	322.99	0.95	-1.80	0.95	0.14	90.00	2.04	297.79	65.9
3	411	0.75	277.95	410.99	1.29	-2.81	1.29	0.33	88.00	3.09	294.68	65.9
4	502	0.82	313.38	501.98	1.82	-3.87	1.82	0.53	91.00	4.28	295.18	65.9
5	549	0.78	302.30	548.97	2.22	-4.39	2.22	0.34	47.00	4.92	296.87	73.1
6	681	1.49	318.42	680.95	3.99	-6.29	3.98	0.58	132.00	7.44	302.38	102.3
7	769	1.26	284.95	768.92	5.09	-7.98	5.08	0.93	88.00	9.47	302.54	87.7
8	859	1.23	310.47	858.90	5.97	-9.67	5.96	0.61	90.00	11.37	301.71	95.0
9	949	0.92	310.33	948.89	7.07	-10.96	7.06	0.34	90.00	13.04	302.83	95.0
10	1042	1.63	307.97	1041.86	8.37	-12.57	8.35	0.77	93.00	15.10	303.65	102.3
11	1132	1.98	310.24	1131.82	10.16	-14.76	10.14	0.40	90.00	17.92	304.53	102.3
12	1223	1.15	261.39	1222.79	11.04	-16.87	11.02	1.65	91.00	20.16	303.20	109.6
13	1313	1.25	207.27	1312.77	10.03	-18.21	10.01	1.22	90.00	20.79	298.84	116.9
14	1403	0.95	247.28	1402.75	8.87	-19.35	8.85	0.89	90.00	21.28	294.62	116.9
15	1493	1.11	262.71	1492.74	8.47	-20.90	8.45	0.35	90.00	22.55	292.06	124.1
16	1584	1.23	174.41	1583.73	7.39	-21.68	7.36	1.79	91.00	22.90	288.81	131.4
17	1674	2.40	158.39	1673.68	4.67	-20.89	4.65	1.40	90.00	21.41	282.60	131.4
18	1765	2.50	163.87	1764.60	0.99	-19.64	0.97	0.28	91.00	19.66	272.90	131.4
19	1855	2.26	156.36	1854.52	-2.52	-18.38	-2.54	0.44	90.00	18.55	262.20	138.7
20	1945	1.94	153.50	1944.46	-5.51	-16.99	-5.52	0.37	90.00	17.86	252.04	138.7
21	2035	1.58	157.52	2034.42	-8.02	-15.84	-8.03	0.42	90.00	17.75	243.15	138.7
22	2126	1.33	164.54	2125.39	-10.19	-15.08	-10.21	0.34	91.00	18.20	235.94	138.7
23	2216	1.77	144.89	2215.35	-12.34	-14.00	-12.35	0.76	90.00	18.66	228.61	138.7
24	2307	2.36	138.98	2306.30	-14.90	-11.96	-14.91	0.69	91.00	19.11	218.75	138.7
25	2397	2.66	146.47	2396.21	-18.04	-9.59	-18.05	0.49	90.00	20.43	208.00	138.7
26	2487	3.84	140.71	2486.06	-22.11	-6.53	-22.12	1.36	90.00	23.06	196.45	138.7
27	2577	6.05	123.10	2575.73	-27.04	-0.65	-27.04	2.95	90.00	27.04	181.37	146.0
28	2668	7.92	116.76	2666.05	-32.48	8.97	-32.47	2.22	91.00	33.69	164.56	146.0
29	2757	6.99	114.93	2754.30	-37.52	19.36	-37.50	1.08	89.00	42.22	152.71	146.0
30	2848	5.36	115.74	2844.77	-41.70	28.21	-41.67	1.79	91.00	50.35	145.93	146.0
31	2938	5.21	114.89	2934.38	-45.25	35.70	-45.21	0.19	90.00	57.64	141.73	146.0
32	3028	5.45	116.22	3023.99	-48.86	43.24	-48.81	0.30	90.00	65.24	138.49	146.0
33	3119	5.74	119.38	3114.56	-53.00	51.08	-52.94	0.46	91.00	73.61	136.05	146.0
34	3209	5.73	120.34	3204.11	-57.48	58.88	-57.41	0.11	90.00	82.28	134.31	146.0

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	CD	CA	Temp
35	3299	5.46	119.81	3293.68	-61.87	66.48	-61.80	0.31	90.00	90.82	132.95	146.0
36	3390	5.45	120.60	3384.27	-66.23	73.95	-66.15	0.08	91.00	99.27	131.84	146.0
37	3480	4.57	126.72	3473.92	-70.54	80.51	-70.46	1.14	90.00	107.04	131.23	146.0
38	3570	4.69	126.07	3563.63	-74.85	86.35	-74.76	0.15	90.00	114.28	130.92	146.0
39	3660	4.80	126.51	3653.32	-79.26	92.35	-79.16	0.13	90.00	121.70	130.64	146.0
40	3751	4.04	125.03	3744.05	-83.37	98.04	-83.26	0.84	91.00	128.69	130.38	146.0
41	3841	3.13	122.85	3833.87	-86.52	102.70	-86.41	1.02	90.00	134.29	130.11	146.0
42	3931	3.04	116.05	3923.74	-88.90	106.91	-88.79	0.42	90.00	139.04	129.75	146.0
43	4022	2.97	101.30	4014.62	-90.42	111.39	-90.31	0.85	91.00	143.47	129.07	146.0
44	4112	3.02	101.21	4104.50	-91.34	116.00	-91.22	0.06	90.00	147.64	128.22	146.0
45	4202	2.47	78.83	4194.40	-91.43	120.23	-91.30	1.33	90.00	151.04	127.25	138.7
46	4293	2.20	79.63	4285.32	-90.73	123.87	-90.60	0.30	91.00	153.54	126.22	146.0
47	4383	0.94	64.90	4375.29	-90.11	126.24	-89.97	1.46	90.00	155.10	125.52	146.0
48	4473	1.13	57.04	4465.27	-89.31	127.65	-89.18	0.26	90.00	155.79	124.98	146.0
49	4563	0.59	51.03	4555.26	-88.54	128.76	-88.40	0.61	90.00	156.26	124.51	146.0
50	4654	0.81	255.06	4646.26	-88.41	128.50	-88.27	1.51	91.00	155.97	124.53	146.0
51	4744	0.58	268.52	4736.25	-88.58	127.43	-88.45	0.31	90.00	155.19	124.81	146.0
52	4834	0.56	257.37	4826.25	-88.69	126.54	-88.56	0.13	90.00	154.53	125.03	146.0
53	4924	0.60	246.20	4916.24	-88.98	125.68	-88.85	0.13	90.00	153.99	125.30	146.0
54	5015	0.88	258.01	5007.23	-89.32	124.56	-89.18	0.35	91.00	153.28	125.64	146.0
55	5105	0.95	261.60	5097.22	-89.57	123.15	-89.44	0.10	90.00	152.28	126.03	146.0
56	5195	1.18	255.59	5187.21	-89.91	121.51	-89.78	0.28	90.00	151.16	126.50	153.3
57	5285	1.38	245.41	5277.18	-90.59	119.63	-90.46	0.34	90.00	150.06	127.13	153.3
58	5375	1.60	248.31	5367.15	-91.50	117.48	-91.38	0.26	90.00	148.91	127.92	153.3
59	5466	1.59	254.29	5458.12	-92.32	115.08	-92.19	0.18	91.00	147.53	128.74	153.3
60	5556	1.63	254.96	5548.08	-92.99	112.64	-92.87	0.05	90.00	146.07	129.54	153.3
61	5647	1.52	254.17	5639.05	-93.65	110.23	-93.54	0.12	91.00	144.64	130.35	153.3
62	5737	1.48	251.92	5729.02	-94.34	107.98	-94.22	0.08	90.00	143.38	131.14	153.3
63	5827	1.38	247.98	5818.99	-95.10	105.87	-94.99	0.16	90.00	142.31	131.93	153.3
64	5918	0.14	79.33	5909.98	-95.49	104.96	-95.38	1.67	91.00	141.90	132.30	153.3
65	6008	0.77	77.82	5999.98	-95.35	105.66	-95.24	0.70	90.00	142.32	132.06	153.3
66	6099	0.57	72.95	6090.97	-95.08	106.69	-94.97	0.23	91.00	142.91	131.71	153.3
67	6189	0.51	102.65	6180.97	-95.04	107.51	-94.93	0.31	90.00	143.50	131.48	153.3
68	6279	0.46	106.78	6270.97	-95.23	108.25	-95.12	0.07	90.00	144.18	131.34	153.3
69	6370	0.36	110.87	6361.96	-95.44	108.87	-95.33	0.11	91.00	144.78	131.24	153.3
70	6460	0.37	142.01	6451.96	-95.77	109.31	-95.66	0.22	90.00	145.33	131.22	153.3
71	6550	0.36	173.64	6541.96	-96.28	109.52	-96.17	0.22	90.00	145.82	131.32	153.3
72	6640	1.00	143.23	6631.95	-97.19	110.02	-97.08	0.79	90.00	146.80	131.46	153.3
73	6731	1.57	144.67	6722.93	-98.84	111.22	-98.73	0.63	91.00	148.79	131.63	153.3
74	6821	0.87	180.90	6812.91	-100.53	111.92	-100.42	1.12	90.00	150.44	131.93	160.6

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	CD	CA	Temp
75	6911	1.07	266.04	6902.90	-101.27	111.07	-101.16	1.47	90.00	150.31	132.36	160.6
76	7001	2.11	285.41	6992.87	-100.89	108.63	-100.78	1.28	90.00	148.26	132.88	160.6
77	7092	2.76	293.78	7083.78	-99.56	105.01	-99.45	0.81	91.00	144.71	133.47	160.6
78	7182	1.49	318.17	7173.72	-97.82	102.25	-97.71	1.70	90.00	141.50	133.73	160.6
79	7272	1.11	296.20	7263.70	-96.56	100.69	-96.46	0.69	90.00	139.51	133.80	160.6
80	7362	0.45	315.30	7353.69	-95.92	99.66	-95.82	0.78	90.00	138.32	133.91	160.6
81	7453	0.67	107.39	7444.69	-95.83	99.91	-95.72	1.20	91.00	138.44	133.80	153.3
82	7543	0.45	142.68	7534.68	-96.27	100.63	-96.16	0.44	90.00	139.26	133.73	153.3
83	7633	0.44	191.27	7624.68	-96.89	100.78	-96.78	0.41	90.00	139.80	133.87	153.3
84	7724	0.38	192.24	7715.68	-97.53	100.64	-97.42	0.07	91.00	140.14	134.10	153.3
85	7814	0.30	211.21	7805.68	-98.02	100.46	-97.91	0.15	90.00	140.36	134.30	153.3
86	7904	0.64	201.35	7895.67	-98.69	100.15	-98.58	0.39	90.00	140.61	134.58	153.3
87	7994	0.93	207.79	7985.67	-99.80	99.63	-99.70	0.34	90.00	141.02	135.05	160.6
88	8084	0.64	345.66	8075.66	-99.96	99.17	-99.86	1.63	90.00	140.81	135.23	160.6
89	8175	1.88	27.07	8166.64	-98.14	99.72	-98.04	1.61	91.00	139.91	134.54	160.6
90	8265	1.22	49.60	8256.61	-96.20	101.12	-96.10	0.98	90.00	139.57	133.57	160.6
91	8355	1.32	25.60	8346.59	-94.65	102.30	-94.54	0.60	90.00	139.37	132.78	160.6
92	8446	1.33	31.42	8437.56	-92.80	103.30	-92.69	0.15	91.00	138.86	131.94	160.6
93	8536	1.47	43.53	8527.53	-91.07	104.64	-90.96	0.36	90.00	138.72	131.03	160.6
94	8626	1.42	51.42	8617.51	-89.54	106.31	-89.43	0.23	90.00	138.99	130.11	160.6
95	8717	1.19	54.39	8708.48	-88.29	107.96	-88.18	0.26	91.00	139.46	129.28	160.6
96	8807	0.75	285.38	8798.48	-87.59	108.15	-87.47	1.96	90.00	139.17	129.00	160.6
97	8897	1.68	264.19	8888.46	-87.57	106.27	-87.45	1.13	90.00	137.70	129.49	160.6
98	8977	1.98	220.21	8968.42	-88.74	104.21	-88.63	1.75	80.00	136.87	130.42	160.6
99	9072	1.98	221.03	9063.36	-91.23	102.07	-91.12	0.03	95.00	136.90	131.79	124.1
100	9163	1.47	221.82	9154.32	-93.29	100.26	-93.18	0.56	91.00	136.95	132.94	131.4
101	9253	1.29	239.59	9244.29	-94.66	98.62	-94.56	0.51	90.00	136.70	133.83	138.7
102	9343	1.13	239.87	9334.27	-95.62	96.98	-95.52	0.18	90.00	136.19	134.60	138.7
103	9434	1.04	265.78	9425.26	-96.13	95.38	-96.03	0.54	91.00	135.42	135.22	146.0
104	9524	0.90	238.73	9515.25	-96.56	93.96	-96.46	0.53	90.00	134.73	135.78	146.0
105	9569	0.63	350.44	9560.24	-96.50	93.62	-96.40	2.83	45.00	134.44	135.87	146.0
106	9614	5.35	9.55	9605.17	-94.18	93.92	-94.08	10.58	45.00	133.01	135.08	146.0
107	9659	12.36	6.34	9649.61	-87.32	94.80	-87.22	15.61	45.00	128.89	132.65	146.0
108	9705	17.21	4.82	9694.07	-75.64	95.92	-75.54	10.58	46.00	122.15	128.26	146.0
109	9750	20.91	1.92	9736.60	-60.97	96.75	-60.87	8.48	45.00	114.36	122.22	146.0
110	9795	25.77	1.99	9777.90	-43.16	97.36	-43.06	10.80	45.00	106.50	113.91	146.0
111	9840	31.36	4.04	9817.41	-21.68	98.52	-21.58	12.61	45.00	100.88	102.41	146.0
112	9885	34.04	3.40	9855.27	2.57	100.10	2.68	6.00	45.00	100.13	88.53	146.0
113	9930	36.62	3.86	9891.98	28.54	101.75	28.65	5.76	45.00	105.67	74.33	146.0
114	9975	40.29	6.61	9927.22	56.40	104.33	56.51	9.00	45.00	118.59	61.61	146.0

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	CD	CA	Temp
115	10021	43.36	5.18	9961.49	86.91	107.47	87.02	6.99	46.00	138.21	51.04	146.0
116	10066	48.19	3.86	9992.87	119.04	109.99	119.16	10.94	45.00	162.08	42.74	146.0
117	10111	51.35	1.78	10021.93	153.35	111.67	153.47	7.86	45.00	189.70	36.06	146.0
118	10156	55.11	2.01	10048.87	189.37	112.86	189.49	8.37	45.00	220.45	30.79	146.0
119	10201	59.85	3.59	10073.05	227.26	114.73	227.38	10.94	45.00	254.57	26.79	153.3
120	10247	62.04	3.48	10095.39	267.39	117.20	267.51	4.77	46.00	291.95	23.67	153.3
121	10292	65.45	4.21	10115.30	307.65	119.91	307.77	7.72	45.00	330.19	21.29	153.3
122	10337	70.55	6.78	10132.15	349.16	123.92	349.29	12.51	45.00	370.50	19.54	153.3
123	10382	73.54	7.30	10146.02	391.64	129.17	391.78	6.73	45.00	412.39	18.25	153.3
124	10427	76.12	7.03	10157.79	434.73	134.59	434.87	5.76	45.00	455.09	17.20	153.3
125	10473	78.62	5.94	10167.85	479.33	139.66	479.47	5.91	46.00	499.26	16.24	153.3
126	10518	82.35	3.50	10175.29	523.54	143.30	523.69	9.86	45.00	542.80	15.31	153.3
127	10563	87.22	0.15	10179.38	568.32	144.72	568.47	13.12	45.00	586.45	14.29	153.3
128	10608	87.19	359.40	10181.58	613.26	144.55	613.41	1.67	45.00	630.07	13.26	153.3
129	10699	91.49	359.26	10182.62	704.23	143.48	704.38	4.73	91.00	718.70	11.52	153.3
130	10789	91.74	359.41	10180.09	794.19	142.44	794.33	0.32	90.00	806.86	10.17	160.6
131	10880	91.46	359.32	10177.55	885.15	141.43	885.29	0.32	91.00	896.37	9.08	160.6
132	10970	91.54	358.61	10175.19	975.10	139.81	975.24	0.79	90.00	985.07	8.16	160.6
133	11060	90.93	357.72	10173.25	1065.03	136.92	1065.17	1.20	90.00	1073.80	7.33	160.6
134	11151	91.15	0.48	10171.60	1156.00	135.49	1156.14	3.04	91.00	1163.91	6.69	160.6
135	11241	91.35	0.43	10169.63	1245.97	136.21	1246.11	0.23	90.00	1253.39	6.24	167.9
136	11332	91.26	0.21	10167.56	1336.95	136.72	1337.09	0.26	91.00	1343.92	5.84	167.9
137	11422	91.09	0.86	10165.72	1426.92	137.56	1427.07	0.75	90.00	1433.54	5.51	167.9
138	11512	90.62	1.06	10164.37	1516.90	139.07	1517.04	0.57	90.00	1523.26	5.24	167.9
139	11603	90.50	2.14	10163.48	1607.86	141.61	1608.01	1.19	91.00	1614.08	5.03	167.9
140	11693	90.11	0.90	10163.01	1697.82	143.99	1697.97	1.44	90.00	1703.92	4.85	167.9
141	11783	89.52	0.70	10163.30	1787.81	145.25	1787.97	0.69	90.00	1793.70	4.64	167.9
142	11874	87.70	359.04	10165.50	1878.78	145.04	1878.93	2.71	91.00	1884.37	4.41	167.9
143	11964	90.39	359.18	10167.00	1968.75	143.65	1968.90	2.99	90.00	1973.98	4.17	167.9
144	12054	89.13	358.69	10167.38	2058.73	141.97	2058.88	1.50	90.00	2063.62	3.94	175.1
145	12145	91.21	359.13	10167.11	2149.71	140.24	2149.85	2.34	91.00	2154.28	3.73	175.1
146	12235	90.36	358.79	10165.88	2239.68	138.61	2239.83	1.02	90.00	2243.97	3.54	175.1
147	12325	89.86	359.86	10165.70	2329.68	137.55	2329.82	1.31	90.00	2333.73	3.38	175.1
148	12415	89.44	0.00	10166.25	2419.67	137.44	2419.82	0.49	90.00	2423.57	3.25	175.1
149	12506	88.60	1.14	10167.81	2510.65	138.34	2510.80	1.56	91.00	2514.46	3.15	175.1
150	12596	90.56	359.78	10168.47	2600.64	139.07	2600.79	2.65	90.00	2604.36	3.06	175.1
151	12687	90.79	358.64	10167.40	2691.63	137.81	2691.77	1.28	91.00	2695.15	2.93	175.1
152	12777	90.25	357.67	10166.58	2781.57	134.91	2781.71	1.23	90.00	2784.84	2.78	175.1
153	12867	91.15	359.04	10165.48	2871.53	132.33	2871.66	1.82	90.00	2874.57	2.64	175.1
154	12957	90.95	358.05	10163.83	2961.48	130.05	2961.62	1.12	90.00	2964.34	2.51	175.1

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	CD	CA	Temp
155	13047	91.54	357.52	10161.88	3051.39	126.57	3051.52	0.88	90.00	3054.02	2.38	175.1
156	13137	91.93	0.89	10159.15	3141.33	125.32	3141.46	3.77	90.00	3143.83	2.28	175.1
157	13228	93.25	2.13	10155.04	3232.20	127.72	3232.33	1.99	91.00	3234.72	2.26	175.1
158	13318	91.09	0.91	10151.63	3322.10	130.10	3322.23	2.76	90.00	3324.64	2.24	175.1
159	13408	90.73	0.25	10150.20	3412.08	131.01	3412.22	0.84	90.00	3414.60	2.20	175.1
160	13498	88.71	0.00	10150.64	3502.07	131.21	3502.21	2.26	90.00	3504.53	2.15	182.4
161	13589	87.76	359.68	10153.44	3593.03	130.95	3593.17	1.10	91.00	3595.42	2.09	182.4
162	13679	88.18	0.19	10156.63	3682.97	130.85	3683.11	0.73	90.00	3685.30	2.03	182.4
163	13769	87.45	0.59	10160.06	3772.90	131.46	3773.04	0.92	90.00	3775.19	2.00	175.1
164	13876	92.19	1.93	10160.40	3879.85	133.82	3879.98	4.60	107.00	3882.15	1.98	167.9
165	13967	92.27	1.16	10156.86	3970.74	136.27	3970.88	0.85	91.00	3973.08	1.97	167.9
166	14057	92.52	1.61	10153.10	4060.64	138.44	4060.78	0.57	90.00	4063.00	1.95	175.1
167	14147	92.02	0.81	10149.53	4150.55	140.34	4150.69	1.05	90.00	4152.92	1.94	175.1
168	14237	91.82	359.81	10146.52	4240.49	140.83	4240.64	1.13	90.00	4242.83	1.90	175.1
169	14327	91.54	359.13	10143.88	4330.45	139.99	4330.59	0.82	90.00	4332.71	1.85	175.1
170	14418	91.43	358.85	10141.52	4421.40	138.39	4421.55	0.33	91.00	4423.57	1.79	182.4
171	14508	90.87	0.19	10139.71	4511.38	137.64	4511.52	1.61	90.00	4513.48	1.75	182.4
172	14598	90.17	359.59	10138.90	4601.38	137.46	4601.52	1.02	90.00	4603.43	1.71	182.4
173	14688	89.64	358.20	10139.05	4691.36	135.73	4691.50	1.65	90.00	4693.32	1.66	182.4
174	14779	88.18	357.18	10140.78	4782.26	132.06	4782.40	1.96	91.00	4784.09	1.58	182.4
175	14869	88.96	358.57	10143.02	4872.17	128.73	4872.30	1.77	90.00	4873.87	1.51	182.4
176	14960	88.26	356.99	10145.23	4963.07	125.20	4963.20	1.90	91.00	4964.65	1.45	182.4
177	15050	88.43	357.66	10147.83	5052.94	121.00	5053.06	0.77	90.00	5054.38	1.37	182.4
178	15140	88.94	359.77	10149.90	5142.88	118.99	5143.01	2.41	90.00	5144.26	1.33	182.4
179	15230	91.06	359.75	10149.90	5232.88	118.61	5233.00	2.36	90.00	5234.22	1.30	182.4
180	15321	90.73	357.97	10148.48	5323.85	116.80	5323.96	1.99	91.00	5325.13	1.26	189.7
181	15411	91.68	358.77	10146.58	5413.79	114.24	5413.90	1.38	90.00	5414.99	1.21	182.4
182	15501	91.82	359.79	10143.83	5503.74	113.11	5503.85	1.14	90.00	5504.90	1.18	189.7
183	15592	92.41	0.05	10140.48	5594.67	112.98	5594.79	0.71	91.00	5595.81	1.16	189.7
184	15682	91.96	358.55	10137.04	5684.60	111.88	5684.71	1.74	90.00	5685.70	1.13	189.7
185	15771	90.81	359.78	10134.89	5773.56	110.59	5773.67	1.89	89.00	5774.62	1.10	189.7
186	15862	90.92	0.51	10133.52	5864.55	110.82	5864.66	0.81	91.00	5865.60	1.08	189.7
187	15952	89.94	359.91	10132.84	5954.54	111.15	5954.66	1.28	90.00	5955.58	1.07	189.7
188	16042	89.86	359.78	10133.00	6044.54	110.90	6044.66	0.17	90.00	6045.56	1.05	189.7
189	16133	89.33	1.72	10133.64	6135.53	112.09	6135.64	2.21	91.00	6136.55	1.05	175.1
190	16224	88.99	1.69	10134.98	6226.48	114.80	6226.60	0.38	91.00	6227.54	1.06	182.4
191	16314	88.91	1.49	10136.63	6316.43	117.30	6316.55	0.24	90.00	6317.52	1.06	182.4
192	16404	88.26	1.47	10138.85	6406.37	119.62	6406.49	0.72	90.00	6407.49	1.07	182.4
193	16495	90.70	1.98	10139.68	6497.32	122.36	6497.44	2.74	91.00	6498.47	1.08	182.4
194	16585	91.06	1.88	10138.29	6587.26	125.39	6587.39	0.42	90.00	6588.45	1.09	182.4

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	CD	CA	Temp
195	16675	91.48	2.01	10136.30	6677.18	128.45	6677.31	0.49	90.00	6678.42	1.10	189.7
196	16765	90.56	1.72	10134.70	6767.12	131.37	6767.25	1.07	90.00	6768.40	1.11	189.7
197	16855	89.75	0.90	10134.45	6857.09	133.43	6857.23	1.28	90.00	6858.39	1.11	189.7
198	16945	87.70	0.21	10136.46	6947.06	134.30	6947.20	2.40	90.00	6948.36	1.11	189.7
199	17035	89.55	359.21	10138.62	7037.03	133.85	7037.17	2.34	90.00	7038.30	1.09	189.7
200	17125	90.11	358.66	10138.88	7127.01	132.18	7127.15	0.87	90.00	7128.24	1.06	189.7
201	17216	90.98	359.08	10138.02	7217.99	130.38	7218.12	1.06	91.00	7219.17	1.03	189.7
202	17306	89.72	358.15	10137.47	7307.96	128.21	7308.09	1.74	90.00	7309.09	1.01	189.7
203	17396	91.09	358.38	10136.83	7397.91	125.48	7398.04	1.54	90.00	7398.98	0.97	189.7
204	17487	94.37	359.44	10132.50	7488.78	123.75	7488.91	3.79	91.00	7489.80	0.95	189.7
205	17577	93.81	1.12	10126.08	7578.55	124.19	7578.67	1.96	90.00	7579.57	0.94	189.7
206	17668	92.04	1.52	10121.43	7669.40	126.28	7669.53	1.99	91.00	7670.44	0.94	197.0
207	17758	93.00	1.81	10117.48	7759.27	128.90	7759.41	1.11	90.00	7760.35	0.95	197.0
208	17848	91.57	0.49	10113.89	7849.18	130.70	7849.31	2.16	90.00	7850.27	0.95	197.0
209	17938	90.98	359.64	10111.89	7939.16	130.80	7939.29	1.15	90.00	7940.23	0.94	197.0
210	18028	90.90	359.90	10110.41	8029.14	130.44	8029.28	0.30	90.00	8030.20	0.93	197.0
211	18118	91.23	0.22	10108.74	8119.13	130.54	8119.26	0.51	90.00	8120.18	0.92	197.0
212	18208	91.74	0.03	10106.40	8209.10	130.73	8209.23	0.60	90.00	8210.14	0.91	197.0
213	18299	92.69	358.13	10102.89	8300.01	129.27	8300.14	2.33	91.00	8301.02	0.89	197.0
214	18389	91.04	0.63	10099.96	8389.95	128.30	8390.08	3.33	90.00	8390.93	0.88	197.0
215	18479	90.08	0.79	10099.08	8479.94	129.41	8480.07	1.08	90.00	8480.92	0.87	197.0
216	18569	89.69	0.74	10099.26	8569.93	130.62	8570.06	0.44	90.00	8570.92	0.87	197.0
217	18659	91.34	0.69	10098.45	8659.92	131.74	8660.05	1.83	90.00	8660.92	0.87	197.0
218	18749	89.30	358.74	10097.95	8749.90	131.29	8750.04	3.14	90.00	8750.89	0.86	197.0
219	18839	90.78	359.83	10097.88	8839.89	130.17	8840.02	2.04	90.00	8840.85	0.84	197.0
220	18930	90.98	359.64	10096.49	8930.88	129.75	8931.01	0.30	91.00	8931.82	0.83	197.0
221	19020	93.19	0.63	10093.21	9020.81	129.96	9020.95	2.69	90.00	9021.75	0.83	197.0
222	19110	90.53	1.60	10090.29	9110.74	131.71	9110.87	3.15	90.00	9111.69	0.83	197.0
223	19200	88.32	1.16	10091.19	9200.70	133.88	9200.84	2.50	90.00	9201.68	0.83	197.0
224	19291	86.24	359.87	10095.51	9291.59	134.70	9291.73	2.69	91.00	9292.57	0.83	204.3
225	19381	88.04	0.17	10100.00	9381.48	134.73	9381.61	2.03	90.00	9382.44	0.82	197.0
226	19471	88.88	359.66	10102.42	9471.44	134.59	9471.58	1.09	90.00	9472.40	0.81	204.3
227	19561	90.53	0.46	10102.89	9561.44	134.69	9561.57	2.04	90.00	9562.39	0.81	197.0
228	19652	88.15	358.07	10103.93	9652.41	133.52	9652.54	3.71	91.00	9653.33	0.79	204.3
229	19742	90.36	0.30	10105.10	9742.38	132.24	9742.52	3.49	90.00	9743.28	0.78	204.3
230	19833	89.64	359.55	10105.10	9833.38	132.12	9833.51	1.14	91.00	9834.27	0.77	204.3
231	19923	90.08	359.63	10105.32	9923.38	131.48	9923.51	0.50	90.00	9924.25	0.76	204.3
232	20013	88.66	359.48	10106.31	10013.37	130.78	10013.50	1.59	90.00	10014.22	0.75	204.3
233	20103	89.47	359.36	10107.78	10103.35	129.87	10103.48	0.91	90.00	10104.18	0.74	204.3
234	20194	90.28	359.24	10107.98	10194.34	128.76	10194.47	0.90	91.00	10195.16	0.72	204.3

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	CD	CA	Temp
235	20284	90.17	358.99	10107.63	10284.33	127.37	10284.46	0.30	90.00	10285.12	0.71	204.3
236	20374	90.20	358.69	10107.34	10374.31	125.54	10374.44	0.33	90.00	10375.07	0.69	204.3
237	20464	89.83	358.43	10107.31	10464.28	123.28	10464.41	0.50	90.00	10465.01	0.67	204.3
238	20510	90.03	358.66	10107.37	10510.27	122.11	10510.39	0.66	46.00	10510.98	0.67	204.3
PTB	20575	90.03	358.66	10107.34	10575.25	120.59	10575.37	0.00	65.00	10575.94	0.65	0.5

Submit Copy To Appropriate District:
 Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form CS-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well ☐ Gas Well ☒ Other		WELL API NO. 30-015-46482
2. Name of Operator XTO Energy Inc.		5. Indicate Type of Lease STATE ☒ FEE ☐
3. Address of Operator 6401 Holiday Hill Road Building 5, Midland, TX 79707		6. State Oil & Gas Lease No.
4. Well Location Unit Letter <u>K</u> : <u>2437</u> feet from the <u>South</u> line and <u>1876</u> feet from the <u>West</u> line Section <u>08</u> Township <u>25S</u> Range <u>29E</u> NMPM County <u>Eddy</u>		7. Lease Name or Unit Agreement Name Corral Canyon 8 32 Federal
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 2962 GL		8. Well Number <u>124H</u> 9. OGRID Number 05380
		10. Pool name or Wildcat PURPLE SAGE; WOLFCAMP (GAS)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
CLOSED-LOOP SYSTEM ☐			
OTHER: ☐		OTHER: Completions Sundry ☒	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

XTO PERMIAN OPERATING LLC respectfully submits this sundry notice to report the completion operations of the referenced well.

KOP @ depth 9,564 ft.
 PBDT = 20,560 ft. 9/27/21 Run RCB/GR/CCL
 11/27/21 Pressure test 5.5 in csg to 8,367 psi for 30min test good, open sleeve.
 1/18/2022 Perf and frac 49 stages, 2,066 total shots, from 10,584 to 20,435 using 688,028 bbls of fluid and 34,331,427 lbs Proppant. Tag and drill out plugs.
 3/20/22 Run 2-7/8 L80 6.5# tubing set at 9,550 ft.
 3/20/22 Packer setting depth 9,535 ft.
 Ready Date: 4/7/22
 First Production: 4/8/22

Spud Date:

2/26/2020

Rig Release Date:

5/21/2020

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Amanda Thames TITLE Regulatory Analyst DATE 5/17/2022

Type or print name Amanda Thames E-mail address: amanda.thames@cxxonmobil.com PHONE: 432-221-7340

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017				
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name CORRAL CANYON 8 32 FEDERAL		
								6. Well Number: 124H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator XTO PERMIAN OPERATING LLC.						9. OGRID 5380				
10. Address of Operator 6401 HOLIDAY HILL RD BLDG #5, MIDLAND TX 79707						11. Pool name or Wildcat PURPLE SAGE;WOLFCAMP (GAS)				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	K	08	25S	29E		2437	South	1876	West	Eddy
BH:	K	32	24S	29E		2444	South	1989	West	Eddy
13. Date Spudded 2/26/2020	14. Date T.D. Reached 5/19/2020		15. Date Rig Released 5/21/2020		16. Date Completed (Ready to Produce) 4/7/2022			17. Elevations (DF and RKB, RT, GR, etc.) 2962' GL		
18. Total Measured Depth of Well 20,575			19. Plug Back Measured Depth 20,560		20. Was Directional Survey Made? Yes			21. Type Electric and Other Logs Run CBL		
22. Producing Interval(s), of this completion - Top, Bottom, Name 10,584 TO 20,435 PURPLE SAGE;WOLFCAMP (GAS)										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
11 3/4"		54.0		626'		14 3/4"		870		
8 5/8"		32.0		9,039'		10 5/8"		1,780		
5 1/2"		23.0		20,562'		7 7/8"		2,335		
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
					2 7/8"	9,550	9,535			
26. Perforation record (interval, size, and number)					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.					
10,584 TO 20,435, 2spf, 1,176 Total Shots 49 stages					DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED			
					10,584 TO 20,435		688,028 bbl fluid + 34,331,427 lbs proppant			
28. PRODUCTION										
Date First Production 4/8/22		Production Method (<i>Flowing, gas lift, pumping - Size and type pump</i>) Flowing				Well Status (<i>Prod. or Shut-in</i>) Producing				
Date of Test 4/18/22	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 956	Gas - MCF 3741	Water - Bbl. 4066	Gas - Oil Ratio 3913			
Flow Tubing Press. 1770	Casing Pressure 181	Calculated 24-Hour Rate	Oil - Bbl. 956	Gas - MCF 3741	Water - Bbl. 4066	Oil Gravity - API - (<i>Corr.</i>)				
29. Disposition of Gas (<i>Sold, used for fuel, vented, etc.</i>) Sold							30. Test Witnessed By			
31. List Attachments C-104 NW, C-102 & Supplement , Directional Survey (Log uploaded to NMOCD)										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude			Longitude			NAD83				
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature <i>Amanda Thames</i>			Name Amanda Thames		Title Regulatory Analyst			Date 5/17/2022		
E-mail Address amanda.thames@exxonmobil.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt 655'	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt 2,705'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinbry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand 2,875'	T. Morrison	
T. Drinkard	T. Bone Springs 6,566'	T. Todilto	
T. Abo	T. Rustler 359'	T. Entrada	
T. Wolfcamp 9,817'	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 107792

ACKNOWLEDGMENTS

Operator: XTO ENERGY, INC 6401 Holiday Hill Road Midland, TX 79707	OGRID: 5380
	Action Number: 107792
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 107792

CONDITIONS

Operator: XTO ENERGY, INC 6401 Holiday Hill Road Midland, TX 79707	OGRID: 5380
	Action Number: 107792
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
crystal.walker	None	8/18/2025