

State of New Mexico  
Energy, Minerals & Natural ResourcesForm C-104  
Revised August 1, 2011Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

|                                                                                                                           |                                                                 |                                                                  |
|---------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------|------------------------------------------------------------------|
| <sup>1</sup> Operator name and Address<br><b>XTO Energy, Inc.<br/>6401 HOLIDAY HILL ROAD BLDG 5<br/>MIDLAND, TX 79707</b> |                                                                 | <sup>2</sup> OGRID Number<br><b>5380</b>                         |
|                                                                                                                           |                                                                 | <sup>3</sup> Reason for Filing Code/ Effective Date<br><b>NW</b> |
| <sup>4</sup> API Number<br><b>30 - 015-46737</b>                                                                          | <sup>5</sup> Pool Name<br><b>PURPLE SAGE; WOLFCAMP (GAS)</b>    | <sup>6</sup> Pool Code<br><b>98220</b>                           |
| <sup>7</sup> Property Code<br><b>327082</b>                                                                               | <sup>8</sup> Property Name<br><b>CORRAL CANYON 5 32 FEDERAL</b> | <sup>9</sup> Well Number<br><b>127H</b>                          |

**II. <sup>10</sup> Surface Location**

| UL or lot no. | Section   | Township   | Range      | Lot Idn | Feet from the | North/South Line | Feet from the | East/West line | County      |
|---------------|-----------|------------|------------|---------|---------------|------------------|---------------|----------------|-------------|
| <b>A</b>      | <b>08</b> | <b>25S</b> | <b>29E</b> |         | <b>170</b>    | <b>North</b>     | <b>720</b>    | <b>East</b>    | <b>EDDY</b> |

**<sup>11</sup> Bottom Hole Location**

| UL or lot no.                      | Section                                         | Township                          | Range                             | Lot Idn                            | Feet from the                       | North/South line | Feet from the | East/West line | County      |
|------------------------------------|-------------------------------------------------|-----------------------------------|-----------------------------------|------------------------------------|-------------------------------------|------------------|---------------|----------------|-------------|
| <b>I</b>                           | <b>32</b>                                       | <b>24S</b>                        | <b>29E</b>                        |                                    | <b>2415</b>                         | <b>South</b>     | <b>733</b>    | <b>East</b>    | <b>Eddy</b> |
| <sup>12</sup> Lse Code<br><b>F</b> | <sup>13</sup> Producing Method Code<br><b>F</b> | <sup>14</sup> Gas Connection Date | <sup>15</sup> C-129 Permit Number | <sup>16</sup> C-129 Effective Date | <sup>17</sup> C-129 Expiration Date |                  |               |                |             |

**III. Oil and Gas Transporters**

| <sup>18</sup> Transporter OGRID | <sup>19</sup> Transporter Name and Address | <sup>20</sup> O/G/W |
|---------------------------------|--------------------------------------------|---------------------|
| <b>248440</b>                   | <b>Western Refining</b>                    | <b>O</b>            |
| <b>373073</b>                   | <b>XTO Permian Midstream</b>               | <b>G/W</b>          |
|                                 |                                            |                     |
|                                 |                                            |                     |
|                                 |                                            |                     |
|                                 |                                            |                     |

**IV. Well Completion Data**

|                                             |                                              |                                                   |                                                     |                                                       |                       |
|---------------------------------------------|----------------------------------------------|---------------------------------------------------|-----------------------------------------------------|-------------------------------------------------------|-----------------------|
| <sup>21</sup> Spud Date<br><b>4/14/2020</b> | <sup>22</sup> Ready Date<br><b>4/29/2022</b> | <sup>23</sup> TD<br><b>17913 MD<br/>10198 TVD</b> | <sup>24</sup> PRTD<br><b>17911 MD<br/>10198 TVD</b> | <sup>25</sup> Perforations<br><b>10,569 TO 17,791</b> | <sup>26</sup> DHC, MC |
| <sup>27</sup> Hole Size                     | <sup>28</sup> Casing & Tubing Size           | <sup>29</sup> Depth Set                           | <sup>30</sup> Sacks Cement                          |                                                       |                       |
| <b>14.75</b>                                | <b>11.75 J55 54#</b>                         | <b>619</b>                                        | <b>630</b>                                          |                                                       |                       |
| <b>10.625</b>                               | <b>8.625 L80 32#</b>                         | <b>9,264</b>                                      | <b>1,515</b>                                        |                                                       |                       |
| <b>6.75</b>                                 | <b>5 P110 18#</b>                            | <b>17,913</b>                                     | <b>1,795</b>                                        |                                                       |                       |
|                                             | <b>2 7/8 L80 6.5#</b>                        | <b>9740</b>                                       |                                                     |                                                       |                       |

**V. Well Test Data**

|                                                                                                                                                                                                                                                |                                 |                         |                           |                             |                             |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|-------------------------|---------------------------|-----------------------------|-----------------------------|
| <sup>31</sup> Date New Oil                                                                                                                                                                                                                     | <sup>32</sup> Gas Delivery Date | <sup>33</sup> Test Date | <sup>34</sup> Test Length | <sup>35</sup> Tbg. Pressure | <sup>36</sup> Csg. Pressure |
| 4/30/2022                                                                                                                                                                                                                                      | 05/06/2022                      | 05/06/2022              | 24 hrs                    | 541                         | 1583                        |
| <sup>37</sup> Choke Size                                                                                                                                                                                                                       | <sup>38</sup> Oil               | <sup>39</sup> Water     | <sup>40</sup> Gas         |                             | <sup>41</sup> Test Method   |
|                                                                                                                                                                                                                                                | 2643                            | 4762                    | 6111                      |                             | Flowing                     |
| <sup>42</sup> I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.<br>Signature:<br><i>Amanda Thames</i> |                                 |                         | OIL CONSERVATION DIVISION |                             |                             |
| Printed name:<br>Amanda Thames                                                                                                                                                                                                                 |                                 |                         | Approved by:              |                             |                             |
| Title:<br>Regulatory Analyst                                                                                                                                                                                                                   |                                 |                         | Title:                    |                             |                             |
| E-mail Address:<br>amanda.thames@exxonmobil.com                                                                                                                                                                                                |                                 |                         | Approval Date:            |                             |                             |
| Date:<br>5/26/2022                                                                                                                                                                                                                             |                                 | Phone:<br>432 221 7340  |                           |                             |                             |

District I  
1625 N. French Dr., Hobbs, NM 88240  
Phone: (575) 393-6161 Fax: (575) 393-0720

District II  
811 S. First St., Artesia, NM 88210  
Phone: (575) 748-1283 Fax: (575) 748-9720

District III  
1000 Rio Brazos Road, Aztec, NM 87410  
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505  
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico  
Energy, Minerals & Natural Resources Department  
OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-102  
Revised August 1, 2011  
Submit one copy to appropriate  
District Office

☐ AMENDED REPORT

## WELL LOCATION AND ACREAGE DEDICATION PLAT

## AS-DRILLED PLAT

|                                         |                                                      |                                                       |
|-----------------------------------------|------------------------------------------------------|-------------------------------------------------------|
| <sup>1</sup> API Number<br>30-015-46737 | <sup>2</sup> Pool Code<br>98220                      | <sup>3</sup> Pool Name<br>PURPLE SAGE; WOLFCAMP (GAS) |
| <sup>4</sup> Property Code<br>327082    | <sup>5</sup> Property Name<br>CORRAL CANYON 5-32 FED | <sup>6</sup> Well Number<br>127H                      |
| <sup>7</sup> OGRID No.<br>005380        | <sup>8</sup> Operator Name<br>XTO ENERGY, INC.       | <sup>9</sup> Elevation<br>2,941'                      |

<sup>10</sup> Surface Location

| UL or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|--------|
| A             | 8       | 25 S     | 29 E  |         | 170           | NORTH            | 720           | EAST           | EDDY   |

<sup>11</sup> Bottom Hole Location If Different From Surface

| UL or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|--------|
| I             | 32      | 24 S     | 29 E  |         | 2,415         | SOUTH            | 733           | EAST           | EDDY   |

|                                      |                               |                                  |                         |
|--------------------------------------|-------------------------------|----------------------------------|-------------------------|
| <sup>12</sup> Dedicated Acres<br>480 | <sup>13</sup> Joint or Infill | <sup>14</sup> Consolidation Code | <sup>15</sup> Order No. |
|--------------------------------------|-------------------------------|----------------------------------|-------------------------|

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division. NOTE: AS-DRILLED BOTTOM HOLE PLOTTED FROM DATA FURNISHED BY XTO ENERGY.

|                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><sup>16</sup></p> <p><b>SEC. 32<br/>T24S R29E</b></p> <p><b>LOT ACREAGE TABLE</b><br/>SEC. 5<br/>LOT 1 - 39.71 ACRES<br/>LOT 2 - 36.62 ACRES<br/>LOT 3 - 39.53 ACRES</p> | <p><b>SHL (NAD83 NME)</b><br/>Y = 418,992.7<br/>X = 644,383.8<br/>LAT. = 32.151451 °N<br/>LONG. = 104.000366 °W</p> <p><b>KOP (NAD83 NME)</b><br/>Y = 419,022.4<br/>X = 644,340.5<br/>LAT. = 32.151533 °N<br/>LONG. = 104.000505 °W</p> <p><b>FTP (NAD83 NME)</b><br/>Y = 419,537.4<br/>X = 644,281.9<br/>LAT. = 32.152950 °N<br/>LONG. = 104.000689 °W</p> <p><b>CORNER COORDINATES (NAD83 NME)</b><br/>A - Y = 427,113.4 N , X = 645,065.8 E<br/>B - Y = 427,115.5 N , X = 643,749.6 E<br/>C - Y = 424,458.8 N , X = 645,075.7 E<br/>D - Y = 424,458.3 N , X = 643,762.5 E<br/>E - Y = 421,811.2 N , X = 645,090.1 E<br/>F - Y = 421,817.5 N , X = 643,769.1 E<br/>G - Y = 419,157.4 N , X = 645,103.3 E<br/>H - Y = 419,167.3 N , X = 643,775.1 E</p> | <p><b>LTP (NAD83 NME)</b><br/>Y = 426,751.4<br/>X = 644,329.6<br/>LAT. = 32.172780 °N<br/>LONG. = 104.000463 °W</p> <p><b>BHL (NAD83 NME)</b><br/>Y = 426,873.3<br/>X = 644,333.5<br/>LAT. = 32.173115 °N<br/>LONG. = 104.000449 °W</p> | <p><b><sup>17</sup> OPERATOR CERTIFICATION</b><br/>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</p> <p><u>Amanda Thames</u> 5/26/2022<br/>Signature Date</p> <p>Amanda Thames<br/>Printed Name</p> <p>amanda.thames@exxonmobil.com<br/>E-mail Address</p> |
|                                                                                                                                                                             | <p><b>SHL (NAD27 NME)</b><br/>Y = 418,934.2<br/>X = 603,199.7<br/>LAT. = 32.151328 °N<br/>LONG. = 103.999877 °W</p> <p><b>KOP (NAD27 NME)</b><br/>Y = 418,963.7<br/>X = 603,156.6<br/>LAT. = 32.151409 °N<br/>LONG. = 104.000016 °W</p> <p><b>FTP (NAD27 NME)</b><br/>Y = 419,478.7<br/>X = 603,098.0<br/>LAT. = 32.152825 °N<br/>LONG. = 104.000200 °W</p> <p><b>CORNER COORDINATES (NAD27 NME)</b><br/>A - Y = 427,054.7 N , X = 603,881.9 E<br/>B - Y = 427,056.8 N , X = 602,565.7 E<br/>C - Y = 424,400.2 N , X = 603,891.7 E<br/>D - Y = 424,399.7 N , X = 602,578.5 E<br/>E - Y = 421,752.6 N , X = 603,906.0 E<br/>F - Y = 421,758.9 N , X = 602,585.1 E<br/>G - Y = 419,098.9 N , X = 603,919.2 E<br/>H - Y = 419,108.8 N , X = 602,591.0 E</p> | <p><b>LTP (NAD27 NME)</b><br/>Y = 426,692.5<br/>X = 603,145.9<br/>LAT. = 32.172656 °N<br/>LONG. = 103.999973 °W</p> <p><b>BHL (NAD27 NME)</b><br/>Y = 426,814.6<br/>X = 603,149.6<br/>LAT. = 32.172991 °N<br/>LONG. = 103.999960 °W</p> | <p><b><sup>18</sup> SURVEYOR CERTIFICATION</b><br/>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</p> <p>5-3-2022<br/>Date of Survey</p> <p>Signature and Seal of Professional Surveyor:</p> <p>MARK DILLON HARP 23786<br/>Certificate Number LS 2017091552</p>                                                                                                                                                                                                                                                                                       |

Intent ☐ As Drilled ☒

|                                        |                                          |                     |
|----------------------------------------|------------------------------------------|---------------------|
| API #<br>30-015-46737                  |                                          |                     |
| Operator Name:<br>XTO XTO ENERGY, INC. | Property Name:<br>CORRAL CANYON 5-32 FED | Well Number<br>127H |

## Kick Off Point (KOP)

| UL                    | Section | Township | Range | Lot | Feet                    | From N/S | Feet | From E/W | County    |
|-----------------------|---------|----------|-------|-----|-------------------------|----------|------|----------|-----------|
| A                     | 8       | 25S      | 29E   |     | 141                     | FNL      | 763  | FEL      | EDDY      |
| Latitude<br>32.151533 |         |          |       |     | Longitude<br>104.000505 |          |      |          | NAD<br>83 |

## First Take Point (FTP)

| UL                    | Section | Township | Range | Lot | Feet                    | From N/S | Feet | From E/W | County    |
|-----------------------|---------|----------|-------|-----|-------------------------|----------|------|----------|-----------|
| P                     | 5       | 25S      | 29E   |     | 374                     | FSL      | 819  | FEL      | EDDY      |
| Latitude<br>32.152950 |         |          |       |     | Longitude<br>104.000689 |          |      |          | NAD<br>83 |

## Last Take Point (LTP)

| UL                    | Section | Township | Range | Lot | Feet                    | From N/S | Feet | From E/W | County    |
|-----------------------|---------|----------|-------|-----|-------------------------|----------|------|----------|-----------|
| I                     | 32      | 24S      | 29E   |     | 2,293                   | FSL      | 738  | FEL      | EDDY      |
| Latitude<br>32.172780 |         |          |       |     | Longitude<br>104.000463 |          |      |          | NAD<br>83 |

Is this well the defining well for the Horizontal Spacing Unit? ☐ NIs this well an infill well? ☐ Y

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

|                                   |                                              |                     |
|-----------------------------------|----------------------------------------------|---------------------|
| API #<br>30-015-46664             |                                              |                     |
| Operator Name:<br>XTO Energy Inc. | Property Name:<br>Corral Canyon 5 32 Federal | Well Number<br>167H |

KZ 06/29/2018

**Quintana Energy Services**

11390 FM 830  
Willis, TX 77318  
Phone: (936) 856-4332  
Fax: (936) 856-8678

**Survey Certification Sheet**

| Company         | Job Number | Date      |
|-----------------|------------|-----------|
| XTO Energy, Inc | WT-200512  | 5/15/2020 |

| Lease        | Well Name                        | County & State   |
|--------------|----------------------------------|------------------|
| A-08-25S-29E | Corral Canyon 5-32 Federal #127H | Eddy, New Mexico |

| API No.      | Survey Depth Range        | Survey Type |
|--------------|---------------------------|-------------|
| 30-015-46737 | 228 feet to 17913 feet MD | MWD         |

| Sidetrack Information                     | Directional Supervisor/Surveyor |
|-------------------------------------------|---------------------------------|
| <a href="#">Click here to enter text.</a> | Jeffrey Leschuck                |

**Certification Statement**

The data and calculations for this survey have been checked by me and conform to the standards and procedures set forth by Quintana Energy Services (QES). This report represents a true and correct directional survey of this well based on the original data obtained at the well site. Wellbore coordinates are calculated using minimum curvature.

# Kristopher Ray

Digitally signed by Kristopher Ray  
DN: cn=Kristopher Ray, o=Regulatory  
Compliance Manager, ou=QES DD,  
email=kris.ray@qesinc.com, c=US  
Date: 2020.05.15 08:49:46 -05'00'

Kristopher Ray  
Regulatory Compliance Manager  
Quintana Energy Services



## **XTO ENERGY, INC.**

**Eddy County, NM**

**Sec 8, T25S, R29E**

**Corral Canyon 5-32 Fed #127H**

**Wellbore #1**

**Design: Wellbore #1**

## **QES Survey Report**

**15 May, 2020**





# QES Survey Report



|                  |                              |                                     |                                   |
|------------------|------------------------------|-------------------------------------|-----------------------------------|
| <b>Company:</b>  | XTO ENERGY, INC.             | <b>Local Co-ordinate Reference:</b> | Well Corral Canyon 5-32 Fed #127H |
| <b>Project:</b>  | Eddy County, NM              | <b>TVD Reference:</b>               | RKB @ 2965.5usft (Ensign #225)    |
| <b>Site:</b>     | Sec 8, T25S, R29E            | <b>MD Reference:</b>                | RKB @ 2965.5usft (Ensign #225)    |
| <b>Well:</b>     | Corral Canyon 5-32 Fed #127H | <b>North Reference:</b>             | True                              |
| <b>Wellbore:</b> | Wellbore #1                  | <b>Survey Calculation Method:</b>   | Minimum Curvature                 |
| <b>Design:</b>   | Wellbore #1                  | <b>Database:</b>                    | EDM 5000.1 Single User Db         |

|                    |                                      |                      |                |
|--------------------|--------------------------------------|----------------------|----------------|
| <b>Project</b>     | Eddy County, NM                      |                      |                |
| <b>Map System:</b> | US State Plane 1927 (Exact solution) | <b>System Datum:</b> | Mean Sea Level |
| <b>Geo Datum:</b>  | NAD 1927 (NADCON CONUS)              |                      |                |
| <b>Map Zone:</b>   | New Mexico East 3001                 |                      |                |

|                              |                   |                          |                 |
|------------------------------|-------------------|--------------------------|-----------------|
| <b>Site</b>                  | Sec 8, T25S, R29E |                          |                 |
| <b>Site Position:</b>        |                   | <b>Northing:</b>         | 418,934.60 usft |
| <b>From:</b>                 | Map               | <b>Easting:</b>          | 603,139.70 usft |
| <b>Position Uncertainty:</b> | 0.0 usft          | <b>Slot Radius:</b>      | 13-3/16 "       |
|                              |                   | <b>Latitude:</b>         | 32° 9' 4.785 N  |
|                              |                   | <b>Longitude:</b>        | 104° 0' 0.256 W |
|                              |                   | <b>Grid Convergence:</b> | 0.18 °          |

|                             |                              |                            |                                  |
|-----------------------------|------------------------------|----------------------------|----------------------------------|
| <b>Well</b>                 | Corral Canyon 5-32 Fed #127H |                            |                                  |
| <b>Well Position</b>        | <b>+N/-S</b>                 | 0.0 usft                   | <b>Northing:</b> 418,934.20 usft |
|                             | <b>+E/-W</b>                 | 0.0 usft                   | <b>Easting:</b> 603,199.70 usft  |
| <b>Position Uncertainty</b> | 0.0 usft                     | <b>Wellhead Elevation:</b> | usft                             |
|                             |                              | <b>Latitude:</b>           | 32° 9' 4.779 N                   |
|                             |                              | <b>Longitude:</b>          | 103° 59' 59.559 W                |
|                             |                              | <b>Ground Level:</b>       | 2,941.0 usft                     |

|                  |                   |                    |                            |
|------------------|-------------------|--------------------|----------------------------|
| <b>Wellbore</b>  | Wellbore #1       |                    |                            |
| <b>Magnetics</b> | <b>Model Name</b> | <b>Sample Date</b> | <b>Declination (°)</b>     |
|                  | HDGM2020          | 4/10/2020          | 6.85                       |
|                  |                   |                    | <b>Dip Angle (°)</b>       |
|                  |                   |                    | 59.85                      |
|                  |                   |                    | <b>Field Strength (nT)</b> |
|                  |                   |                    | 47,793.20000000            |

|                          |                                |                      |                      |
|--------------------------|--------------------------------|----------------------|----------------------|
| <b>Design</b>            | Wellbore #1                    |                      |                      |
| <b>Audit Notes:</b>      |                                |                      |                      |
| <b>Version:</b>          | 1.0                            | <b>Phase:</b>        | ACTUAL               |
|                          |                                | <b>Tie On Depth:</b> | 0.0                  |
| <b>Vertical Section:</b> | <b>Depth From (TVD) (usft)</b> | <b>+N/-S (usft)</b>  | <b>+E/-W (usft)</b>  |
|                          | 0.0                            | 0.0                  | 0.0                  |
|                          |                                |                      | <b>Direction (°)</b> |
|                          |                                |                      | 359.91               |

|                       |                  |                                     |                                                                   |                    |
|-----------------------|------------------|-------------------------------------|-------------------------------------------------------------------|--------------------|
| <b>Survey Program</b> | <b>Date</b>      | 5/14/2020                           |                                                                   |                    |
| <b>From (usft)</b>    | <b>To (usft)</b> | <b>Survey (Wellbore)</b>            | <b>Tool Name</b>                                                  | <b>Description</b> |
| 228.0                 | 9,690.0          | QES MWD Surveys (Wellbore #1)       | OWSG (REV5) MWD HDGM OWSG MWD - Standard                          |                    |
| 9,690.0               | 17,913.0         | QES MWD Surveys (C&L) (Wellbore #1) | OWSG (Rev2) MWD+IFR1+I OWSG MWD + IFR1 + Multi-Station Correction |                    |

|                                                  |                        |                    |                              |                     |                     |                                |                                |                               |                              |
|--------------------------------------------------|------------------------|--------------------|------------------------------|---------------------|---------------------|--------------------------------|--------------------------------|-------------------------------|------------------------------|
| <b>Survey</b>                                    |                        |                    |                              |                     |                     |                                |                                |                               |                              |
| <b>Measured Depth (usft)</b>                     | <b>Inclination (°)</b> | <b>Azimuth (°)</b> | <b>Vertical Depth (usft)</b> | <b>+N/-S (usft)</b> | <b>+E/-W (usft)</b> | <b>Vertical Section (usft)</b> | <b>Dogleg Rate (°/100usft)</b> | <b>Build Rate (°/100usft)</b> | <b>Turn Rate (°/100usft)</b> |
| 0.0                                              | 0.00                   | 0.00               | 0.0                          | 0.0                 | 0.0                 | 0.0                            | 0.00                           | 0.00                          | 0.00                         |
| <b>First MWD Survey @ 228.0' MD / 228.0' TVD</b> |                        |                    |                              |                     |                     |                                |                                |                               |                              |
| 228.0                                            | 0.90                   | 354.78             | 228.0                        | 1.8                 | -0.2                | 1.8                            | 0.39                           | 0.39                          | 0.00                         |
| 332.0                                            | 0.80                   | 359.88             | 332.0                        | 3.3                 | -0.2                | 3.3                            | 0.12                           | -0.10                         | 4.90                         |
| 423.0                                            | 0.70                   | 345.48             | 423.0                        | 4.5                 | -0.4                | 4.5                            | 0.23                           | -0.11                         | -15.82                       |
| 514.0                                            | 0.30                   | 335.08             | 514.0                        | 5.3                 | -0.6                | 5.3                            | 0.45                           | -0.44                         | -11.43                       |
| 580.0                                            | 0.20                   | 307.18             | 580.0                        | 5.5                 | -0.8                | 5.5                            | 0.23                           | -0.15                         | -42.27                       |
| 692.0                                            | 0.20                   | 245.58             | 692.0                        | 5.5                 | -1.1                | 5.5                            | 0.18                           | 0.00                          | -55.00                       |
| 781.0                                            | 0.30                   | 277.98             | 781.0                        | 5.5                 | -1.5                | 5.5                            | 0.19                           | 0.11                          | 36.40                        |
| 870.0                                            | 0.30                   | 265.08             | 870.0                        | 5.5                 | -2.0                | 5.5                            | 0.08                           | 0.00                          | -14.49                       |



**QES**  
Survey Report



|                  |                              |                                     |                                   |
|------------------|------------------------------|-------------------------------------|-----------------------------------|
| <b>Company:</b>  | XTO ENERGY, INC.             | <b>Local Co-ordinate Reference:</b> | Well Corral Canyon 5-32 Fed #127H |
| <b>Project:</b>  | Eddy County, NM              | <b>TVD Reference:</b>               | RKB @ 2965.5usft (Ensign #225)    |
| <b>Site:</b>     | Sec 8, T25S, R29E            | <b>MD Reference:</b>                | RKB @ 2965.5usft (Ensign #225)    |
| <b>Well:</b>     | Corral Canyon 5-32 Fed #127H | <b>North Reference:</b>             | True                              |
| <b>Wellbore:</b> | Wellbore #1                  | <b>Survey Calculation Method:</b>   | Minimum Curvature                 |
| <b>Design:</b>   | Wellbore #1                  | <b>Database:</b>                    | EDM 5000.1 Single User Db         |

| Survey                |                 |             |                       |              |              |                         |                         |                        |                       |
|-----------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 959.0                 | 0.10            | 235.08      | 959.0                 | 5.4          | -2.2         | 5.4                     | 0.25                    | -0.22                  | -33.71                |
| 1,048.0               | 0.30            | 204.28      | 1,048.0               | 5.2          | -2.4         | 5.2                     | 0.25                    | 0.22                   | -34.61                |
| 1,138.0               | 0.30            | 245.48      | 1,138.0               | 4.9          | -2.7         | 4.9                     | 0.23                    | 0.00                   | 45.78                 |
| 1,227.0               | 0.20            | 24.48       | 1,227.0               | 4.9          | -2.9         | 4.9                     | 0.53                    | -0.11                  | 156.18                |
| 1,316.0               | 0.60            | 41.68       | 1,316.0               | 5.4          | -2.5         | 5.4                     | 0.46                    | 0.45                   | 19.33                 |
| 1,405.0               | 0.90            | 68.08       | 1,405.0               | 6.0          | -1.5         | 6.0                     | 0.51                    | 0.34                   | 29.66                 |
| 1,494.0               | 1.20            | 72.68       | 1,493.9               | 6.5          | 0.0          | 6.5                     | 0.35                    | 0.34                   | 5.17                  |
| 1,583.0               | 1.10            | 92.38       | 1,582.9               | 6.8          | 1.7          | 6.8                     | 0.46                    | -0.11                  | 22.13                 |
| 1,672.0               | 1.30            | 226.58      | 1,671.9               | 6.1          | 1.9          | 6.1                     | 2.49                    | 0.22                   | 150.79                |
| 1,761.0               | 1.40            | 217.98      | 1,760.9               | 4.5          | 0.5          | 4.5                     | 0.25                    | 0.11                   | -9.66                 |
| 1,851.0               | 1.10            | 227.48      | 1,850.9               | 3.1          | -0.8         | 3.1                     | 0.40                    | -0.33                  | 10.56                 |
| 1,940.0               | 1.20            | 59.08       | 1,939.9               | 3.0          | -0.7         | 3.0                     | 2.57                    | 0.11                   | -189.21               |
| 2,029.0               | 2.10            | 57.48       | 2,028.8               | 4.3          | 1.5          | 4.3                     | 1.01                    | 1.01                   | -1.80                 |
| 2,118.0               | 3.10            | 52.58       | 2,117.7               | 6.6          | 4.8          | 6.6                     | 1.15                    | 1.12                   | -5.51                 |
| 2,207.0               | 2.30            | 61.58       | 2,206.6               | 9.0          | 8.3          | 8.9                     | 1.01                    | -0.90                  | 10.11                 |
| 2,296.0               | 0.70            | 136.08      | 2,295.6               | 9.4          | 10.2         | 9.4                     | 2.49                    | -1.80                  | 83.71                 |
| 2,385.0               | 1.00            | 198.08      | 2,384.6               | 8.3          | 10.3         | 8.3                     | 1.03                    | 0.34                   | 69.66                 |
| 2,474.0               | 2.00            | 184.78      | 2,473.6               | 6.0          | 10.0         | 6.0                     | 1.18                    | 1.12                   | -14.94                |
| 2,563.0               | 1.90            | 178.68      | 2,562.5               | 3.0          | 9.9          | 3.0                     | 0.26                    | -0.11                  | -6.85                 |
| 2,653.0               | 2.40            | 172.68      | 2,652.4               | -0.4         | 10.2         | -0.4                    | 0.61                    | 0.56                   | -6.67                 |
| 2,742.0               | 2.20            | 178.08      | 2,741.4               | -3.9         | 10.5         | -4.0                    | 0.33                    | -0.22                  | 6.07                  |
| 2,831.0               | 2.20            | 224.68      | 2,830.3               | -6.9         | 9.3          | -6.9                    | 1.96                    | 0.00                   | 52.36                 |
| 2,920.0               | 2.20            | 227.68      | 2,919.3               | -9.2         | 6.8          | -9.2                    | 0.13                    | 0.00                   | 3.37                  |
| 3,009.0               | 2.10            | 228.38      | 3,008.2               | -11.5        | 4.4          | -11.5                   | 0.12                    | -0.11                  | 0.79                  |
| 3,098.0               | 2.20            | 230.28      | 3,097.1               | -13.6        | 1.8          | -13.6                   | 0.14                    | 0.11                   | 2.13                  |
| 3,187.0               | 2.30            | 229.58      | 3,186.1               | -15.9        | -0.8         | -15.9                   | 0.12                    | 0.11                   | -0.79                 |
| 3,276.0               | 2.00            | 225.38      | 3,275.0               | -18.1        | -3.3         | -18.1                   | 0.38                    | -0.34                  | -4.72                 |
| 3,365.0               | 0.10            | 216.08      | 3,364.0               | -19.3        | -4.5         | -19.3                   | 2.14                    | -2.13                  | -10.45                |
| 3,454.0               | 0.10            | 104.78      | 3,453.0               | -19.4        | -4.4         | -19.4                   | 0.19                    | 0.00                   | -125.06               |
| 3,543.0               | 0.30            | 7.48        | 3,542.0               | -19.2        | -4.3         | -19.1                   | 0.37                    | 0.22                   | -109.33               |
| 3,632.0               | 0.30            | 351.48      | 3,631.0               | -18.7        | -4.3         | -18.7                   | 0.09                    | 0.00                   | -17.98                |
| 3,721.0               | 0.10            | 251.58      | 3,720.0               | -18.5        | -4.4         | -18.5                   | 0.37                    | -0.22                  | -112.25               |
| 3,810.0               | 0.20            | 275.18      | 3,809.0               | -18.5        | -4.7         | -18.5                   | 0.13                    | 0.11                   | 26.52                 |
| 3,900.0               | 0.20            | 249.08      | 3,899.0               | -18.5        | -5.0         | -18.5                   | 0.10                    | 0.00                   | -29.00                |
| 3,989.0               | 0.10            | 234.68      | 3,988.0               | -18.6        | -5.2         | -18.6                   | 0.12                    | -0.11                  | -16.18                |
| 4,078.0               | 0.10            | 220.08      | 4,077.0               | -18.7        | -5.3         | -18.7                   | 0.03                    | 0.00                   | -16.40                |
| 4,167.0               | 0.30            | 296.08      | 4,166.0               | -18.7        | -5.6         | -18.7                   | 0.33                    | 0.22                   | 85.39                 |
| 4,256.0               | 0.20            | 310.98      | 4,255.0               | -18.5        | -5.9         | -18.5                   | 0.13                    | -0.11                  | 16.74                 |
| 4,345.0               | 0.40            | 281.98      | 4,344.0               | -18.3        | -6.3         | -18.3                   | 0.28                    | 0.22                   | -32.58                |
| 4,434.0               | 0.40            | 275.88      | 4,433.0               | -18.2        | -6.9         | -18.2                   | 0.05                    | 0.00                   | -6.85                 |
| 4,523.0               | 0.50            | 273.08      | 4,522.0               | -18.2        | -7.6         | -18.2                   | 0.12                    | 0.11                   | -3.15                 |
| 4,612.0               | 1.90            | 294.28      | 4,610.9               | -17.6        | -9.3         | -17.5                   | 1.62                    | 1.57                   | 23.82                 |
| 4,701.0               | 3.50            | 299.08      | 4,699.8               | -15.6        | -13.1        | -15.6                   | 1.81                    | 1.80                   | 5.39                  |



# QES Survey Report



|                  |                              |                                     |                                   |
|------------------|------------------------------|-------------------------------------|-----------------------------------|
| <b>Company:</b>  | XTO ENERGY, INC.             | <b>Local Co-ordinate Reference:</b> | Well Corral Canyon 5-32 Fed #127H |
| <b>Project:</b>  | Eddy County, NM              | <b>TVD Reference:</b>               | RKB @ 2965.5usft (Ensign #225)    |
| <b>Site:</b>     | Sec 8, T25S, R29E            | <b>MD Reference:</b>                | RKB @ 2965.5usft (Ensign #225)    |
| <b>Well:</b>     | Corral Canyon 5-32 Fed #127H | <b>North Reference:</b>             | True                              |
| <b>Wellbore:</b> | Wellbore #1                  | <b>Survey Calculation Method:</b>   | Minimum Curvature                 |
| <b>Design:</b>   | Wellbore #1                  | <b>Database:</b>                    | EDM 5000.1 Single User Db         |

| Survey                |                 |             |                       |              |              |                         |                         |                        |                       |
|-----------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 4,791.0               | 3.70            | 298.68      | 4,789.7               | -12.9        | -18.0        | -12.9                   | 0.22                    | 0.22                   | -0.44                 |
| 4,880.0               | 3.70            | 297.98      | 4,878.5               | -10.2        | -23.1        | -10.1                   | 0.05                    | 0.00                   | -0.79                 |
| 4,969.0               | 3.70            | 304.88      | 4,967.3               | -7.2         | -28.0        | -7.1                    | 0.50                    | 0.00                   | 7.75                  |
| 5,058.0               | 3.90            | 337.88      | 5,056.1               | -2.7         | -31.5        | -2.7                    | 2.43                    | 0.22                   | 37.08                 |
| 5,147.0               | 3.30            | 353.68      | 5,144.9               | 2.6          | -32.9        | 2.7                     | 1.30                    | -0.67                  | 17.75                 |
| 5,236.0               | 1.90            | 353.88      | 5,233.8               | 6.6          | -33.3        | 6.7                     | 1.57                    | -1.57                  | 0.22                  |
| 5,325.0               | 0.40            | 252.08      | 5,322.8               | 8.0          | -33.8        | 8.1                     | 2.27                    | -1.69                  | -114.38               |
| 5,414.0               | 0.70            | 228.78      | 5,411.8               | 7.5          | -34.5        | 7.6                     | 0.41                    | 0.34                   | -26.18                |
| 5,503.0               | 0.70            | 215.58      | 5,500.8               | 6.7          | -35.2        | 6.8                     | 0.18                    | 0.00                   | -14.83                |
| 5,592.0               | 0.50            | 220.48      | 5,589.8               | 6.0          | -35.8        | 6.1                     | 0.23                    | -0.22                  | 5.51                  |
| 5,681.0               | 0.60            | 217.68      | 5,678.8               | 5.3          | -36.3        | 5.4                     | 0.12                    | 0.11                   | -3.15                 |
| 5,770.0               | 0.60            | 246.18      | 5,767.8               | 4.8          | -37.0        | 4.8                     | 0.33                    | 0.00                   | 32.02                 |
| 5,859.0               | 0.40            | 236.08      | 5,856.8               | 4.4          | -37.7        | 4.5                     | 0.24                    | -0.22                  | -11.35                |
| 5,948.0               | 0.50            | 245.08      | 5,945.8               | 4.1          | -38.3        | 4.1                     | 0.14                    | 0.11                   | 10.11                 |
| 6,037.0               | 0.60            | 249.28      | 6,034.8               | 3.8          | -39.1        | 3.8                     | 0.12                    | 0.11                   | 4.72                  |
| 6,126.0               | 0.40            | 222.28      | 6,123.8               | 3.4          | -39.7        | 3.4                     | 0.34                    | -0.22                  | -30.34                |
| 6,216.0               | 0.30            | 153.48      | 6,213.8               | 2.9          | -39.8        | 3.0                     | 0.45                    | -0.11                  | -76.44                |
| 6,305.0               | 0.30            | 88.48       | 6,302.8               | 2.7          | -39.5        | 2.8                     | 0.36                    | 0.00                   | -73.03                |
| 6,393.0               | 0.80            | 41.88       | 6,390.8               | 3.2          | -38.9        | 3.2                     | 0.72                    | 0.57                   | -52.95                |
| 6,483.0               | 0.70            | 34.28       | 6,480.8               | 4.1          | -38.1        | 4.2                     | 0.16                    | -0.11                  | -8.44                 |
| 6,572.0               | 0.70            | 18.18       | 6,569.8               | 5.1          | -37.7        | 5.1                     | 0.22                    | 0.00                   | -18.09                |
| 6,661.0               | 0.60            | 354.98      | 6,658.8               | 6.0          | -37.5        | 6.1                     | 0.31                    | -0.11                  | -26.07                |
| 6,750.0               | 0.30            | 305.38      | 6,747.8               | 6.6          | -37.8        | 6.7                     | 0.52                    | -0.34                  | -55.73                |
| 6,839.0               | 0.30            | 319.98      | 6,836.8               | 7.0          | -38.1        | 7.0                     | 0.09                    | 0.00                   | 16.40                 |
| 6,928.0               | 0.50            | 289.88      | 6,925.8               | 7.3          | -38.6        | 7.3                     | 0.32                    | 0.22                   | -33.82                |
| 7,017.0               | 0.70            | 299.98      | 7,014.7               | 7.7          | -39.5        | 7.7                     | 0.25                    | 0.22                   | 11.35                 |
| 7,106.0               | 0.90            | 296.58      | 7,103.7               | 8.3          | -40.6        | 8.3                     | 0.23                    | 0.22                   | -3.82                 |
| 7,195.0               | 0.70            | 352.18      | 7,192.7               | 9.1          | -41.3        | 9.2                     | 0.86                    | -0.22                  | 62.47                 |
| 7,284.0               | 1.00            | 63.48       | 7,281.7               | 10.0         | -40.6        | 10.1                    | 1.15                    | 0.34                   | 80.11                 |
| 7,373.0               | 0.30            | 13.08       | 7,370.7               | 10.6         | -39.9        | 10.6                    | 0.95                    | -0.79                  | -56.63                |
| 7,462.0               | 1.10            | 290.98      | 7,459.7               | 11.1         | -40.6        | 11.2                    | 1.24                    | 0.90                   | -92.25                |
| 7,551.0               | 1.50            | 318.38      | 7,548.7               | 12.3         | -42.2        | 12.3                    | 0.82                    | 0.45                   | 30.79                 |
| 7,640.0               | 1.20            | 19.38       | 7,637.7               | 14.0         | -42.7        | 14.1                    | 1.57                    | -0.34                  | 68.54                 |
| 7,729.0               | 2.00            | 40.48       | 7,726.6               | 16.1         | -41.3        | 16.2                    | 1.10                    | 0.90                   | 23.71                 |
| 7,818.0               | 1.60            | 29.38       | 7,815.6               | 18.4         | -39.7        | 18.4                    | 0.59                    | -0.45                  | -12.47                |
| 7,907.0               | 0.80            | 29.58       | 7,904.6               | 20.0         | -38.8        | 20.0                    | 0.90                    | -0.90                  | 0.22                  |
| 7,996.0               | 1.10            | 103.58      | 7,993.6               | 20.3         | -37.7        | 20.4                    | 1.31                    | 0.34                   | 83.15                 |
| 8,085.0               | 1.40            | 95.18       | 8,082.5               | 20.0         | -35.8        | 20.1                    | 0.39                    | 0.34                   | -9.44                 |
| 8,174.0               | 2.10            | 117.98      | 8,171.5               | 19.2         | -33.2        | 19.2                    | 1.09                    | 0.79                   | 25.62                 |
| 8,263.0               | 3.00            | 135.58      | 8,260.4               | 16.7         | -30.2        | 16.8                    | 1.33                    | 1.01                   | 19.78                 |
| 8,352.0               | 3.20            | 131.18      | 8,349.3               | 13.4         | -26.7        | 13.5                    | 0.35                    | 0.22                   | -4.94                 |
| 8,441.0               | 2.70            | 134.48      | 8,438.2               | 10.3         | -23.3        | 10.4                    | 0.59                    | -0.56                  | 3.71                  |
| 8,530.0               | 1.00            | 165.98      | 8,527.1               | 8.1          | -21.6        | 8.1                     | 2.16                    | -1.91                  | 35.39                 |



# QES Survey Report



|                  |                              |                                     |                                   |
|------------------|------------------------------|-------------------------------------|-----------------------------------|
| <b>Company:</b>  | XTO ENERGY, INC.             | <b>Local Co-ordinate Reference:</b> | Well Corral Canyon 5-32 Fed #127H |
| <b>Project:</b>  | Eddy County, NM              | <b>TVD Reference:</b>               | RKB @ 2965.5usft (Ensign #225)    |
| <b>Site:</b>     | Sec 8, T25S, R29E            | <b>MD Reference:</b>                | RKB @ 2965.5usft (Ensign #225)    |
| <b>Well:</b>     | Corral Canyon 5-32 Fed #127H | <b>North Reference:</b>             | True                              |
| <b>Wellbore:</b> | Wellbore #1                  | <b>Survey Calculation Method:</b>   | Minimum Curvature                 |
| <b>Design:</b>   | Wellbore #1                  | <b>Database:</b>                    | EDM 5000.1 Single User Db         |

| Survey                                      |                    |                |                             |                 |                 |                               |                               |                              |                             |  |
|---------------------------------------------|--------------------|----------------|-----------------------------|-----------------|-----------------|-------------------------------|-------------------------------|------------------------------|-----------------------------|--|
| Measured<br>Depth<br>(usft)                 | Inclination<br>(°) | Azimuth<br>(°) | Vertical<br>Depth<br>(usft) | +N/-S<br>(usft) | +E/-W<br>(usft) | Vertical<br>Section<br>(usft) | Dogleg<br>Rate<br>(°/100usft) | Build<br>Rate<br>(°/100usft) | Turn<br>Rate<br>(°/100usft) |  |
| 8,619.0                                     | 1.30               | 207.78         | 8,616.1                     | 6.5             | -21.9           | 6.5                           | 0.97                          | 0.34                         | 46.97                       |  |
| 8,708.0                                     | 1.30               | 223.98         | 8,705.1                     | 4.8             | -23.1           | 4.9                           | 0.41                          | 0.00                         | 18.20                       |  |
| 8,797.0                                     | 0.40               | 306.08         | 8,794.1                     | 4.3             | -24.0           | 4.3                           | 1.47                          | -1.01                        | 92.25                       |  |
| 8,886.0                                     | 0.50               | 325.28         | 8,883.1                     | 4.8             | -24.5           | 4.8                           | 0.20                          | 0.11                         | 21.57                       |  |
| 8,975.0                                     | 0.10               | 210.78         | 8,972.1                     | 5.0             | -24.8           | 5.1                           | 0.62                          | -0.45                        | -128.65                     |  |
| 9,064.0                                     | 0.40               | 152.28         | 9,061.1                     | 4.7             | -24.7           | 4.7                           | 0.40                          | 0.34                         | -65.73                      |  |
| 9,153.0                                     | 0.60               | 177.98         | 9,150.1                     | 4.0             | -24.5           | 4.0                           | 0.33                          | 0.22                         | 28.88                       |  |
| 9,196.0                                     | 0.40               | 182.18         | 9,193.1                     | 3.6             | -24.5           | 3.6                           | 0.47                          | -0.47                        | 9.77                        |  |
| 9,333.0                                     | 0.40               | 137.71         | 9,330.1                     | 2.8             | -24.2           | 2.8                           | 0.22                          | 0.00                         | -32.46                      |  |
| 9,422.0                                     | 0.48               | 145.54         | 9,419.1                     | 2.2             | -23.8           | 2.3                           | 0.11                          | 0.09                         | 8.80                        |  |
| 9,511.0                                     | 1.11               | 327.86         | 9,508.0                     | 2.6             | -24.0           | 2.7                           | 1.79                          | 0.71                         | -199.64                     |  |
| 9,600.0                                     | 0.58               | 320.87         | 9,597.0                     | 3.7             | -24.8           | 3.8                           | 0.61                          | -0.60                        | -7.85                       |  |
| 9,690.0                                     | 0.80               | 272.27         | 9,687.0                     | 4.1             | -25.7           | 4.1                           | 0.67                          | 0.24                         | -54.00                      |  |
| 9,734.0                                     | 4.81               | 304.49         | 9,731.0                     | 5.2             | -27.5           | 5.2                           | 9.44                          | 9.11                         | 73.23                       |  |
| 9,778.0                                     | 9.03               | 321.52         | 9,774.6                     | 8.9             | -31.2           | 9.0                           | 10.56                         | 9.59                         | 38.70                       |  |
| 9,823.0                                     | 13.93              | 324.46         | 9,818.7                     | 16.1            | -36.5           | 16.1                          | 10.96                         | 10.89                        | 6.53                        |  |
| 9,868.0                                     | 18.58              | 340.92         | 9,861.9                     | 27.3            | -42.0           | 27.3                          | 14.45                         | 10.33                        | 36.58                       |  |
| 9,912.0                                     | 17.97              | 327.57         | 9,903.7                     | 39.6            | -48.0           | 39.7                          | 9.59                          | -1.39                        | -30.34                      |  |
| 9,957.0                                     | 21.55              | 334.81         | 9,946.1                     | 53.0            | -55.2           | 53.1                          | 9.62                          | 7.96                         | 16.09                       |  |
| 10,002.0                                    | 25.53              | 339.79         | 9,987.3                     | 69.6            | -62.1           | 69.7                          | 9.88                          | 8.84                         | 11.07                       |  |
| 10,045.0                                    | 30.30              | 341.99         | 10,025.3                    | 88.6            | -68.6           | 88.7                          | 11.35                         | 11.09                        | 5.12                        |  |
| 10,090.0                                    | 37.35              | 344.72         | 10,062.7                    | 112.6           | -75.7           | 112.7                         | 16.02                         | 15.67                        | 6.07                        |  |
| 10,134.0                                    | 43.88              | 347.34         | 10,096.1                    | 140.4           | -82.6           | 140.5                         | 15.34                         | 14.84                        | 5.95                        |  |
| LL Crossed @ 10176.5'MD / 10124.7' TVD      |                    |                |                             |                 |                 |                               |                               |                              |                             |  |
| 10,176.5                                    | 51.48              | 347.91         | 10,124.7                    | 171.0           | -89.3           | 171.2                         | 17.92                         | 17.89                        | 1.34                        |  |
| 10,179.0                                    | 51.93              | 347.94         | 10,126.2                    | 173.0           | -89.8           | 173.1                         | 17.92                         | 17.89                        | 1.19                        |  |
| 10,224.0                                    | 59.64              | 346.63         | 10,151.5                    | 209.2           | -98.0           | 209.4                         | 17.30                         | 17.13                        | -2.91                       |  |
| 10,268.0                                    | 67.52              | 350.56         | 10,171.1                    | 247.8           | -105.7          | 248.0                         | 19.61                         | 17.91                        | 8.93                        |  |
| 10,313.0                                    | 76.39              | 355.00         | 10,185.0                    | 290.2           | -111.0          | 290.4                         | 21.82                         | 19.71                        | 9.87                        |  |
| 10,358.0                                    | 84.95              | 1.57           | 10,192.3                    | 334.5           | -112.3          | 334.7                         | 23.85                         | 19.02                        | 14.60                       |  |
| 10,402.0                                    | 86.78              | 3.24           | 10,195.5                    | 378.4           | -110.5          | 378.6                         | 5.62                          | 4.16                         | 3.80                        |  |
| 10,491.0                                    | 90.00              | 3.63           | 10,198.0                    | 467.2           | -105.2          | 467.3                         | 3.64                          | 3.62                         | 0.44                        |  |
| 330' HL Crossed @ 10525.1'MD / 10197.9' TVD |                    |                |                             |                 |                 |                               |                               |                              |                             |  |
| 10,525.1                                    | 90.15              | 3.63           | 10,197.9                    | 501.2           | -103.0          | 501.4                         | 0.44                          | 0.44                         | 0.01                        |  |
| 10,580.0                                    | 90.39              | 3.64           | 10,197.7                    | 556.0           | -99.5           | 556.2                         | 0.44                          | 0.44                         | 0.01                        |  |
| 10,669.0                                    | 91.18              | 2.74           | 10,196.5                    | 644.8           | -94.6           | 645.0                         | 1.35                          | 0.89                         | -1.01                       |  |
| 10,758.0                                    | 92.33              | 3.78           | 10,193.7                    | 733.7           | -89.5           | 733.8                         | 1.74                          | 1.29                         | 1.17                        |  |
| 10,848.0                                    | 92.47              | 3.13           | 10,190.0                    | 823.4           | -84.1           | 823.6                         | 0.74                          | 0.16                         | -0.72                       |  |
| 10,937.0                                    | 93.11              | 2.43           | 10,185.6                    | 912.2           | -79.8           | 912.3                         | 1.07                          | 0.72                         | -0.79                       |  |
| 11,026.0                                    | 90.73              | 4.35           | 10,182.6                    | 1,001.0         | -74.5           | 1,001.1                       | 3.43                          | -2.67                        | 2.16                        |  |
| 11,115.0                                    | 90.20              | 4.35           | 10,181.9                    | 1,089.7         | -67.8           | 1,089.8                       | 0.60                          | -0.60                        | 0.00                        |  |
| 11,204.0                                    | 92.07              | 4.92           | 10,180.2                    | 1,178.4         | -60.6           | 1,178.5                       | 2.20                          | 2.10                         | 0.64                        |  |
| 11,293.0                                    | 90.00              | 4.14           | 10,178.6                    | 1,267.1         | -53.6           | 1,267.2                       | 2.49                          | -2.33                        | -0.88                       |  |
| 11,382.0                                    | 90.06              | 3.86           | 10,178.5                    | 1,355.9         | -47.4           | 1,356.0                       | 0.32                          | 0.07                         | -0.31                       |  |



# QES Survey Report



|                  |                              |                                     |                                   |
|------------------|------------------------------|-------------------------------------|-----------------------------------|
| <b>Company:</b>  | XTO ENERGY, INC.             | <b>Local Co-ordinate Reference:</b> | Well Corral Canyon 5-32 Fed #127H |
| <b>Project:</b>  | Eddy County, NM              | <b>TVD Reference:</b>               | RKB @ 2965.5usft (Ensign #225)    |
| <b>Site:</b>     | Sec 8, T25S, R29E            | <b>MD Reference:</b>                | RKB @ 2965.5usft (Ensign #225)    |
| <b>Well:</b>     | Corral Canyon 5-32 Fed #127H | <b>North Reference:</b>             | True                              |
| <b>Wellbore:</b> | Wellbore #1                  | <b>Survey Calculation Method:</b>   | Minimum Curvature                 |
| <b>Design:</b>   | Wellbore #1                  | <b>Database:</b>                    | EDM 5000.1 Single User Db         |

| Survey                |                 |             |                       |              |              |                         |                         |                        |                       |
|-----------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 11,471.0              | 89.22           | 3.15        | 10,179.1              | 1,444.7      | -41.9        | 1,444.8                 | 1.24                    | -0.94                  | -0.80                 |
| 11,560.0              | 89.94           | 2.84        | 10,179.7              | 1,533.6      | -37.3        | 1,533.7                 | 0.88                    | 0.81                   | -0.35                 |
| 11,649.0              | 90.25           | 2.11        | 10,179.6              | 1,622.5      | -33.5        | 1,622.6                 | 0.89                    | 0.35                   | -0.82                 |
| 11,738.0              | 89.36           | 359.83      | 10,179.9              | 1,711.5      | -32.0        | 1,711.6                 | 2.75                    | -1.00                  | -2.56                 |
| 11,828.0              | 90.03           | 0.94        | 10,180.4              | 1,801.5      | -31.4        | 1,801.6                 | 1.44                    | 0.74                   | 1.23                  |
| 11,917.0              | 90.14           | 360.00      | 10,180.2              | 1,890.5      | -30.6        | 1,890.5                 | 1.06                    | 0.12                   | -1.06                 |
| 12,006.0              | 91.93           | 1.44        | 10,178.6              | 1,979.5      | -29.5        | 1,979.5                 | 2.58                    | 2.01                   | 1.62                  |
| 12,095.0              | 91.68           | 357.94      | 10,175.8              | 2,068.4      | -30.0        | 2,068.5                 | 3.94                    | -0.28                  | -3.93                 |
| 12,184.0              | 94.15           | 358.47      | 10,171.3              | 2,157.2      | -32.8        | 2,157.3                 | 2.84                    | 2.78                   | 0.60                  |
| 12,273.0              | 89.72           | 1.75        | 10,168.3              | 2,246.2      | -32.6        | 2,246.2                 | 6.19                    | -4.98                  | 3.69                  |
| 12,362.0              | 88.38           | 2.22        | 10,169.8              | 2,335.1      | -29.5        | 2,335.1                 | 1.60                    | -1.51                  | 0.53                  |
| 12,452.0              | 90.00           | 0.98        | 10,171.0              | 2,425.0      | -27.0        | 2,425.1                 | 2.27                    | 1.80                   | -1.38                 |
| 12,541.0              | 91.37           | 0.76        | 10,170.0              | 2,514.0      | -25.7        | 2,514.1                 | 1.56                    | 1.54                   | -0.25                 |
| 12,630.0              | 87.81           | 357.45      | 10,170.6              | 2,603.0      | -27.1        | 2,603.0                 | 5.46                    | -4.00                  | -3.72                 |
| 12,719.0              | 89.27           | 356.25      | 10,172.9              | 2,691.8      | -32.0        | 2,691.9                 | 2.12                    | 1.64                   | -1.35                 |
| 12,808.0              | 91.32           | 358.31      | 10,172.4              | 2,780.7      | -36.2        | 2,780.8                 | 3.27                    | 2.30                   | 2.31                  |
| 12,897.0              | 93.00           | 359.84      | 10,169.1              | 2,869.6      | -37.6        | 2,869.7                 | 2.55                    | 1.89                   | 1.72                  |
| 12,986.0              | 89.69           | 0.02        | 10,167.0              | 2,958.6      | -37.7        | 2,958.6                 | 3.72                    | -3.72                  | 0.20                  |
| 13,075.0              | 91.96           | 359.79      | 10,165.7              | 3,047.6      | -37.9        | 3,047.6                 | 2.56                    | 2.55                   | -0.26                 |
| 13,164.0              | 91.96           | 358.80      | 10,162.6              | 3,136.5      | -39.0        | 3,136.6                 | 1.11                    | 0.00                   | -1.11                 |
| 13,253.0              | 91.65           | 359.98      | 10,159.8              | 3,225.5      | -39.9        | 3,225.5                 | 1.37                    | -0.35                  | 1.33                  |
| 13,342.0              | 86.81           | 359.91      | 10,161.0              | 3,314.4      | -40.0        | 3,314.5                 | 5.44                    | -5.44                  | -0.08                 |
| 13,431.0              | 88.07           | 0.24        | 10,165.0              | 3,403.3      | -39.9        | 3,403.4                 | 1.46                    | 1.42                   | 0.37                  |
| 13,520.0              | 91.54           | 1.55        | 10,165.3              | 3,492.3      | -38.5        | 3,492.4                 | 4.17                    | 3.90                   | 1.47                  |
| 13,609.0              | 85.71           | 1.52        | 10,167.4              | 3,581.2      | -36.2        | 3,581.3                 | 6.55                    | -6.55                  | -0.03                 |
| 13,698.0              | 88.71           | 1.27        | 10,171.8              | 3,670.1      | -34.0        | 3,670.1                 | 3.38                    | 3.37                   | -0.28                 |
| 13,787.0              | 89.80           | 1.36        | 10,172.9              | 3,759.0      | -32.0        | 3,759.1                 | 1.23                    | 1.22                   | 0.10                  |
| 13,876.0              | 89.33           | 1.58        | 10,173.6              | 3,848.0      | -29.7        | 3,848.1                 | 0.58                    | -0.53                  | 0.25                  |
| 13,965.0              | 87.23           | 0.21        | 10,176.3              | 3,937.0      | -28.3        | 3,937.0                 | 2.82                    | -2.36                  | -1.54                 |
| 14,054.0              | 91.04           | 0.96        | 10,177.6              | 4,025.9      | -27.4        | 4,026.0                 | 4.36                    | 4.28                   | 0.84                  |
| 14,143.0              | 91.60           | 0.53        | 10,175.6              | 4,114.9      | -26.2        | 4,114.9                 | 0.79                    | 0.63                   | -0.48                 |
| 14,233.0              | 90.64           | 358.78      | 10,173.8              | 4,204.9      | -26.8        | 4,204.9                 | 2.22                    | -1.07                  | -1.94                 |
| 14,322.0              | 91.43           | 358.35      | 10,172.2              | 4,293.8      | -29.0        | 4,293.9                 | 1.01                    | 0.89                   | -0.48                 |
| 14,411.0              | 91.26           | 358.60      | 10,170.1              | 4,382.8      | -31.4        | 4,382.8                 | 0.34                    | -0.19                  | 0.28                  |
| 14,500.0              | 93.00           | 357.83      | 10,166.8              | 4,471.7      | -34.2        | 4,471.7                 | 2.14                    | 1.96                   | -0.87                 |
| 14,589.0              | 87.53           | 358.78      | 10,166.4              | 4,560.6      | -36.8        | 4,560.6                 | 6.24                    | -6.15                  | 1.07                  |
| 14,678.0              | 85.07           | 358.22      | 10,172.1              | 4,649.4      | -39.1        | 4,649.4                 | 2.83                    | -2.76                  | -0.63                 |
| 14,768.0              | 87.09           | 355.48      | 10,178.3              | 4,739.0      | -44.1        | 4,739.1                 | 3.78                    | 2.24                   | -3.04                 |
| 14,857.0              | 89.92           | 354.60      | 10,180.6              | 4,827.6      | -51.8        | 4,827.7                 | 3.33                    | 3.18                   | -0.99                 |
| 14,946.0              | 92.94           | 356.97      | 10,178.4              | 4,916.3      | -58.3        | 4,916.4                 | 4.31                    | 3.39                   | 2.66                  |
| 15,035.0              | 96.06           | 0.38        | 10,171.4              | 5,005.0      | -60.4        | 5,005.1                 | 5.18                    | 3.51                   | 3.83                  |
| 15,124.0              | 92.32           | 3.18        | 10,164.9              | 5,093.7      | -57.6        | 5,093.8                 | 5.24                    | -4.20                  | 3.15                  |
| 15,213.0              | 88.91           | 0.97        | 10,164.0              | 5,182.6      | -54.4        | 5,182.7                 | 4.57                    | -3.83                  | -2.48                 |



# QES Survey Report



|                  |                              |                                     |                                   |
|------------------|------------------------------|-------------------------------------|-----------------------------------|
| <b>Company:</b>  | XTO ENERGY, INC.             | <b>Local Co-ordinate Reference:</b> | Well Corral Canyon 5-32 Fed #127H |
| <b>Project:</b>  | Eddy County, NM              | <b>TVD Reference:</b>               | RKB @ 2965.5usft (Ensign #225)    |
| <b>Site:</b>     | Sec 8, T25S, R29E            | <b>MD Reference:</b>                | RKB @ 2965.5usft (Ensign #225)    |
| <b>Well:</b>     | Corral Canyon 5-32 Fed #127H | <b>North Reference:</b>             | True                              |
| <b>Wellbore:</b> | Wellbore #1                  | <b>Survey Calculation Method:</b>   | Minimum Curvature                 |
| <b>Design:</b>   | Wellbore #1                  | <b>Database:</b>                    | EDM 5000.1 Single User Db         |

| Survey                          |                 |             |                       |              |              |                         |                         |                        |                       |
|---------------------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (usft)           | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 15,302.0                        | 86.50           | 1.25        | 10,167.5              | 5,271.5      | -52.7        | 5,271.6                 | 2.73                    | -2.71                  | 0.31                  |
| 15,392.0                        | 88.04           | 0.40        | 10,171.8              | 5,361.4      | -51.4        | 5,361.5                 | 1.95                    | 1.71                   | -0.94                 |
| 15,481.0                        | 90.53           | 359.60      | 10,172.9              | 5,450.4      | -51.4        | 5,450.5                 | 2.94                    | 2.80                   | -0.90                 |
| 15,570.0                        | 91.48           | 359.67      | 10,171.4              | 5,539.4      | -52.0        | 5,539.5                 | 1.07                    | 1.07                   | 0.08                  |
| 15,658.0                        | 92.18           | 360.00      | 10,168.5              | 5,627.3      | -52.2        | 5,627.4                 | 0.88                    | 0.80                   | 0.38                  |
| 15,748.0                        | 89.02           | 0.24        | 10,167.6              | 5,717.3      | -52.0        | 5,717.4                 | 3.52                    | -3.51                  | 0.27                  |
| 15,836.0                        | 88.66           | 359.52      | 10,169.4              | 5,805.3      | -52.2        | 5,805.4                 | 0.91                    | -0.41                  | -0.82                 |
| 15,925.0                        | 92.41           | 0.28        | 10,168.5              | 5,894.3      | -52.4        | 5,894.4                 | 4.30                    | 4.21                   | 0.85                  |
| 16,014.0                        | 92.52           | 1.14        | 10,164.7              | 5,983.2      | -51.3        | 5,983.3                 | 0.97                    | 0.12                   | 0.97                  |
| 16,103.0                        | 91.54           | 359.93      | 10,161.6              | 6,072.1      | -50.5        | 6,072.2                 | 1.75                    | -1.10                  | -1.36                 |
| 16,192.0                        | 89.80           | 357.78      | 10,160.5              | 6,161.1      | -52.2        | 6,161.2                 | 3.11                    | -1.96                  | -2.42                 |
| 16,282.0                        | 92.66           | 1.89        | 10,158.6              | 6,251.1      | -52.5        | 6,251.1                 | 5.56                    | 3.18                   | 4.57                  |
| 16,371.0                        | 92.97           | 1.36        | 10,154.2              | 6,339.9      | -50.0        | 6,340.0                 | 0.69                    | 0.35                   | -0.60                 |
| 16,460.0                        | 85.65           | 0.34        | 10,155.3              | 6,428.8      | -48.7        | 6,428.9                 | 8.30                    | -8.22                  | -1.15                 |
| 16,549.0                        | 92.13           | 1.19        | 10,157.0              | 6,517.8      | -47.5        | 6,517.8                 | 7.34                    | 7.28                   | 0.96                  |
| 16,638.0                        | 89.10           | 359.76      | 10,156.1              | 6,606.7      | -46.7        | 6,606.8                 | 3.76                    | -3.40                  | -1.61                 |
| 16,728.0                        | 91.88           | 359.45      | 10,155.3              | 6,696.7      | -47.4        | 6,696.8                 | 3.11                    | 3.09                   | -0.34                 |
| 16,816.0                        | 89.08           | 358.20      | 10,154.6              | 6,784.7      | -49.2        | 6,784.8                 | 3.48                    | -3.18                  | -1.42                 |
| 16,906.0                        | 90.95           | 358.61      | 10,154.5              | 6,874.7      | -51.7        | 6,874.7                 | 2.13                    | 2.08                   | 0.46                  |
| 16,994.0                        | 92.91           | 1.32        | 10,151.6              | 6,962.6      | -51.7        | 6,962.7                 | 3.80                    | 2.23                   | 3.08                  |
| 17,084.0                        | 91.40           | 2.12        | 10,148.2              | 7,052.5      | -49.1        | 7,052.6                 | 1.90                    | -1.68                  | 0.89                  |
| 17,173.0                        | 90.50           | 1.84        | 10,146.7              | 7,141.4      | -46.0        | 7,141.5                 | 1.06                    | -1.01                  | -0.31                 |
| 17,262.0                        | 86.64           | 1.85        | 10,148.9              | 7,230.3      | -43.1        | 7,230.4                 | 4.34                    | -4.34                  | 0.01                  |
| 17,351.0                        | 89.50           | 1.97        | 10,151.9              | 7,319.2      | -40.2        | 7,319.3                 | 3.22                    | 3.21                   | 0.13                  |
| 17,440.0                        | 90.28           | 1.05        | 10,152.1              | 7,408.2      | -37.8        | 7,408.2                 | 1.36                    | 0.88                   | -1.03                 |
| 17,529.0                        | 91.51           | 0.52        | 10,150.7              | 7,497.2      | -36.6        | 7,497.2                 | 1.50                    | 1.38                   | -0.60                 |
| 17,618.0                        | 93.67           | 0.70        | 10,146.7              | 7,586.1      | -35.7        | 7,586.1                 | 2.44                    | 2.43                   | 0.20                  |
| 17,707.0                        | 93.50           | 2.43        | 10,141.1              | 7,674.8      | -33.2        | 7,674.9                 | 1.95                    | -0.19                  | 1.94                  |
| 17,796.0                        | 91.82           | 2.05        | 10,137.0              | 7,763.7      | -29.8        | 7,763.7                 | 1.94                    | -1.89                  | -0.43                 |
| 17,859.0                        | 91.93           | 1.95        | 10,134.9              | 7,826.6      | -27.6        | 7,826.6                 | 0.24                    | 0.17                   | -0.16                 |
| TD @ 17913.0' MD / 10133.1' TVD |                 |             |                       |              |              |                         |                         |                        |                       |
| 17,913.0                        | 91.93           | 1.95        | 10,133.1              | 7,880.5      | -25.7        | 7,880.6                 | 0.00                    | 0.00                   | 0.00                  |

| Design Annotations    |                       |                   |              |                                             |
|-----------------------|-----------------------|-------------------|--------------|---------------------------------------------|
| Measured Depth (usft) | Vertical Depth (usft) | Local Coordinates |              | Comment                                     |
|                       |                       | +N/-S (usft)      | +E/-W (usft) |                                             |
| 228.0                 | 228.0                 | 1.8               | -0.2         | First MWD Survey @ 228.0' MD / 228.0' TVD   |
| 10,176.5              | 10,124.7              | 171.0             | -89.3        | LL Crossed @ 10176.5'MD / 10124.7' TVD      |
| 10,525.1              | 10,197.9              | 501.2             | -103.0       | 330' HL Crossed @ 10525.1'MD / 10197.9' TVD |
| 17,913.0              | 10,133.1              | 7,880.5           | -25.7        | TD @ 17913.0' MD / 10133.1' TVD             |

**QES**  
Survey Report

|                  |                              |                                     |                                   |
|------------------|------------------------------|-------------------------------------|-----------------------------------|
| <b>Company:</b>  | XTO ENERGY, INC.             | <b>Local Co-ordinate Reference:</b> | Well Corral Canyon 5-32 Fed #127H |
| <b>Project:</b>  | Eddy County, NM              | <b>TVD Reference:</b>               | RKB @ 2965.5usft (Ensign #225)    |
| <b>Site:</b>     | Sec 8, T25S, R29E            | <b>MD Reference:</b>                | RKB @ 2965.5usft (Ensign #225)    |
| <b>Well:</b>     | Corral Canyon 5-32 Fed #127H | <b>North Reference:</b>             | True                              |
| <b>Wellbore:</b> | Wellbore #1                  | <b>Survey Calculation Method:</b>   | Minimum Curvature                 |
| <b>Design:</b>   | Wellbore #1                  | <b>Database:</b>                    | EDM 5000.1 Single User Db         |

|                   |                    |             |
|-------------------|--------------------|-------------|
| Checked By: _____ | Approved By: _____ | Date: _____ |
|-------------------|--------------------|-------------|

Office  
 District I – (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II – (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III – (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV – (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM  
 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

Form CS-103  
 Revised July 18, 2013

OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

|                                                                                                                                                                                                                                                                                                                                                 |  |                                                                                                                       |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------------------------------------------------|
| <b>SUNDRY NOTICES AND REPORTS ON WELLS</b><br>(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)<br>1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other <input type="checkbox"/> |  | WELL API NO.<br>30-015-46737                                                                                          |
| 2. Name of Operator<br>XTO Energy Inc.                                                                                                                                                                                                                                                                                                          |  | 5. Indicate Type of Lease<br>STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>                   |
| 3. Address of Operator<br>6401 Holiday Hill Road Building 5, Midland, TX 79707                                                                                                                                                                                                                                                                  |  | 6. State Oil & Gas Lease No.                                                                                          |
| 4. Well Location<br>Unit Letter <u>A</u> : <u>170</u> feet from the <u>North</u> line and <u>720</u> feet from the <u>East</u> line<br>Section <u>08</u> Township <u>25S</u> Range <u>29E</u> NMPM County <u>Eddy</u>                                                                                                                           |  | 7. Lease Name or Unit Agreement Name<br>Corral Canyon 5 32 Federal                                                    |
| 11. Elevation (Show whether DR, RKB, RT, GR, etc.)<br>2941 GL                                                                                                                                                                                                                                                                                   |  | 8. Well Number <u>127H</u><br>9. OGRID Number <u>05380</u><br>10. Pool name or Wildcat<br>PURPLE SAGE; WOLFCAMP (GAS) |

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

| NOTICE OF INTENTION TO:                        | SUBSEQUENT REPORT OF:                                         |
|------------------------------------------------|---------------------------------------------------------------|
| PERFORM REMEDIAL WORK <input type="checkbox"/> | REMEDIAL WORK <input type="checkbox"/>                        |
| TEMPORARILY ABANDON <input type="checkbox"/>   | ALTERING CASING <input type="checkbox"/>                      |
| PULL OR ALTER CASING <input type="checkbox"/>  | COMMENCE DRILLING OPNS. <input type="checkbox"/>              |
| DOWNHOLE COMMINGLE <input type="checkbox"/>    | P AND A <input type="checkbox"/>                              |
| CLOSED-LOOP SYSTEM <input type="checkbox"/>    | CASING/CEMENT JOB <input type="checkbox"/>                    |
| OTHER: <input type="checkbox"/>                | OTHER: Completions Sundry <input checked="" type="checkbox"/> |

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

XTO PERMIAN OPERATING LLC respectfully submits this sundry notice to report the completion operations of the referenced well.

KOP @ depth 9,694 ft.  
 PBTD = 17,911 ft. 10/10/21 Run RCB/GR/CCL  
 1/5/22 Pressure test 5.5 in csg to 8,739 psi for 30min test good, open sleeve.  
 2/9/22 Perf and frac 36 stages, 866 total shots, from 10,569 to 17,791 using 362,544 bbls of fluid and 18,004,349 lbs Proppant. Tag and drill out plugs.  
 4/7/22 Run 2-7/8 L80 6.5# tubing set at 9,740 ft.  
 4/7/22 Packer setting depth 9,724 ft.  
 Ready Date: 4/29/22  
 First Production: 4/30/22

Spud Date:

4/14/2020

Rig Release Date:

5/17/2020

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Amanda Thames TITLE Regulatory Analyst DATE 5/26/2022

Type or print name Amanda Thames E-mail address: amanda.thames@exxonmobil.com PHONE: 432-221-7340

**For State Use Only**

APPROVED BY: \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

Conditions of Approval (if any):

|                                                                                                                                                                                                                                                                                                                                                                                           |                                             |                                                                                                                                                                                       |                                        |                            |                                                     |                                                                                                                                                                                                                                                                                                                                                                     |                         |                                                                                                                     |                |               |  |                |                               |                  |                                             |  |  |  |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|----------------------------|-----------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|---------------------------------------------------------------------------------------------------------------------|----------------|---------------|--|----------------|-------------------------------|------------------|---------------------------------------------|--|--|--|--|
| Submit To Appropriate District Office<br>Two Copies<br><b>District I</b><br>1625 N. French Dr., Hobbs, NM 88240<br><b>District II</b><br>811 S. First St., Artesia, NM 88210<br><b>District III</b><br>1000 Rio Brazos Rd., Aztec, NM 87410<br><b>District IV</b><br>1220 S. St. Francis Dr., Santa Fe, NM 87505                                                                          |                                             | <b>State of New Mexico</b><br><b>Energy, Minerals and Natural Resources</b><br><br><b>Oil Conservation Division</b><br><b>1220 South St. Francis Dr.</b><br><b>Santa Fe, NM 87505</b> |                                        |                            |                                                     | <b>Form C-105</b><br>Revised April 3, 2017                                                                                                                                                                                                                                                                                                                          |                         |                                                                                                                     |                |               |  |                |                               |                  |                                             |  |  |  |  |
| <b>WELL COMPLETION OR RECOMPLETION REPORT AND LOG</b>                                                                                                                                                                                                                                                                                                                                     |                                             |                                                                                                                                                                                       |                                        |                            |                                                     |                                                                                                                                                                                                                                                                                                                                                                     |                         |                                                                                                                     |                |               |  |                |                               |                  |                                             |  |  |  |  |
| 4. Reason for filing:<br><br><input checked="" type="checkbox"/> <b>COMPLETION REPORT</b> (Fill in boxes #1 through #31 for State and Fee wells only)<br><br><input type="checkbox"/> <b>C-144 CLOSURE ATTACHMENT</b> (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC) |                                             |                                                                                                                                                                                       |                                        |                            |                                                     |                                                                                                                                                                                                                                                                                                                                                                     |                         | 5. Lease Name or Unit Agreement Name<br><b>CORRAL CANYON 5 32 FEDERAL</b><br><br>6. Well Number:<br><br><b>127H</b> |                |               |  |                |                               |                  |                                             |  |  |  |  |
| 7. Type of Completion:<br><input checked="" type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER                                                                                                                                 |                                             |                                                                                                                                                                                       |                                        |                            |                                                     |                                                                                                                                                                                                                                                                                                                                                                     |                         |                                                                                                                     |                |               |  |                |                               |                  |                                             |  |  |  |  |
| 8. Name of Operator<br><b>XTO PERMIAN OPERATING LLC.</b>                                                                                                                                                                                                                                                                                                                                  |                                             |                                                                                                                                                                                       |                                        |                            |                                                     |                                                                                                                                                                                                                                                                                                                                                                     |                         | 9. OGRID<br><b>5380</b>                                                                                             |                |               |  |                |                               |                  |                                             |  |  |  |  |
| 10. Address of Operator<br><br><b>6401 HOLIDAY HILL RD BLDG #5, MIDLAND TX 79707</b>                                                                                                                                                                                                                                                                                                      |                                             |                                                                                                                                                                                       |                                        |                            |                                                     |                                                                                                                                                                                                                                                                                                                                                                     |                         | 11. Pool name or Wildcat<br><br><b>PURPLE SAGE;WOLFCAMP (GAS)</b>                                                   |                |               |  |                |                               |                  |                                             |  |  |  |  |
| 12. Location                                                                                                                                                                                                                                                                                                                                                                              | Unit Ltr                                    | Section                                                                                                                                                                               | Township                               | Range                      | Lot                                                 | Feet from the                                                                                                                                                                                                                                                                                                                                                       | N/S Line                | Feet from the                                                                                                       | E/W Line       | County        |  |                |                               |                  |                                             |  |  |  |  |
| <b>Surface:</b>                                                                                                                                                                                                                                                                                                                                                                           | A                                           | 08                                                                                                                                                                                    | 25S                                    | 29E                        |                                                     | 170                                                                                                                                                                                                                                                                                                                                                                 | North                   | 720                                                                                                                 | East           | Eddy          |  |                |                               |                  |                                             |  |  |  |  |
| <b>BH:</b>                                                                                                                                                                                                                                                                                                                                                                                | I                                           | 32                                                                                                                                                                                    | 24S                                    | 29E                        |                                                     | 2415                                                                                                                                                                                                                                                                                                                                                                | South                   | 733                                                                                                                 | East           | Eddy          |  |                |                               |                  |                                             |  |  |  |  |
| 13. Date Spudded<br>4/14/2020                                                                                                                                                                                                                                                                                                                                                             | 14. Date T.D. Reached<br>5/14/2020          |                                                                                                                                                                                       | 15. Date Rig Released<br>5/17/2020     |                            | 16. Date Completed (Ready to Produce)<br>04/29/2022 |                                                                                                                                                                                                                                                                                                                                                                     |                         | 17. Elevations (DF and RKB, RT, GR, etc.)<br>2941' GL                                                               |                |               |  |                |                               |                  |                                             |  |  |  |  |
| 18. Total Measured Depth of Well<br>17,913                                                                                                                                                                                                                                                                                                                                                |                                             |                                                                                                                                                                                       | 19. Plug Back Measured Depth<br>17,911 |                            | 20. Was Directional Survey Made?<br>Yes             |                                                                                                                                                                                                                                                                                                                                                                     |                         | 21. Type Electric and Other Logs Run<br>CBL                                                                         |                |               |  |                |                               |                  |                                             |  |  |  |  |
| 22. Producing Interval(s), of this completion - Top, Bottom, Name<br>10,569 TO 17,791 PURPLE SAGE;WOLFCAMP (GAS)                                                                                                                                                                                                                                                                          |                                             |                                                                                                                                                                                       |                                        |                            |                                                     |                                                                                                                                                                                                                                                                                                                                                                     |                         |                                                                                                                     |                |               |  |                |                               |                  |                                             |  |  |  |  |
| <b>23. CASING RECORD (Report all strings set in well)</b>                                                                                                                                                                                                                                                                                                                                 |                                             |                                                                                                                                                                                       |                                        |                            |                                                     |                                                                                                                                                                                                                                                                                                                                                                     |                         |                                                                                                                     |                |               |  |                |                               |                  |                                             |  |  |  |  |
| CASING SIZE                                                                                                                                                                                                                                                                                                                                                                               |                                             | WEIGHT LB./FT.                                                                                                                                                                        |                                        | DEPTH SET                  |                                                     | HOLE SIZE                                                                                                                                                                                                                                                                                                                                                           |                         | CEMENTING RECORD                                                                                                    |                | AMOUNT PULLED |  |                |                               |                  |                                             |  |  |  |  |
| 11 3/4"                                                                                                                                                                                                                                                                                                                                                                                   |                                             | 54.0                                                                                                                                                                                  |                                        | 619'                       |                                                     | 14 3/4"                                                                                                                                                                                                                                                                                                                                                             |                         | 630                                                                                                                 |                |               |  |                |                               |                  |                                             |  |  |  |  |
| 8 5/8"                                                                                                                                                                                                                                                                                                                                                                                    |                                             | 32.0                                                                                                                                                                                  |                                        | 9,264'                     |                                                     | 10 5/8"                                                                                                                                                                                                                                                                                                                                                             |                         | 1,515                                                                                                               |                |               |  |                |                               |                  |                                             |  |  |  |  |
| 5"                                                                                                                                                                                                                                                                                                                                                                                        |                                             | 18.0                                                                                                                                                                                  |                                        | 17,913                     |                                                     | 6 3/4"                                                                                                                                                                                                                                                                                                                                                              |                         | 1,795                                                                                                               |                |               |  |                |                               |                  |                                             |  |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                             |                                                                                                                                                                                       |                                        |                            |                                                     |                                                                                                                                                                                                                                                                                                                                                                     |                         |                                                                                                                     |                |               |  |                |                               |                  |                                             |  |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                             |                                                                                                                                                                                       |                                        |                            |                                                     |                                                                                                                                                                                                                                                                                                                                                                     |                         |                                                                                                                     |                |               |  |                |                               |                  |                                             |  |  |  |  |
| <b>24. LINER RECORD</b>                                                                                                                                                                                                                                                                                                                                                                   |                                             |                                                                                                                                                                                       |                                        |                            |                                                     | <b>25. TUBING RECORD</b>                                                                                                                                                                                                                                                                                                                                            |                         |                                                                                                                     |                |               |  |                |                               |                  |                                             |  |  |  |  |
| SIZE                                                                                                                                                                                                                                                                                                                                                                                      | TOP                                         | BOTTOM                                                                                                                                                                                | SACKS CEMENT                           | SCREEN                     | SIZE                                                | DEPTH SET                                                                                                                                                                                                                                                                                                                                                           | PACKER SET              |                                                                                                                     |                |               |  |                |                               |                  |                                             |  |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                             |                                                                                                                                                                                       |                                        |                            | 2 7/8"                                              | 9,740                                                                                                                                                                                                                                                                                                                                                               | 9,724                   |                                                                                                                     |                |               |  |                |                               |                  |                                             |  |  |  |  |
| 26. Perforation record (interval, size, and number)<br><br>10,569 TO 17,791, 2spf, 956 Total Shots 36 stages                                                                                                                                                                                                                                                                              |                                             |                                                                                                                                                                                       |                                        |                            |                                                     | 27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.<br><table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td>DEPTH INTERVAL</td> <td>AMOUNT AND KIND MATERIAL USED</td> </tr> <tr> <td>10,569 TO 17,791</td> <td>362,544 bbl fluid + 18,004,349 lbs Proppant</td> </tr> <tr> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> </tr> </table> |                         |                                                                                                                     |                |               |  | DEPTH INTERVAL | AMOUNT AND KIND MATERIAL USED | 10,569 TO 17,791 | 362,544 bbl fluid + 18,004,349 lbs Proppant |  |  |  |  |
| DEPTH INTERVAL                                                                                                                                                                                                                                                                                                                                                                            | AMOUNT AND KIND MATERIAL USED               |                                                                                                                                                                                       |                                        |                            |                                                     |                                                                                                                                                                                                                                                                                                                                                                     |                         |                                                                                                                     |                |               |  |                |                               |                  |                                             |  |  |  |  |
| 10,569 TO 17,791                                                                                                                                                                                                                                                                                                                                                                          | 362,544 bbl fluid + 18,004,349 lbs Proppant |                                                                                                                                                                                       |                                        |                            |                                                     |                                                                                                                                                                                                                                                                                                                                                                     |                         |                                                                                                                     |                |               |  |                |                               |                  |                                             |  |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                             |                                                                                                                                                                                       |                                        |                            |                                                     |                                                                                                                                                                                                                                                                                                                                                                     |                         |                                                                                                                     |                |               |  |                |                               |                  |                                             |  |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                             |                                                                                                                                                                                       |                                        |                            |                                                     |                                                                                                                                                                                                                                                                                                                                                                     |                         |                                                                                                                     |                |               |  |                |                               |                  |                                             |  |  |  |  |
| <b>28. PRODUCTION</b>                                                                                                                                                                                                                                                                                                                                                                     |                                             |                                                                                                                                                                                       |                                        |                            |                                                     |                                                                                                                                                                                                                                                                                                                                                                     |                         |                                                                                                                     |                |               |  |                |                               |                  |                                             |  |  |  |  |
| Date First Production<br>4/30/2020                                                                                                                                                                                                                                                                                                                                                        |                                             | Production Method (Flowing, gas lift, pumping - Size and type pump)<br>Flowing                                                                                                        |                                        |                            |                                                     | Well Status (Prod. or Shut-in)<br>Producing                                                                                                                                                                                                                                                                                                                         |                         |                                                                                                                     |                |               |  |                |                               |                  |                                             |  |  |  |  |
| Date of Test<br>5/6/2020                                                                                                                                                                                                                                                                                                                                                                  | Hours Tested<br>24                          | Choke Size                                                                                                                                                                            | Prod'n For Test Period                 | Oil - Bbl<br>2643          | Gas - MCF<br>6111                                   | Water - Bbl.<br>4762                                                                                                                                                                                                                                                                                                                                                | Gas - Oil Ratio<br>2312 |                                                                                                                     |                |               |  |                |                               |                  |                                             |  |  |  |  |
| Flow Tubing Press.<br>541                                                                                                                                                                                                                                                                                                                                                                 | Casing Pressure<br>1583                     | Calculated 24-Hour Rate                                                                                                                                                               | Oil - Bbl.<br>2643                     | Gas - MCF<br>6111          | Water - Bbl.<br>4762                                | Oil Gravity - API - (Corr.)                                                                                                                                                                                                                                                                                                                                         |                         |                                                                                                                     |                |               |  |                |                               |                  |                                             |  |  |  |  |
| 29. Disposition of Gas (Sold, used for fuel, vented, etc.)<br>Sold                                                                                                                                                                                                                                                                                                                        |                                             |                                                                                                                                                                                       |                                        |                            |                                                     |                                                                                                                                                                                                                                                                                                                                                                     |                         | 30. Test Witnessed By                                                                                               |                |               |  |                |                               |                  |                                             |  |  |  |  |
| 31. List Attachments<br>C-104 NW, C-102 & Supplement , Directional Survey (Log uploaded to NMOCD)                                                                                                                                                                                                                                                                                         |                                             |                                                                                                                                                                                       |                                        |                            |                                                     |                                                                                                                                                                                                                                                                                                                                                                     |                         |                                                                                                                     |                |               |  |                |                               |                  |                                             |  |  |  |  |
| 32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.                                                                                                                                                                                                                                                                                        |                                             |                                                                                                                                                                                       |                                        |                            |                                                     |                                                                                                                                                                                                                                                                                                                                                                     |                         | 33. Rig Release Date:                                                                                               |                |               |  |                |                               |                  |                                             |  |  |  |  |
| 34. If an on-site burial was used at the well, report the exact location of the on-site burial:                                                                                                                                                                                                                                                                                           |                                             |                                                                                                                                                                                       |                                        |                            |                                                     |                                                                                                                                                                                                                                                                                                                                                                     |                         |                                                                                                                     |                |               |  |                |                               |                  |                                             |  |  |  |  |
| Latitude                                                                                                                                                                                                                                                                                                                                                                                  |                                             |                                                                                                                                                                                       |                                        | Longitude                  |                                                     |                                                                                                                                                                                                                                                                                                                                                                     |                         | NAD83                                                                                                               |                |               |  |                |                               |                  |                                             |  |  |  |  |
| I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief                                                                                                                                                                                                                                                        |                                             |                                                                                                                                                                                       |                                        |                            |                                                     |                                                                                                                                                                                                                                                                                                                                                                     |                         |                                                                                                                     |                |               |  |                |                               |                  |                                             |  |  |  |  |
| Signature <i>Amanda Thames</i>                                                                                                                                                                                                                                                                                                                                                            |                                             |                                                                                                                                                                                       |                                        | Printed Name Amanda Thames |                                                     | Title Regulatory Analyst                                                                                                                                                                                                                                                                                                                                            |                         |                                                                                                                     | Date 5/26/2022 |               |  |                |                               |                  |                                             |  |  |  |  |
| E-mail Address amanda.thames@exxonmobil.com                                                                                                                                                                                                                                                                                                                                               |                                             |                                                                                                                                                                                       |                                        |                            |                                                     |                                                                                                                                                                                                                                                                                                                                                                     |                         |                                                                                                                     |                |               |  |                |                               |                  |                                             |  |  |  |  |

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

| Southeastern New Mexico |                         | Northwestern New Mexico |                  |
|-------------------------|-------------------------|-------------------------|------------------|
| T. Anhy                 | T. Canyon               | T. Ojo Alamo            | T. Penn A"       |
| T. Salt 687'            | T. Strawn               | T. Kirtland             | T. Penn. "B"     |
| B. Salt 2,687'          | T. Atoka                | T. Fruitland            | T. Penn. "C"     |
| T. Yates                | T. Miss                 | T. Pictured Cliffs      | T. Penn. "D"     |
| T. 7 Rivers             | T. Devonian             | T. Cliff House          | T. Leadville     |
| T. Queen                | T. Silurian             | T. Menefee              | T. Madison       |
| T. Grayburg             | T. Montoya              | T. Point Lookout        | T. Elbert        |
| T. San Andres           | T. Simpson              | T. Mancos               | T. McCracken     |
| T. Glorieta             | T. McKee                | T. Gallup               | T. Ignacio Otzte |
| T. Paddock              | T. Ellenburger          | Base Greenhorn          | T. Granite       |
| T. Blinebry             | T. Gr. Wash             | T. Dakota               |                  |
| T. Tubb                 | T. Delaware Sand 2,885' | T. Morrison             |                  |
| T. Drinkard             | T. Bone Springs 6,623   | T. Todilto              |                  |
| T. Abo                  | T. Rustler 265'         | T. Entrada              |                  |
| T. Wolfcamp 9,821'      | T.                      | T. Wingate              |                  |
| T. Penn                 | T.                      | T. Chinle               |                  |
| T. Cisco (Bough C)      | T.                      | T. Permian              |                  |

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....  
 No. 2, from.....to.....feet.....  
 No. 3, from.....to.....feet.....

| From | To | Thickness<br>In Feet | Lithology |
|------|----|----------------------|-----------|
|      |    |                      |           |

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 110883

ACKNOWLEDGMENTS

|                                                                                 |                                                        |
|---------------------------------------------------------------------------------|--------------------------------------------------------|
| Operator:<br><br>XTO ENERGY, INC<br>6401 Holiday Hill Road<br>Midland, TX 79707 | OGRID:<br><br>5380                                     |
|                                                                                 | Action Number:<br><br>110883                           |
|                                                                                 | Action Type:<br><br>[C-104] Completion Packet (C-104C) |

ACKNOWLEDGMENTS

|                                     |                                                                                                                    |
|-------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| <input checked="" type="checkbox"/> | I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.     |
| <input checked="" type="checkbox"/> | I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion. |

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 110883

CONDITIONS

|                                                                                 |                                                    |
|---------------------------------------------------------------------------------|----------------------------------------------------|
| Operator:<br><br>XTO ENERGY, INC<br>6401 Holiday Hill Road<br>Midland, TX 79707 | OGRID:<br><br>5380                                 |
|                                                                                 | Action Number:<br><br>110883                       |
|                                                                                 | Action Type:<br>[C-104] Completion Packet (C-104C) |

CONDITIONS

|                |           |                |
|----------------|-----------|----------------|
| Created By     | Condition | Condition Date |
| crystal.walker | None      | 8/18/2025      |