

| | | |
|----------------------------|--|--------------------------------------|
| Well Name: VONI FED COM | Well Location: T26S / R31E / SEC 21 / NWNE / 32.0345836 / -103.7810477 | County or Parish/State: EDDY / NM |
| Well Number: 133H | Type of Well: OIL WELL | Allottee or Tribe Name: |
| Lease Number: NMNM138866 | Unit or CA Name: | Unit or CA Number: |
| US Well Number: 3001547170 | Well Status: Drilling Well | Operator: MATADOR PRODUCTION COMPANY |

Subsequent Report

| | |
|--|-------------------------------------|
| Type of Submission: Subsequent Report | Type of Action: Drilling Operations |
| Date Sundry Submitted: 08/03/2021 | Time Sundry Submitted: 02:58 |
| Date Operation Actually Began: 07/26/2021 | |
| Actual Procedure: BLM Bond No: NMB0001079 Surety Bond:RLB0015172 Please see PROD final casing and cementing finals attached. | |

SR Attachments

PActual Procedure

Voni_133_PROD_Casing_and_Cementing_Actuals_20210803145802.pdf

Well Number: 133H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM138866

Unit or CA Name:

Unit or CA Number:

US Well Number: 3001547170

Well Status: Drilling Well

Operator: MATADOR PRODUCTION COMPANY

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: BRETT JENNINGS

Signed on: AUG 03, 2021 02:58 PM

Name: MATADOR PRODUCTION COMPANY

Title: Regulatory Analyst

Street Address: 5400 LBJ FREEWAY, STE 1500

City: DALLAS

State: TX

Phone: (972) 629-2160

Email address: BRETT.JENNINGS@MATADORRESOURCES.COM

Field Representative

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: Jonathon W Shepard

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972

BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted

Disposition Date: 08/24/2021

Signature: Jonathon Shepard

Production Casing Sundry

| Noni Field Com #133H | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--------|-----------------------|-----------------------|-------|----------|-----------------------|----------------------|----------------------|---------------------|-----------------------|----------------------|-------|---------------------------|-------|----------|-------|----------|--------|---------|----------------|----------------------|-----------------------|---------------------------------|-------------------------------|----------------------------------|---|
| *estimated due to batch drilling/will have actuals at time of setting next string | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DATE | STRING | FLUID TYPE (liq) | WT/LB/FT (decimal) | GRADE | CONN | HOLE SZ (fraction) | CSG SZ (fraction) | HOLE DEPTH (feet) | DEPTH SET (feet) | WAIT ON CMT (feet) | PRESS HELD (feet) | STAGE | STAGE TOOL DEPTH (ftm) | LD SK | LD YIELD | TL SK | TL YIELD | TTL SK | TTL BBL | CLASS (liq) | TOP OF CMT (feet) | METHOD USED (feet) | BBLs TO SURF (if circulated) | SK TO SURF (if circulated) | LENGTH 1' RAN (if topped out) | |
| 6/9/2021 | SURF | Fresh Water | 54.50 | J-55 | Buttress | 17-1/2" | 13-3/8" | 1197 | 1182 | 851.0 | 1500 | 1 | | 585 | 1.73 | 345 | 1.34 | 930 | 262.573 | C | 0 | Circ | 60 | 251 | 0 | |
| 7/15/2021 | INT 1 | Diesel Brine Emulsion | 29.70 | P-110 | Buttress | 9-7/8" | 7-5/8" | 9795 | 9776 | 11 | 2270 | 1 | 3922 | 460 | 3.46 | 270 | 1.35 | 730 | 348.37 | C | 3942 | Circ | 0 | - | 0 | |
| | | | | | | | | | | | | 2 | | | | | | 1340 | 1.73 | 1340 | 412.858 | C | 0 | 115 | 438 | 0 |
| 7/26/2021 | PROD | Oil Based Mud | 20.00 | P-110 | TLW | 6-3/4" | 5-1/2" | 22960 | 22932 | *1500 | *2270 | 1 | | 225 | 2.13 | 905 | 1.45 | 1330 | 333.056 | C | 2100 | Circ | 0 | - | | |
| KOP: 9940' MD / 9922' TVD | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TO: 23,960' MD / 10,414' TVD | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Top of Prod Casing float Collar (feet): 22,830' | | | | | | | | | | | | | | | | | | | | | | | | | | |

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 44882

CONDITIONS

| | |
|---|--|
| Operator: MATADOR PRODUCTION COMPANY One Lincoln Centre Dallas, TX 75240 | OGRID: 228937 |
| | Action Number: 44882 |
| | Action Type: [C-103] Sub. General Sundry (C-103Z) |

CONDITIONS

| | | |
|----------------|---|----------------|
| Created By | Condition | Condition Date |
| crystal.walker | Report Pressure test of production casing on next sundry. | 8/21/2025 |