

Well Name: CHOLULA 12/11 W0AB FED COM	Well Location: T21S / R27E / SEC 12 / NENE / 32.498504 / -104.1351173	County or Parish/State: EDDY / NM
Well Number: 1H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM0017095, NMNM17095	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001548743	Operator: MEWBOURNE OIL COMPANY	

Subsequent Report

Sundry ID: 2786463

Type of Submission: Subsequent Report

Date Sundry Submitted: 04/23/2024

Date Operation Actually Began: 02/17/2022

Type of Action: Drilling Operations

Time Sundry Submitted: 01:10

Actual Procedure: ALREADY APPROVED: SUNDRY ID 2661245. CORRECTION TO CSG SIZE (FRACTIONS MISSING) PER NMOCD FOR APPROVAL. Spud 26" hole @ 415'. Ran 415' of 20" 94# J55 BT&C Csg. Cmt w/525 sks Class C w/additives. (yd @ 2.31 cuft/sk @ 12.5 PPG). Displaced w/140 bbls of BW. Plug down @ 2:30 A.M. 02/18/22. Circ 225 sks of cmt to the cellar. Drilled out w/17 1/2" bit. 02/19/22 TD'ed 17 1/2" hole @ 1170'. Ran 1155' of 13 3/8" 54.5# J55 ST&C Csg. Cmt w/750 sks Class C w/additives. (yd @ 1.74 cuft/sk @ 13.5 PPG). Displaced w/173 bbls of FW. Plug down @ 10:15 P.M. 02/19/22. Circ 194 sks of cmt to the cellar. At 9:00 A.M. 02/20/22, tested csg to 1500# for 30 mins, held OK. FIT to 9.5 PPG EMW. Drilled out w/12 1/4". 02/23/22 TD'ed 12 1/4" hole @ 2875'. Ran 2860' of 9 5/8" 40# L80IC LT&C Csg. Cmt w/425 sks 35/65 Poz C w/5% Salt, 4% Gel, 5% Strength Enhancer, 1% Chemical Extender, 3#/sk Kolseal, 0.4#/sk Defoamer & #/sk Cellophane (yd @ 2.17 cuft/sk @ 12.5 PPG). Tail w/200 sks Class C Neat (yd @ 1.32 cuft/sk @ 14.8 PPG). Displaced w/214 bbls of FW. Plug down @ 9:30 A.M. 02/22/22. Set ACP w/2150#. Circ 93 sks of cmt to the pit. Dropped cancelation bomb & cycled DV tool w/2600#. At 7:30 P.M. 02/22/22, tested csg to 1500# for 30 mins, held OK. Drlg plug, floats & cmt. Drlg from 2875' to 2885'. FIT to 10.0 PPG EMW. Drilled out w/8 3/4" bit. 02/25/22 TD'ed 8 3/4" hole @ 8655'. Ran 8553' of 7" 29# HCIP110 BTC Csg. Cmt w/425 sks PVL w/additives. (yd @ 3.18 cuft/sk @ 9.8 PPG). Tail w/400 sks Class H w/additives. (yd @ 1.18 cuft/sk @ 15.6 PPG). Displaced w/318 bbls of OBM. Plug down @ 10:15 P.M. 02/25/22. Circ 120 sks of cmt to the pit. At 8:00 A.M. 02/26/22, tested csg to 1500# for 30 mins, held OK. FIT to 12.0 PPG EMW. Drilled out at 6 1/8". 03/03/22 TD'ed 6 1/8" hole @ 16800' MD. Ran 4 1/2" 13.5# ICP110 BPN Csg from 8356' (top of liner) to 16800'. Cmt w/600 sks 35/65 Poz H w/additives. (1.85 ft³/sk @ 13.5 ppg). Pump 5 bbls of Sugar FW. Drop dart. Displaced w/212 bbls of sugar BW. Lift Pressure 2000# @ 3.3 BPM. Plug down @ 4:00 A.M. 03/05/22. Bumped plug w/3000#. Set packer w/80k#. Sting out of hanger w/2000# on DP. Displaced 7" csg w/350 bbls of BW w/polymer sweep. Circ 120 sks cmt off liner top. At 5:

Received by OCD: 5/7/2024 2:44:33 PM

Page 2 of 3

Well Name: CHOLULA 12/11 W0AB FED COM	Well Location: T21S / R27E / SEC 12 / NENE / 32.498504 / -104.1351173	County or Parish/State: EDDY / NM
Well Number: 1H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM0017095, NMNM17095	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001548743	Operator: MEWBOURNE OIL COMPANY	

45 A.M. 03/05/22, tested liner to 2500# for 30 min, held OK. Rig released to move @ 6:00 A.M. 03/06/22.

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JACKIE LATHAN	Signed on: APR 23, 2024 01:10 PM
Name: MEWBOURNE OIL COMPANY	
Title: Regulatory	
Street Address: PO Box 5270	
City: Hobbs	State: NM
Phone: (575) 393-5905	
Email address: Jlathan@mewbourne.com	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 05/07/2024
Signature: Jonathon Shepard	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 341740

CONDITIONS

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88241	OGRID: 14744
	Action Number: 341740
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
crystal.walker	None	8/21/2025