

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: PERAZZI 9/10 WOMP FEDERAL Well Location: T20S / R29E / SEC 8 / SESE / County or Parish/State: EDDY / NM

Well Number: 1H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM0556290 Unit or CA Name: Unit or CA Number:

US Well Number: 3001548949 Operator: MEWBOURNE OIL COMPANY

# **Subsequent Report**

Sundry ID: 2660031

**Type of Submission:** Subsequent Report **Type of Action:** Drilling Operations

Date Sundry Submitted: 03/04/2022 Time Sundry Submitted: 07:19

**Date Operation Actually Began: 10/09/2021** 

Actual Procedure: Spud 10/09/21 Spud 26" hole @ 380'. Ran 380' of 20" 94# J55 BT&C Csg. Cmt w/600 sks Class C w/additives. Mixed @ 12.5#/g w/2.31 yd. Displaced w/126 bbls of BW. Plug down @ 6:15 A.M. 10/10/21. Circ 306 sks of cmt to the pit. Drilled out at 17 ½". 10/12/21 TD'ed 17 ½" hole @ 1125'. Ran 1080' of 13 ½" 54.5# J55 ST&C Csg. Cmt w/700 sks Class C w/additives. Mixed @ 13.5#/g w/1.74 yd. Displaced w/166 bbls of FW. Plug down @ 2:45 P.M. 10/12/21. Circ 129 sks of cmt to the pit. Tested BOPE to 5000# & Annular to 3500# At 1:15 P.M. 10/13/21, tested csg to 1500# for 30 min, held OK. FIT to 9.5 PPG EMW. Drilled out at 12 1/2". 10/15/21 TD'ed 12 1/4" hole @ 3275'. Ran 3260' of 9 1/4" 40# HCL80 LT&C Csg. Set Cameron mandrel hanger through BOP w/105k#. Cmt 1st Stage w/550 sks Class C (35:65 Poz) w/additives. Mixed @ 12.5#/g w/2.17 yd. 1st Stage Tail w/200 sks Class C Neat. Mixed @ 14.8#/g w/1.32 yd. Displaced w/244 bbls of FW. Slow rate lift pressure 400 psi @ 3 BPM. Plug down @ 6:00 P.M. 10/15/21. Set ACP w/2084#. Dropped bomb & opened DV tool w/865#. Circ 15 sks cmt off DV tool. 2nd Stage Tail w/700 sks Class C Neat. Mixed @ 14.8#/g w/1.32 yd. Displaced w/90 bbls of FW. Plug down @ 9:15 P.M. 10/15/21. Closed DV tool w/2010 psi. Circ 382 sks of cmt to the pit. At 11:30 A.M. 10/16/21, tested csg to 1500# for 30 mins, held OK. FIT to 10 PPG EMW. Drilled out at 8 %". 10/21/21 TD'ed 8 %" hole @ 9640'. Ran 9625' of 7" 29# HPP110 BT&C Csg. Set Cameron mandrel hanger through BOP w/172k#. Cmt w/600 sks PVL w/additives. Mixed @ 10.5#/g w/2.86 yd. Tail w/400 sks Class H w/additives. Mixed @ 15.6#/g w/1.18 yd. Displaced w/355 bbls of OBM. Plug down @ 5:15 P.M. 10/21/21. Circ 68 sks of cmt to the pit. At 6:30 A.M. 10/22/21, tested csg to 1500# for 30 mins, held OK. FIT to 11.5 PPG EMW. Drilled out at 6 1/8". 10/27/21 TD'ed 6 1/8" hole @ 20010' MD. Ran 4 ½" 13.5# HCP110 CDC HTQ Csg from 8648' (top of liner) to 20010'. Cmt w/825 sks 35/65 Poz H w/additives. Mixed @ 13.5#/g w/1.75 yd. Pump 5 bbls of Sugar FW. Drop dart. Displaced w/259 bbls of sugar BW. Lift pressure 3100 psi @ 3 bpm. Plug down @ 5:15 P.M. 10/28/21. Bumped plug w/3600#. Set packer w/100k#. Released from liner hanger w/2000# on DP.

Received by OCD: 1202424012401210120 RMMP FEDERAL Well Location: T20S / R29E / SEC 8 / SESE / County or Parish/State: EDDY / NM

Page 2 of 3

Well Number: 1H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM0556290 Unit or CA Name: Unit or CA Number:

Displaced 7" csg w/450 bbls of polymer BW. Circ 193 sks cmt off liner top. At 6:30 P.M. 10/28/21, tested liner to 2500# for 30 min, held OK. Rig released @ 6:00 A.M. 10/30/21.

# **Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: BRADLEY BISHOP Signed on: MAR 04, 2022 07:19 AM

Name: MEWBOURNE OIL COMPANY

Title: Regulatory

Street Address: PO Box 5270

City: Hobbs State: NM

Phone: (575) 393-5905

Email address: BBISHOP@MEWBOURNE.COM

# **Field**

Representative Name: Ruby Caballero

Street Address: 4801 Business Park Boulevard, Hobbs

City: Hobbs State: NM Zip: 88240

Phone: (575)393-5905

Email address: rcaballero@mewbourne.com

# **BLM Point of Contact**

BLM POC Name: JONATHON W SHEPARD BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972 BLM POC Email Address: jshepard@blm.gov

**Disposition:** Accepted **Disposition Date:** 04/16/2022

Signature: Jonathon Shepard

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory <a href="https://www.emnrd.nm.gov/ocd/contact-us">https://www.emnrd.nm.gov/ocd/contact-us</a>

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 407585

# **CONDITIONS**

Operator:	OGRID:
MEWBOURNE OIL CO	14744
P.O. Box 5270	Action Number:
Hobbs, NM 88241	407585
	Action Type:
	[C-103] Sub. Drilling (C-103N)

### CONDITIONS

Created By		Condition Date
crystal.walker	None	8/22/2025