

Well Name: POKER LAKE UNIT 20 DTD	Well Location: T24S / R30E / SEC 20 / NWNE / 32.208009 / -103.901589	County or Parish/State: EDDY / NM
Well Number: 321H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM02860	Unit or CA Name: POKER LAKE UNIT	Unit or CA Number: NMNM71016X
US Well Number: 3001555044	Operator: XTO PERMIAN OPERATING LLC	

Notice of Intent

Sundry ID: 2855314

Type of Submission: Notice of Intent **Type of Action:** APD Change

Date Sundry Submitted: 05/29/2025 **Time Sundry Submitted:** 03:22

Date proposed operation will begin: 05/29/2025

Procedure Description: Effective date 9/21/24 XTO Permian Operating LLC respectfully requests to make the following changes: Pool name & code: f/ WILDCAT S243006B; LWR BONE SPRING (97753) t/ WILDCAT G-06 S243026M; BONE SPRING (97798), WILDCAT S243006B; LWR BONE SPRING (97753), PIERCE CROSSING; BONE SPRING, EAST (96473) Dedicated acres: f/ 1199.95 t/ 800,160 & 239.95 Attachments: Updated C-102 on new required form. No new surface disturbance.

NOI Attachments

Procedure Description

- POKER_LAKE_UNIT_20_DTD_321H_96473_C102_AMENDED_FINAL_05_20_2025_20250529152118.pdf
- POKER_LAKE_UNIT_20_DTD_321H_97798_C102_AMENDED_FINAL_05_29_2025_20250529152118.pdf
- POKER_LAKE_UNIT_20_DTD_321H_97753_C102_AMENDED_FINAL_05_29_2025_20250529152118.pdf

Well Name: POKER LAKE UNIT 20 DTD	Well Location: T24S / R30E / SEC 20 / NWNE / 32.208009 / -103.901589	County or Parish/State: EDDY / NM
Well Number: 321H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM02860	Unit or CA Name: POKER LAKE UNIT	Unit or CA Number: NMNM71016X
US Well Number: 3001555044	Operator: XTO PERMIAN OPERATING LLC	

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: LACEY GRANILLO	Signed on: MAY 29, 2025 03:21 PM
Name: XTO PERMIAN OPERATING LLC	
Title: Regulatory Analyst	
Street Address: 6401 HOLIDAY HILL ROAD	
City: MIDLAND	State: TX
Phone: (432) 894-0057	
Email address: LACEY.GRANILLO@EXXONMOBIL.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: MARIAH HUGHES	BLM POC Title: Land Law Examiner
BLM POC Phone: 5752345972	BLM POC Email Address: mhughes@blm.gov
Disposition: Approved	Disposition Date: 06/04/2025
Signature: Cody Layton Assistant Field Manager	

Form 3160-5 (June 2019)	UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT	FORM APPROVED OMB No. 1004-0137 Expires: October 31, 2021
SUNDRY NOTICES AND REPORTS ON WELLS <i>Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.</i>		5. Lease Serial No. NMNM02860
		6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 2		7. If Unit of CA/Agreement, Name and/or No. POKER LAKE UNIT/NMNM71016X
1. Type of Well ☐ Oil Well ☒ Gas Well ☐ Other	8. Well Name and No. POKER LAKE UNIT 20 DTD/321H	
2. Name of Operator XTO PERMIAN OPERATING LLC	9. API Well No. 3001555044	
3a. Address 6401 HOLIDAY HILL ROAD BLDG 5, MIDLAND,	3b. Phone No. (include area code) (432) 683-2277	10. Field and Pool or Exploratory Area Purple Sage/Wolfcamp
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description) SEC 20/T24S/R30E/NMP		11. Country or Parish, State EDDY/NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA				
TYPE OF SUBMISSION	TYPE OF ACTION			
☒ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off
☐ Subsequent Report	☐ Alter Casing	☐ Hydraulic Fracturing	☐ Reclamation	☐ Well Integrity
☐ Final Abandonment Notice	☐ Casing Repair	☐ New Construction	☐ Recomplete	☐ Other
	☒ Change Plans	☐ Plug and Abandon	☐ Temporarily Abandon	
	☐ Convert to Injection	☐ Plug Back	☐ Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be perfonned or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleation in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has detennined that the site is ready for final inspection.)

Effective date 9/21/24

XTO Permian Operating LLC respectfully requests to make the following changes:

Pool name & code: f/ WILDCAT S243006B; LWR BONE SPRING (97753)

t/ WILDCAT G-06 S243026M; BONE SPRING (97798), WILDCAT S243006B; LWR BONE SPRING (97753), PIERCE CROSSING; BONE SPRING, EAST (96473)

Dedicated acres: f/ 1199.95 t/ 800,160 & 239.95

Attachments: Updated C-102 on new required form. No new surface disturbance.

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed) LACEY GRANILLO / Ph: (432) 894-0057	Title Regulatory Analyst
Signature (Electronic Submission)	Date 05/29/2025

THE SPACE FOR FEDERAL OR STATE OFFICE USE		
Approved by MARIAH HUGHES / Ph: (575) 234-5972 / Approved	Title Land Law Examiner	Date 06/04/2025
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office CARLSBAD	

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c) and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well

0. SHL: NWNW / 877 FNL / 2072 FEL / TWSP: 24S / RANGE: 30E / SECTION: 20 / LAT: 32.208009 / LONG: -103.901589 (TVD: 0 feet, MD: 0 feet)

PPP: NWNW / 0 FSL / 2199 FEL / TWSP: 24S / RANGE: 30E / SECTION: 29 / LAT: 32.19588 / LONG: -103.90203 (TVD: 10694 feet, MD: 16500 feet)

PPP: NWNW / 100 FNL / 2219 FEL / TWSP: 24S / RANGE: 30E / SECTION: 20 / LAT: 32.210141 / LONG: -103.902058 (TVD: 10694 feet, MD: 11200 feet)

BHL: SWNE / 2614 FNL / 2221 FEL / TWSP: 25S / RANGE: 30E / SECTION: 5 / LAT: 32.15962 / LONG: -103.90196 (TVD: 9521 feet, MD: 27650 feet)

Santa Fe Main Office Phone: (505) 476-3441 General Information Phone: (505) 629-6116 Online Phone Directory Visit: https://www.emnrd.nm.gov/ocd/contact-us/	State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION	C-102 Revised July 9, 2024 Submit Electronically via OCD Permitting	
		Submittal Type:	☐ Initial Submittal
			☒ Amended Report
		☐ As Drilled	

WELL LOCATION INFORMATION

API Number 30-015-55044	Pool Code 96473	Pool Name PIERCE CROSSING; BONE SPRING, EAST
Property Code	Property Name POKER LAKE UNIT 20 DTD	Well Number 321H
OGRID No. 373075	Operator Name XTO PERMIAN OPERATING, LLC.	Ground Level Elevation 3264'
Surface Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal		Mineral Owner: ☒ State ☐ Fee ☐ Tribal ☒ Federal

Surface Location

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
B	20	24S	30E		877 FNL	2,072 FEL	32.208009	-103.901589	EDDY

Bottom Hole Location

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
G	05	25S	30E		2,614 FNL	2,221 FEL	32.159620	-103.901960	EDDY

Dedicated Acres 239.95	Infill or Defining Well INFILL	Defining Well API 30-015-55040	Overlapping Spacing Unit (Y/N) N	Consolidation Code U
Order Numbers:			Well setbacks are under Common Ownership: ☒ Yes ☐ No	

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
B	20	24S	30E		877 FNL	2,072 FEL	32.208009	-103.901589	EDDY

First Take Point (FTP)

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
B	20	24S	30E		100 FNL	2,219 FEL	32.210141	-103.902058	EDDY

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
G	05	25S	30E		2,564 FNL	2,221 FEL	32.159757	-103.901960	EDDY

Unitized Area or Area of Uniform Interest NMNM105422429	Spacing Unit Type ☒ Horizontal ☐ Vertical	Ground Floor Elevation: 3264'
---	--	---


OPERATOR CERTIFICATIONS I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division. Lacey Granillo5/29/25 SignatureDate Lacey Granillo Printed Name Lacey.granillo@exxonmobil.com Email Address	SURVEYOR CERTIFICATIONS I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.   Signature and Seal of Professional Surveyor 23786 05-20-2025 Certificate NumberDate of Survey DB 618.013003.06-49
--	--

Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



LEGEND

- SECTION LINE
-
- 330' BUFFER

WELL COORDINATE TABLE								
WELL	NAD 83 NME X	NAD 83 NME Y	NAD 83 LAT	NAD 83 LON	NAD 27 NME X	NAD 27 NME Y	NAD 27 LAT	NAD 27 LON
SHL/KOP	674,870.6	439,676.0	32.208009	-103.901589	633,686.9	439,616.7	32.207885	-103.901102
FTP	674,722.6	440,451.1	32.210141	-103.902058	633,538.9	440,391.8	32.210017	-103.901570
LTP	674,826.2	422,122.4	32.159757	-103.901960	633,641.9	422,063.6	32.159633	-103.901475
BHL	674,826.4	422,072.4	32.159620	-103.901960	633,642.1	422,013.6	32.159495	-103.901475
PPP 1	674,751.9	435,262.9	32.195879	-103.902030	633,568.0	435,203.7	32.195755	-103.901543
PPP 2	674,781.8	429,975.7	32.181345	-103.902002	633,597.7	429,916.7	32.181221	-103.901516

CORNER COORDINATE TABLE				
CORNER	NAD 83 NME X	NAD 83 NME Y	NAD 27 NME X	NAD 27 NME Y
A	674,262.0	440,546.3	633,078.3	440,487.0
B	674,277.3	437,901.7	633,093.6	437,842.5
C	674,292.7	435,257.6	633,108.8	435,198.5
D	674,313.5	432,613.8	633,129.5	432,554.7
E	674,334.3	429,970.0	633,150.3	429,910.9
F	674,344.5	427,326.7	633,160.4	427,267.8
G	674,354.7	424,680.7	633,170.5	424,621.8
H	674,366.8	422,013.8	633,182.5	421,955.0
I	676,941.2	440,574.0	635,757.5	440,514.8
J	676,946.1	437,930.7	635,762.3	437,871.4
K	676,950.6	435,288.0	635,766.7	435,228.8
L	676,980.3	432,645.3	635,796.4	432,586.2
M	677,010.4	430,004.1	635,826.3	429,945.1
N	677,023.8	427,361.7	635,839.7	427,302.8
O	677,036.7	424,716.9	635,852.5	424,658.0
P	677,047.1	422,064.2	635,862.8	422,005.4

Santa Fe Main Office Phone: (505) 476-3441 General Information Phone: (505) 629-6116 Online Phone Directory Visit: https://www.emnrd.nm.gov/ocd/contact-us/	State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION	C-102 Revised July 9, 2024 Submit Electronically via OCD Permitting	
		Submittal Type:	☐ Initial Submittal
			☒ Amended Report
		☐ As Drilled	

WELL LOCATION INFORMATION

API Number 30-015-55044	Pool Code 97798	Pool Name WILDCAT G-06 S243026M;BONE SPRING
Property Code	Property Name POKER LAKE UNIT 20 DTD	Well Number 321H
OGRID No. 373075	Operator Name XTO PERMIAN OPERATING, LLC.	Ground Level Elevation 3264'
Surface Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal		Mineral Owner: ☒ State ☐ Fee ☐ Tribal ☒ Federal

Surface Location

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
B	20	24S	30E		877 FNL	2,072 FEL	32.208009	-103.901589	EDDY

Bottom Hole Location

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
G	05	25S	30E		2,614 FNL	2,221 FEL	32.159620	-103.901960	EDDY

Dedicated Acres 800.00	Infill or Defining Well INFILL	Defining Well API 30-015-55040	Overlapping Spacing Unit (Y/N) N	Consolidation Code U
Order Numbers:			Well setbacks are under Common Ownership: ☒ Yes ☐ No	

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
B	20	24S	30E		877 FNL	2,072 FEL	32.208009	-103.901589	EDDY

First Take Point (FTP)

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
B	20	24S	30E		100 FNL	2,219 FEL	32.210141	-103.902058	EDDY

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
G	05	25S	30E		2,564 FNL	2,221 FEL	32.159757	-103.901960	EDDY

Unitized Area or Area of Uniform Interest NMNM105422429	Spacing Unit Type ☒ Horizontal ☐ Vertical	Ground Floor Elevation: 3264'
---	--	---


OPERATOR CERTIFICATIONS I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division. Lacey Granillo5/29/25 SignatureDate Lacey Granillo Printed Name Lacey.granillo@exxonmobil.com Email Address	SURVEYOR CERTIFICATIONS I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.   Signature and Seal of Professional Surveyor 23786 05-29-2025 Certificate NumberDate of Survey DB 618.013003.06-49
--	--

Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



LEGEND

- SECTION LINE
-
- 330' BUFFER

WELL COORDINATE TABLE								
WELL	NAD 83 NME X	NAD 83 NME Y	NAD 83 LAT	NAD 83 LON	NAD 27 NME X	NAD 27 NME Y	NAD 27 LAT	NAD 27 LON
SHL/KOP	674,870.6	439,676.0	32.208009	-103.901589	633,686.9	439,616.7	32.207885	-103.901102
FTP	674,722.6	440,451.1	32.210141	-103.902058	633,538.9	440,391.8	32.210017	-103.901570
LTP	674,826.2	422,122.4	32.159757	-103.901960	633,641.9	422,063.6	32.159633	-103.901475
BHL	674,826.4	422,072.4	32.159620	-103.901960	633,642.1	422,013.6	32.159495	-103.901475
PPP 1	674,751.9	435,262.9	32.195879	-103.902030	633,568.0	435,203.7	32.195755	-103.901543
PPP 2	674,781.8	429,975.7	32.181345	-103.902002	633,597.7	429,916.7	32.181221	-103.901516

CORNER COORDINATE TABLE				
CORNER	NAD 83 NME X	NAD 83 NME Y	NAD 27 NME X	NAD 27 NME Y
A	674,262.0	440,546.3	633,078.3	440,487.0
B	674,277.3	437,901.7	633,093.6	437,842.5
C	674,292.7	435,257.6	633,108.8	435,198.5
D	674,313.5	432,613.8	633,129.5	432,554.7
E	674,334.3	429,970.0	633,150.3	429,910.9
F	674,344.5	427,326.7	633,160.4	427,267.8
G	674,354.7	424,680.7	633,170.5	424,621.8
H	674,366.8	422,013.8	633,182.5	421,955.0
I	676,941.2	440,574.0	635,757.5	440,514.8
J	676,946.1	437,930.7	635,762.3	437,871.4
K	676,950.6	435,288.0	635,766.7	435,228.8
L	676,980.3	432,645.3	635,796.4	432,586.2
M	677,010.4	430,004.1	635,826.3	429,945.1
N	677,023.8	427,361.7	635,839.7	427,302.8
O	677,036.7	424,716.9	635,852.5	424,658.0
P	677,047.1	422,064.2	635,862.8	422,005.4

Santa Fe Main Office Phone: (505) 476-3441 General Information Phone: (505) 629-6116 Online Phone Directory Visit: https://www.emnrd.nm.gov/ocd/contact-us/	State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION	C-102 Revised July 9, 2024 Submit Electronically via OCD Permitting	
		Submittal Type:	☐ Initial Submittal
			☒ Amended Report
		☐ As Drilled	

WELL LOCATION INFORMATION

API Number 30-015-55044	Pool Code 97753	Pool Name WILDCAT S243006B; LWR BONE SPRING
Property Code	Property Name POKER LAKE UNIT 20 DTD	Well Number 321H
OGRID No. 373075	Operator Name XTO PERMIAN OPERATING, LLC.	Ground Level Elevation 3264'
Surface Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal		Mineral Owner: ☒ State ☐ Fee ☐ Tribal ☒ Federal

Surface Location

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
B	20	24S	30E		877 FNL	2,072 FEL	32.208009	-103.901589	EDDY

Bottom Hole Location

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
G	05	25S	30E		2,614 FNL	2,221 FEL	32.159620	-103.901960	EDDY

Dedicated Acres 160.00	Infill or Defining Well INFILL	Defining Well API 30-015-55040	Overlapping Spacing Unit (Y/N) N	Consolidation Code U
Order Numbers:			Well setbacks are under Common Ownership: ☒ Yes ☐ No	

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
B	20	24S	30E		877 FNL	2,072 FEL	32.208009	-103.901589	EDDY

First Take Point (FTP)

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
B	20	24S	30E		100 FNL	2,219 FEL	32.210141	-103.902058	EDDY

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
G	05	25S	30E		2,564 FNL	2,221 FEL	32.159757	-103.901960	EDDY

Unitized Area or Area of Uniform Interest NMNM105422429	Spacing Unit Type ☒ Horizontal ☐ Vertical	Ground Floor Elevation: 3264'
---	--	---


OPERATOR CERTIFICATIONS I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division. Lacey Granillo5/29/25 SignatureDate Lacey Granillo Printed Name Lacey.granillo@exxonmobil.com Email Address	SURVEYOR CERTIFICATIONS I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.   Signature and Seal of Professional Surveyor 23786 05-29-2025 Certificate NumberDate of Survey DB 618.013003.06-49
--	--

Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



LEGEND

- SECTION LINE
-
- 330' BUFFER

WELL COORDINATE TABLE								
WELL	NAD 83 NME X	NAD 83 NME Y	NAD 83 LAT	NAD 83 LON	NAD 27 NME X	NAD 27 NME Y	NAD 27 LAT	NAD 27 LON
SHL/KOP	674,870.6	439,676.0	32.208009	-103.901589	633,686.9	439,616.7	32.207885	-103.901102
FTP	674,722.6	440,451.1	32.210141	-103.902058	633,538.9	440,391.8	32.210017	-103.901570
LTP	674,826.2	422,122.4	32.159757	-103.901960	633,641.9	422,063.6	32.159633	-103.901475
BHL	674,826.4	422,072.4	32.159620	-103.901960	633,642.1	422,013.6	32.159495	-103.901475
PPP 1	674,751.9	435,262.9	32.195879	-103.902030	633,568.0	435,203.7	32.195755	-103.901543
PPP 2	674,781.8	429,975.7	32.181345	-103.902002	633,597.7	429,916.7	32.181221	-103.901516

CORNER COORDINATE TABLE				
CORNER	NAD 83 NME X	NAD 83 NME Y	NAD 27 NME X	NAD 27 NME Y
A	674,262.0	440,546.3	633,078.3	440,487.0
B	674,277.3	437,901.7	633,093.6	437,842.5
C	674,292.7	435,257.6	633,108.8	435,198.5
D	674,313.5	432,613.8	633,129.5	432,554.7
E	674,334.3	429,970.0	633,150.3	429,910.9
F	674,344.5	427,326.7	633,160.4	427,267.8
G	674,354.7	424,680.7	633,170.5	424,621.8
H	674,366.8	422,013.8	633,182.5	421,955.0
I	676,941.2	440,574.0	635,757.5	440,514.8
J	676,946.1	437,930.7	635,762.3	437,871.4
K	676,950.6	435,288.0	635,766.7	435,228.8
L	676,980.3	432,645.3	635,796.4	432,586.2
M	677,010.4	430,004.1	635,826.3	429,945.1
N	677,023.8	427,361.7	635,839.7	427,302.8
O	677,036.7	424,716.9	635,852.5	424,658.0
P	677,047.1	422,064.2	635,862.8	422,005.4

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 471566

CONDITIONS

Operator: XTO PERMIAN OPERATING LLC. 6401 HOLIDAY HILL ROAD MIDLAND, TX 79707	OGRID: 373075
	Action Number: 471566
	Action Type: [C-103] NOI Change of Plans (C-103A)

CONDITIONS

Created By	Condition	Condition Date
ward.rikala	None	8/22/2025