

Well Name: NAVAJO	Well Location: T31N / R17W / SEC 5 / NESE / 36.928726 / -108.646591	County or Parish/State: SAN JUAN / NM
Well Number: 2	Type of Well: OIL WELL	Allottee or Tribe Name: SHIPROCK
Lease Number: 142060365	Unit or CA Name:	Unit or CA Number:
US Well Number: 300451106200S1	Operator: R J ENTERPRISES	

Subsequent Report

Sundry ID: 2870327

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 08/27/2025	Time Sundry Submitted: 12:07
Date Operation Actually Began: 07/29/2025	

**Actual Procedure:** Well plugged by the Navajo Nation, contractor Walsh Engineering and Production. Work completed July 31, 2025. Daily Events 7/29 SICP=0PSI. MIRU. Moved in equipment. ND Tbg head and NU BOP. Function test BOP. MU bit and scraper for 4-1/2" casing and tih. Tally and rabbit tbg on the way in. Ran bit and scarper to 1074' with 33 joints in. LD single and stand back 16 stands (32 jts). LD bit and scraper. TIH with CICR on 2-3/8" Tbg. Set CICR at 1051' with 32 jts plus 10' of subs. Stung out of retainer and rolled the hole with fresh water pkr fluid. Circulated appx 10 bbls of oil back to wash pit. Pumped a total of 23 bbls of pkr fluid. Attempted pressure test to 800 psi. lost 80 psi in 10 minutes. Isolated pump and tested again with the same results. POH with setting tool. RU TWG to run CBL. Ran CBL. Showing good cement for the most part except around 50', showing free pipe for about 10 ft. RD WL. TIH with openended tbg to 1050'. Secured the well for the evening. Crew off location at 18:00. Johnny Begaye NNMinerals Inspector on location to witness operation. 7/30 SICP=0PSI. Function test BOP. EOT @1051'. M&P 24 sks, 27.6cuft, 15.8#, 1.15 yield, 4.9 bbls, Class G Neat cement from 1051' to 749'. POH with 16 jts. WOC. TIH and tagged cmt at 853'. 243' above Gallup top at 1096'. POH with tbg. RU TWG. TIH with perf guns. Shot 4 holes at 150'. POH with guns. Verified all shots fired. Closed blind rams and attempt to est injection rate and circulation out of cellar. Pressured to 620 psi. No injection rate. Slow leak off. Discussed results with NNMinerals Inspector and BLM Engineer. Will shoot 4 holes at 50'. RU WL and rih to 50'. Shot 4 holes at 50'. POH with guns, verified all shots fired. Closed blind rams and attempt injection rate and circulation out of cellar. 2bpm/0psi 3bpm/0psi 4bpm at 20psi. Pumped 3 bbls no circulation. TIH with 5 jts of tbg. EOT at 160'. M&P 70 sks, 1.15 yield, 15.8#, 80.5 cuft, 14.3 bbls. Pump cement till getting returns to wash pit, then closed csg valve and pump cement. All cement pumped. 240 psi showing. Bled pressure back to wash pit slowly. Got back .5 bbls and quit. POH laying down tbg. Flushed out tbg with water. ND work floor and BOP. NU Blanking plate and cap to secure the well. WOC.

Well Name: NAVAJO	Well Location: T31N / R17W / SEC 5 / NESE / 36.928726 / -108.646591	County or Parish/State: SAN JUAN / NM
Well Number: 2	Type of Well: OIL WELL	Allottee or Tribe Name: SHIPROCK
Lease Number: 142060365	Unit or CA Name:	Unit or CA Number:
US Well Number: 300451106200S1	Operator: R J ENTERPRISES	

Crew off location at 15:00. NNMineral Inspector Johnny Begaye on location to witness operation. 7/31 JHA with crew. Cutoff wellhead from the casing strings. TOC inside of 4-1/2 was 4'2". Cement inside 8-5/8 was at surface. Welded DHM onto casing strings and topped off casing strings and cellar with 25sks of class G neat cement. RDMOL to Navajo U #8. Rig off location at 8:00. NNMinerals Inspector Johnnie Begaye on location to witness operation.

SR Attachments

Actual Procedure

SR\_ABD\_WBS\_U\_2\_3004511062\_20250827120646.pdf

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647742	BLM POC Email Address: krennick@blm.gov
Disposition: Accepted	Disposition Date: 08/28/2025
Signature: Kenneth Rennick	



Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 504837

CONDITIONS

Operator: R - J ENTERPRISES P.O. Box 51 Farmington, NM 874990051	OGRID: 18322
	Action Number: 504837
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	Accepted for Record.	9/10/2025