## Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: FEDERAL LS Well Location: T20S / R34E / SEC 25 / County or Parish/State: LEA /

NWNE / 32.5497503 / -103.5112757

Well Number: 01 Type of Well: CONVENTIONAL GAS Allottee or Tribe Name:

WELL

Lease Number: NMNM56265 Unit or CA Name: Unit or CA Number:

LLC

#### **Notice of Intent**

**Sundry ID: 2863907** 

Type of Submission: Notice of Intent

Type of Action: Temporary Abandonment

Date Sundry Submitted: 07/17/2025 Time Sundry Submitted: 01:02

Date proposed operation will begin: 07/17/2025

**Procedure Description:** Earthstone Operating LLC respectfully requests a 12-month extension to the current temporarily abandoned status of the above well pending a good MIT for evaluation of returning the well to production or plugging and abandonment following the companies acquisition by Permian Resources Operating LLC. The well was tested to 585# for 30-minutes with no decline in pressure. Test was witnessed by NMOCD inspector at the time the test was performed. Attachments: MIT Chart NMOCD Bradenhead Test Form Current WBD

#### **Surface Disturbance**

Is any additional surface disturbance proposed?: No

#### **NOI Attachments**

**Procedure Description** 

Federal\_LS\_\_001\_TA\_Ext\_Attachments\_20250717130138.pdf

Page 1 of 2

eceived by OCD: 7/31/2025 7:08:49 PM Well Name: FEDERAL LS

Well Location: T20S / R34E / SEC 25 /

NWNE / 32.5497503 / -103.5112757

County or Parish/State: LEA/

Well Number: 01

Type of Well: CONVENTIONAL GAS

**Allottee or Tribe Name:** 

Lease Number: NMNM56265

**Unit or CA Name:** 

**Unit or CA Number:** 

**US Well Number:** 3002529518

**Operator: EARTHSTONE OPERATING** 

**Conditions of Approval** 

**Specialist Review** 

TA\_COA\_20250731153703.pdf

**Operator** 

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JESSICA DOOLING Signed on: JUL 17, 2025 01:01 PM

Name: EARTHSTONE OPERATING LLC

Title: Regulatory Specialist

Street Address: 300 N MARIENFELD ST STE 1000

City: MIDLAND State: TX

Phone: (432) 999-3072

Email address: JESSICA.DOOLING@PERMIANRES.COM

**Field** 

**Representative Name:** 

**Street Address:** 

City:

State:

Zip:

Phone:

**Email address:** 

**BLM Point of Contact** 

Signature: Jonathon Shepard

**BLM POC Name: JONATHON W SHEPARD BLM POC Title:** Petroleum Engineer

**BLM POC Phone:** 5752345972 BLM POC Email Address: jshepard@blm.gov

**Disposition:** Approved Disposition Date: 07/31/2025

Page 2 of 2

Form 3160-5 (June 2019)

### **UNITED STATES** DEPARTMENT OF THE INTERIOR

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 202

BURI	EAU OF LAND MANAGEMENT	Lease Serial No.     If Indian, Allottee or Tribe Name			
Do not use this t	IOTICES AND REPORTS ON Vitorm for proposals to drill or t Use Form 3160-3 (APD) for su				
SUBMIT IN 1	TRIPLICATE - Other instructions on pag	ge 2	7. If Unit of CA/Agreement, N	Jame and/or No.	
1. Type of Well Oil Well Gas W	Vell Other		8. Well Name and No.		
2. Name of Operator			9. API Well No.		
3a. Address	3b. Phone No	. (include area code)	10. Field and Pool or Explorate	ory Area	
4. Location of Well (Footage, Sec., T.,R	R.,M., or Survey Description)	11. Country or Parish, State			
12. CHE	CK THE APPROPRIATE BOX(ES) TO IN	DICATE NATURE	OF NOTICE, REPORT OR OTH	HER DATA	
TYPE OF SUBMISSION		TYP	E OF ACTION		
Notice of Intent	Acidize Dee	pen raulic Fracturing	Production (Start/Resume) Reclamation	Water Shut-Off Well Integrity	
Subsequent Report		Construction	Recomplete	Other	
Final Abandonment Notice		g and Abandon g Back	Temporarily Abandon Water Disposal		
completion of the involved operation completed. Final Abandonment Not is ready for final inspection.)	I be perfonned or provide the Bond No. on one. If the operation results in a multiple contices must be filed only after all requirement true and correct. Name (Printed/Timed)	mpletion or recomple	etion in a new interval, a Form 3	160-4 must be filed once testing has been	
14. I hereby certify that the foregoing is	true and correct. Name (Printed/Typed)	Title			
		Title			
Signature		Date			
	THE SPACE FOR FED	ERAL OR STA	ATE OFICE USE		
Approved by		Title		Date	
	hed. Approval of this notice does not warran equitable title to those rights in the subject l iduct operations thereon.	nt or	12		
Title 18 U.S.C Section 1001 and Title 43	3 U.S.C Section 1212, make it a crime for a	ny person knowingl	y and willfully to make to any de	partment or agency of the United States	

any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

#### **GENERAL INSTRUCTIONS**

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

#### SPECIFIC INSTRUCTIONS

*Item 4* - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

#### **NOTICES**

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

**BURDEN HOURS STATEMENT:** Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)

#### **Additional Information**

#### **Location of Well**

 $0. \ SHL: \ NWNE \ / \ 585 \ FNL \ / \ 1880 \ FEL \ / \ TWSP: \ 20S \ / \ RANGE: \ 34E \ / \ SECTION: \ 25 \ / \ LAT: \ 32.5497503 \ / \ LONG: \ -103.5112757 \ (\ TVD: \ 0 \ feet, \ MD: \ 0 \ feet \ )$   $BHL: \ NWNE \ / \ 585 \ FNL \ / \ 1880 \ FEL \ / \ TWSP: \ 20S \ / \ SECTION: \ / \ LAT: \ 0.0 \ / \ LONG: \ 0.0 \ (\ TVD: \ 0 \ feet, \ MD: \ 0 \ feet \ )$ 

Received by OCD: 7/31/2025 7:08:49 PM



South District-Artesia

## State of New Mexico

Energy, Minerals and Natural Resources Department Oil Conservation Division Hobbs District Office										
BRADENHEAD TEST REPORT										
Gerator Name  Operator Name  Operato										
Complete Assistable American Street		1. Surface Loca	ntion	The second secon						
UI Lot Section Township Range Feet from N/S Line Feet From E/N Line County										
beautiful district		Well Stat	us							
YES TA'D WELL NO	YES SHUT-IN	NO INJ	SWD OIL PRODUCE	GAS 7/	2/2025					
		OBSERVED	<u>DATA</u>		,					
A second second of the Second	(A)Surface	(B)Interm(1)	(C)Interm(2)	(D)Prod Cang	(E)Tubing					
Pressure	0	D.		0	TA					
Flow Characteristics				6	CO2					
Puff	Y / 🔊	YIN	Y/N	Y / N	WTR					
Steady Flow	Y/N	Y / N	Y / N	Y / N	GAS					
Surges	Y/N	Y / N	Y/N	YIN	Type of First					
Down to nothing	Y/ N	D/ N	y/N	Y)' N	Injected for Waterflood I					
Gas or Oil	Y / 🔊	YN	Y/N	Y IN	apriles					
Water	Y/N	Y /(N)	Y/N	Y						

Remarks - Please state for each string (A,B,C,D,E) pertinent information regarding bleed down or continuous build up if applies.
T/A Status BHT-OK
1/1-1 510000 1011 02

Signature:		OIL CONSERVATION DIVISION	M
Printed name:		Entered into RBDMS	8 4
Title		Re-test	17:4
E-mail Address:			10:
Date:	Phone:		2025
	Witness: Carolina Control Cont	And in the Contract of the Con	11/2
			6 :
	INSTRUCTIONS ON BACK OF T	HIS FORM	ing
			Imaging:
120			to I
			pes
			Released
			Re

Received by OCD: 7/31/2025 7:08:49 PM

#### PERFORMING BRADENHEAD TEST

General Procedure for Bradenhead Test

Identify:

All valves prior to testing

Gauges:

Install on each casing string to record pressure.

Assure:

That all valves are in good working condition and closed at least 24 hours prior

to testing.

Open:

Each valve (Bradenhead, intermediate and casing valves) is to be opened

separately.

Check Gauges:

Record pressure on each gauge and casing string on BHT form. Open

valves to atmosphere and record results on BHT form.

Designate what applies to the result of opening the valves for each string:

Ð	Blow or Puff	Yes or No
0	Bled down to Nothing	Yes or No
0	Steady Flow	Yes or No
0	Oil or Gas	Yes or No
0	Water	Yes or No

Start: Injection or SWD pump so tubing pressure can be read.

In case of pressure:

- 1. Record pressure reading on gauge.
- 2. Bleed and note time elapsed to bleed down.
- 3. Leave valve open for additional observation.
- 4. Note any fluids expelled.

In absence of Pressure:

- 1. Leave valve open for additional observation.
- 2. Note types of fluids expelled.
- 3. Note if fluids persist throughout test.

Note: Tubing pressure on injection or SWD wells.

Test will be signed by person performing test with a contact phone number.

Released to Imaging: 9/11/2025 10:17:48 AM

	OCD: 7/31/20	25.7:08 LEA	8:49 PM1 SE NAME	Fede	eral LS	WELL NO	#	£1A	API NO.	30-025-295	18 Page 9 03
JRRENT STA DTES	ATUS Inactive			*************							
				CASING	RECORD	-,			LOGGIN	G RECORD	44*
		HOLE SIZE	SIZE/ GRADE	WT (#)	DEPTH	тос	METHOD	TYPE	INTERVAL		NOTES
		17.5"	13.375"	54.5	833'	surf					
		11.00" 7.875"	9.625" 5.5" N80 & J55	47.0	5,518' 14,485'	surf 9,300'	Temp Surv.		-		
		7.675	3.5 1400 & 355	17 & 20#	14,465	3,500	Temp ourv.				
	13.375"										
	@ 833'		LOG TOPS			PERF	ORATIONS AI	ND / OR OPE	NHOLE (Packers Pl	us Frac Port Sle	eve)
		ZONE	TOP	SS	DATE	DEPTH	S	PF	NOTE	S	
											4
			ļ								-
			ļ	<u> </u>	ļ	<b></b>					-
		<del> </del>	<del>                                     </del>	-	<b></b>	+					-
			<b> </b>	<b>†</b>							
									Harris Maria		
									-		4
A	9.625"										1
	@ 5,518'										and the state of the state of the state of
		NOTES:	<u> </u>							A THE RESIDENCE OF THE PARTY OF	
			т								
		Test	3/13/2015		2.78 bbl						West and the second sec
			<u> </u>		15.0 mcf					<del></del>	
	CIBP @ 6554' w/	<u> </u>	<b> </b>		er: 3.0 bbl -Oil Ratio: 5	305 ecf/hhl					
	35' of Cement	-		Gas	-Oii Nauo. 3	,393 50/1001					
	13,055' -										
	13,094'										
	4 HPF										
			ļ								
			<del> </del>								
		<u></u>	1				-				
											5.5" N80 & J55
											@ 14,485
											4
	1				-			Market Commission Section and			
										And the second of the second o	
MARKS		-									
									CREATED BY		CE
									DATE		8/22/2022


#### **BUREAU OF LAND MANAGEMENT**

Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

#### **Conditions of Approval for Temporary Abandonment of Wells**

**Definition:** A temporarily abandoned well is a completion that is not capable of production in paying quantities, but which may have future value. Pursuant to 43 CFR 3162.3-4 (c), no well may be temporarily abandoned for more than 30 days without the prior approval of the authorized officer.

- 1. TA status will be effective for a period of up to one year from the date of sundry approval and can be renewed annually thereafter per IM NM-2016-017.
- 2. A bridge plug (CIBP) must be installed 50 to 100 feet above any open perforations/open hole/kick off point. The CIBP must be capped with either a minimum of 25 sacks of cement if placed with tubing or 35 feet of cement if placed with a bailer. The top of the cement must be verified by tagging.
- 3. The wellbore must be filled with corrosion inhibited fluid and pressure tested to 500 psi. The casing shall be capable of holding this pressure for at least 30 minutes. If the well does not pass the casing integrity test, then the operator shall, within 30 days, submit a procedure to either repair the casing or to plug and abandon the well.
- 4. Contact the appropriate BLM office at least 24 hours prior to the scheduled Casing Integrity Test. For wells in Eddy County, 575-361-2822; Lea County 575-393-3612.
- 5. All downhole production/injection equipment (tubing, rods, etc.) shall be removed from the casing if it is not isolated by a packer.
- 6. A bradenhead test must be conducted. If the test indicates a problem, a remedial plan and time frame for remediation shall be submitted within ninety (90) days of the test.
- 7. Submit a subsequent Sundry Notice (Form 3160-5) with the following information:
  - a. A well bore diagram with all perforations, CIBP's, and tops of cement on CIBP's.
  - b. A description of the temporary abandonment procedure.
  - c. A clear copy or the original of the pressure test chart.



	OCD: 7/31/20	25.7:08 LEA	SE NAME	Fed	eral LS	WELL NO	#	£1	API NO	30-025-29	Page 12 01
TES	Troo macave								<u> </u>		
									1000	NO DECODE	
	111	HOLE	T		RECORD	T T			T	NG RECORD	
		SIZE	SIZE/ GRADE	WT (#)	DEPTH	TOC	METHOD	TYPE	INTERVAL		NOTES
		17.5"	13.375"	54.5	833'	surf					
		11.00" 7.875"	9.625" 5.5" N80 & J55	47.0	5,518' 14,485'	surf 9,300'	Temp Surv.		+		
		7.070	0.0 1100 0 000	17 0 201	14,400	0,000	Tomp Guit.				
	13.375"										
4	@ 833'		LOG TOPS	100					ENHOLE (Packers		eeve)
		ZONE	TOP	SS	DATE	DEPTH	31	PF	NO.	IEO	-
			<b> </b>		<b> </b>	<del> </del>					
			ļ		<del> </del>	-					-
		<u> </u>				<u> </u>					
				ļ		<del> </del>	_				_
	9.625"	-			-	-	_				-
4	@ 5,518'				<u> </u>						
	6 5,5.5	NOTES:									
										and the second s	
			·								
		Test	3/13/2015		2.78 bbl						
	CIDD & CEEAL		<b>-</b>		: 15.0 mcf er: 3.0 bbl						
	CIBP @ 6554' w/ 35' of Cement	-			-Oil Ratio: 5	,395 scf/bbl					
	<		<del> </del>								
	13,055' - 13,094'	<b> </b>		-+-				** *** *** ***************************			
	4 HPF										
		<u> </u>	<del> </del>	-+							
			<del>                                     </del>							granten and the second second second second	
		Name and Address of the Owner o			-						5 5 1 1 1 1 2 2 2 5 5
											5.5" N80 & J55 @ 14,485'
											<b>3</b>
											1
14.0.40		_									
MARKS	Andrew State of the State of th										
									CREATED BY		CE
		<del></del>							DATE		8/22/2022

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory <a href="https://www.emnrd.nm.gov/ocd/contact-us">https://www.emnrd.nm.gov/ocd/contact-us</a>

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 491132

#### **CONDITIONS**

Operator:	OGRID:
Earthstone Operating, LLC	331165
300 N. Marienfeld St Ste 1000	Action Number:
Midland, TX 79701	491132
	Action Type:
	[C-103] Sub. Temporary Abandonment (C-103U)

#### CONDITIONS

Created B	y Condition	Condition Date
gcorder	o None	9/11/2025