

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Kaiser-Francis Oil Company P.O. Box 21468, Tulsa, OK 74121-1468		² OGRID Number 12361
		³ Reason for Filing Code; Effective Date New Well; 5/5/22
⁴ API Number 30-025-45179	⁵ Pool Name Bell Lake; Bone Spring, South	⁶ Pool Code 98264
⁷ Property Code 316707	⁸ Property Name Bell Lake Unit South	⁹ Well Number 202H

II. ¹⁰ Surface Location

UL or lot no. E	Section 1	Township 24S	Range 34E	Lot Idn	Feet from the 2,070	North/South Line North	Feet from the 245	East/West line West	County Lea
--------------------	--------------	-----------------	--------------	---------	------------------------	---------------------------	----------------------	------------------------	---------------

¹¹ Bottom Hole Location

UL or lot no. N	Section 12	Township 24S	Range 34E	Lot Idn	Feet from the 94	North/South line South	Feet from the 1,607	East/West line West	County Lea
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 4/8/2022	¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date		

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
	Markwest Tornado GP, LLC	G
	1515 Araphoe St., Suite 1600 Denver, CO 80202	
	Plains Pipeline LP	O
	333 Clay St., #1600 Houston, TX 77002	

IV. Well Completion Data

²¹ Spud Date 2/20/21	²² Ready Date 4/2/22	²³ TD 19,022’ MD/ 10,963’ TVD	²⁴ PBTD 18,875’ MD/ 10,965’ TVD	²⁵ Perforations 11,280’-18,812’	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement	
17 ½”		13 ¾”	1,380’	1,030	
12 ¼”		9 ⅝”	5,151’	1,295	
8 ½”		5 ½”	19,002’	3,305	

V. Well Test Data

³¹ Date New Oil 4/19/22	³² Gas Delivery Date 4/15/22	³³ Test Date 4/15/22	³⁴ Test Length 24 hrs.	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 2,700
³⁷ Choke Size 20/64”	³⁸ Oil 77	³⁹ Water 1,097	⁴⁰ Gas 181		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Christina Opfer</i> Printed name: Christina Opfer Title: Regulatory Manager E-mail Address: ChristinaO@kfoc.net Date: 5/5/2022			OIL CONSERVATION DIVISION		
			Approved by:		
			Title:		
			Approval Date:		
Phone: 918-491-4468					

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office
☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-45179	² Pool Code 98264	³ Pool Name Bell Lake; Bone Spring, South
⁴ Property Code 316707	⁵ Property Name BELL LAKE UNIT SOUTH	⁶ Well Number 202H
⁷ OGRID No. 12361	⁸ Operator Name KAISER-FRANCIS OIL COMPANY	⁹ Elevation 3631.8

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
E	1	24 S	33 E		2070	NORTH	245	WEST	LEA

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	12	24 S	33 E		94	SOUTH	1607	WEST	LEA
¹² Dedicated Acres 480	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No. R-14600						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

NW CORNER SEC. 1 LAT. = 32.2538616°N LONG. = 103.5345979°W NMSP EAST (FT) N = 457006.66 E = 788254.80 W/4 CORNER SEC. 1 SCALED SECTION CORNER LAT. = 32.2393922°N LONG. = 103.5346316°W NMSP EAST (FT) N = 451742.64 E = 788283.52 W/4 CORNER SEC. 12 LAT. = 32.2321350°N LONG. = 103.5346171°W NMSP EAST (FT) N = 449102.53 E = 788307.65 SW CORNER SEC. 12 LAT. = 32.2248558°N LONG. = 103.5346052°W NMSP EAST (FT) N = 446454.39 E = 788331.02		N89°38'51"E 2639.52 FT N89°38'51"E 2639.52 FT L4/L3 N/4 CORNER SEC. 1 L2/L1 SCALED SEC. 1 SURFACE LOCATION 245' KOP FTP BELL LAKE UNIT SOUTH 202H ELEV. = 3631.8' LAT. = 32.2481723°N (NAD83) LONG. = 103.5338188°W NMSP EAST (FT) N = 454938.70 E = 788511.07 KICK OFF POINT 2339' FNL, 1613' FWL LAT. = 32.2474287°N LONG. = 103.5293964°W FIRST TAKE POINT 2569' FSL, 1607' FWL LAT. = 32.2463541°N LONG. = 103.5294200°W QUARTER CORNER LAT. = 32.2393654°N LONG. = 103.5260783°W N89°46'59"E 2645.24 FT NMSP EAST (FT) N = 451752.65 E = 790928.21 N89°47'50"E 2646.56 FT AS-DRILLED LATITUDE AND LONGITUDE VALUES ARE NAD 83 STATE PLANE VALUES ARE NMSP EAST GRID SEC. 12 BOTTOM OF HOLE LAT. = 32.2251034°N LONG. = 103.5294108°W NMSP EAST (FT) N = 446556.46 E = 789936.68 LAST TAKE POINT 275' FSL, 1592' FWL LAT. = 32.2256016°N LONG. = 103.5294610°W S/4 CORNER SEC. 12 LAT. = 32.2248389°N LONG. = 103.5260591°W NMSP EAST (FT) N = 446468.03 E = 790973.89 S89°42'16"W 2646.43 FT S89°42'06"W 2642.72 FT		NE CORNER SEC. 1 LAT. = 32.2538418°N LONG. = 103.5175255°W NMSP EAST (FT) N = 457039.15 E = 793532.70 E/4 CORNER SEC. 1 SCALED SECTION CORNER LAT. = 32.2393361°N LONG. = 103.5175208°W NMSP EAST (FT) N = 451762.01 E = 793574.23 E/4 CORNER SEC. 12 LAT. = 32.2320807°N LONG. = 103.5175191°W NMSP EAST (FT) N = 449122.52 E = 793594.79 SE CORNER SEC. 12 LAT. = 32.2248219°N LONG. = 103.5175153°W NMSP EAST (FT) N = 446481.79 E = 793616.04		¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Christina Opfer 4/25/22 Signature Date Christina Opfer Printed Name ChristinaO@kfoc.net E-mail Address
				¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. APRIL 13, 2022 Date of Survey Signature and Seal of Professional Surveyor: Certificate Number: 12797 ALIMON F. JARAMILLO NEW MEXICO PROFESSIONAL SURVEYOR NO. 6603		

Intent ☐ As Drilled ☒

API # 30-025-45179		
Operator Name: KAISER-FRANCIS OIL COMPANY	Property Name: BELL LAKE UNIT SOUTH	Well Number 202H

Kick Off Point (KOP)

UL F	Section 1	Township 24S	Range 22E	Lot	Feet 2339	From N/S NORTH	Feet 1613	From E/W WEST	County LEA
Latitude 32.2474287					Longitude 103.5293964			NAD 83	

First Take Point (FTP)

UL K	Section 1	Township 24S	Range 33E	Lot	Feet 2569	From N/S SOUTH	Feet 1607	From E/W WEST	County LEA
Latitude 32.2463541					Longitude 103.5294200			NAD 83	

Last Take Point (LTP)

UL N	Section 12	Township 24S	Range 33E	Lot	Feet 275	From N/S SOUTH	Feet 1592	From E/W WEST	County LEA
Latitude 32.2256016					Longitude 103.5294610			NAD 83	

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☒

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API # 30-025-45521		
Operator Name: Kaiser-Francis Oil Company	Property Name: Bell Lake Unit South	Well Number 401H

KZ 06/29/2018

KAISER FRANCIS OIL CO.
BELL LAKE UNIT S. 202H - HORIZONTAL

LEA COUNTY, N.M. 27

SEC 1-T24S-R33E

Your Ref:

Measured Depth (ft)	Incl.	Azim.	Vertical Depth (ft)	Northings (ft)	Eastings (ft)	LATDEC (ft)	LONGDEC (dega/100ft)	Vertical Section	Dogleg Rate
0.00	0.00	0.00	0.00	0.00	0.00	32.25	-103.53	0.00	0.00
241.00	0.60	276.36	241.00	0.14	-1.25	32.25	-103.53	-0.14	0.25
338.00	0.62	228.43	337.99	-0.15	-2.15	32.25	-103.53	0.15	0.51
431.00	0.70	232.47	430.98	-0.83	-2.98	32.25	-103.53	0.83	0.10
525.00	1.01	220.16	524.97	-1.82	-3.97	32.25	-103.53	1.82	0.38
619.00	0.97	198.81	618.96	-3.20	-4.76	32.25	-103.53	3.20	0.39
712.00	1.45	168.75	711.94	-5.10	-4.78	32.25	-103.53	5.10	0.84
806.00	1.54	142.73	805.91	-7.27	-3.79	32.25	-103.53	7.27	0.72
900.00	2.37	104.15	899.86	-8.75	-1.14	32.25	-103.53	8.75	1.61
994.00	2.15	99.31	993.78	-9.51	2.49	32.25	-103.53	9.51	0.31
1087.00	1.54	99.40	1086.74	-10.00	5.44	32.25	-103.53	10.00	0.66
1180.00	1.41	106.17	1179.71	-10.52	7.77	32.25	-103.53	10.52	0.23
1274.00	1.14	105.73	1273.68	-11.10	9.79	32.25	-103.53	11.10	0.29
1340.00	1.05	110.21	1339.67	-11.48	10.98	32.25	-103.53	11.48	0.19
1469.00	0.88	108.81	1468.65	-12.21	13.03	32.25	-103.53	12.21	0.13
1564.00	3.30	76.20	1563.58	-11.80	16.38	32.25	-103.53	11.80	2.74
1659.00	5.80	88.06	1658.28	-10.98	23.83	32.25	-103.53	10.98	2.80
1754.00	7.21	94.48	1752.67	-11.28	34.57	32.25	-103.53	11.28	1.67
1849.00	8.84	90.26	1846.73	-11.78	47.82	32.25	-103.53	11.78	1.82
1944.00	13.27	96.77	1939.95	-13.10	65.95	32.25	-103.53	13.10	4.84
2038.00	18.11	96.33	2030.42	-15.99	91.20	32.25	-103.53	15.99	5.15
2133.00	18.20	95.10	2120.69	-18.93	120.65	32.25	-103.53	18.93	0.41
2228.00	17.67	94.74	2211.08	-21.44	149.80	32.25	-103.53	21.44	0.57
2323.00	17.23	94.13	2301.70	-23.65	178.20	32.25	-103.53	23.65	0.50
2418.00	16.66	93.16	2392.58	-25.41	205.83	32.25	-103.53	25.41	0.67
2513.00	16.13	91.23	2483.72	-26.45	232.62	32.25	-103.53	26.45	0.80
2607.00	15.91	91.49	2574.07	-27.06	258.56	32.25	-103.53	27.06	0.25
2702.00	15.03	91.76	2665.62	-27.78	283.89	32.25	-103.53	27.78	0.93
2797.00	15.16	91.40	2757.34	-28.46	308.62	32.25	-103.53	28.46	0.17
2892.00	16.48	98.61	2848.75	-30.78	334.36	32.25	-103.53	30.78	2.49
2987.00	16.09	97.64	2939.94	-34.55	360.73	32.25	-103.53	34.55	0.50
3082.00	15.60	99.67	3031.33	-38.44	386.37	32.25	-103.53	38.44	0.78

3176.00	15.21	103.36	3121.96	-43.42	410.83	32.25	-103.53	43.42	1.12
3271.00	14.77	101.60	3213.73	-48.73	434.82	32.25	-103.53	48.73	0.67
3366.00	14.24	100.90	3305.70	-53.38	458.15	32.25	-103.53	53.38	0.59
3461.00	13.98	99.05	3397.83	-57.39	480.96	32.25	-103.53	57.39	0.55
3556.00	13.54	96.68	3490.10	-60.49	503.34	32.25	-103.53	60.49	0.75
3650.00	13.58	99.23	3581.49	-63.54	525.16	32.25	-103.53	63.54	0.64
3745.00	13.76	100.19	3673.79	-67.33	547.29	32.25	-103.53	67.33	0.30
3840.00	13.23	98.08	3766.17	-70.85	569.17	32.25	-103.53	70.85	0.76
3935.00	11.60	96.68	3858.95	-73.49	589.42	32.25	-103.53	73.49	1.74
4030.00	12.00	101.95	3951.94	-76.65	608.57	32.25	-103.53	76.65	1.21
4124.00	12.09	105.91	4043.87	-81.37	627.60	32.25	-103.53	81.37	0.88
4219.00	12.66	106.87	4136.67	-87.12	647.13	32.25	-103.53	87.12	0.64
4314.00	14.46	106.61	4229.02	-93.53	668.46	32.25	-103.53	93.53	1.90
4409.00	13.14	106.35	4321.27	-99.96	690.19	32.25	-103.53	99.96	1.39
4503.00	13.45	106.96	4412.75	-106.16	710.90	32.25	-103.53	106.16	0.36
4598.00	17.36	109.25	4504.32	-114.06	734.86	32.25	-103.53	114.06	4.16
4693.00	16.57	109.51	4595.19	-123.25	761.00	32.25	-103.53	123.25	0.84
4787.00	15.69	107.93	4685.49	-131.64	785.73	32.25	-103.53	131.64	1.05
4882.00	15.69	108.98	4776.95	-139.78	810.10	32.25	-103.53	139.78	0.30
4977.00	15.74	109.69	4868.40	-148.30	834.38	32.25	-103.53	148.30	0.21
5072.00	15.52	110.48	4959.88	-157.08	858.42	32.25	-103.53	157.08	0.32
5246.00	13.14	107.40	5128.46	-171.15	899.11	32.25	-103.53	171.15	1.44
5341.00	12.22	105.82	5221.14	-177.12	919.08	32.25	-103.53	177.12	1.03
5436.00	11.65	105.91	5314.09	-182.49	937.98	32.25	-103.53	182.49	0.60
5531.00	14.90	108.10	5406.54	-188.91	958.82	32.25	-103.53	188.91	3.46
5626.00	15.43	107.66	5498.23	-196.54	982.47	32.25	-103.53	196.54	0.57
5721.00	14.95	107.14	5589.91	-203.99	1006.23	32.25	-103.53	203.99	0.53
5815.00	15.03	107.49	5680.71	-211.22	1029.44	32.25	-103.53	211.22	0.13
5910.00	14.64	106.08	5772.54	-218.25	1052.72	32.25	-103.53	218.25	0.56
6005.00	14.90	104.59	5864.40	-224.65	1076.08	32.25	-103.53	224.65	0.48
6100.00	14.77	103.88	5956.24	-230.63	1099.65	32.25	-103.53	230.63	0.24
6195.00	13.80	103.71	6048.30	-236.22	1122.42	32.25	-103.53	236.22	1.02
6290.00	11.03	106.35	6141.07	-241.47	1142.15	32.25	-103.53	241.47	2.98
6384.00	10.59	105.11	6233.40	-246.25	1159.12	32.25	-103.53	246.25	0.53
6479.00	10.15	104.94	6326.85	-250.68	1175.63	32.25	-103.53	250.68	0.46
6574.00	10.37	104.24	6420.33	-254.95	1192.01	32.25	-103.53	254.95	0.27
6669.00	10.33	102.48	6513.79	-258.89	1208.61	32.25	-103.53	258.89	0.34
6764.00	9.32	98.08	6607.39	-261.81	1224.54	32.25	-103.53	261.81	1.32
6859.00	8.79	95.01	6701.21	-263.53	1239.39	32.25	-103.53	263.53	0.75
6954.00	7.03	79.45	6795.31	-263.10	1252.34	32.25	-103.53	263.10	2.90
7049.00	6.99	79.19	6889.60	-260.95	1263.73	32.25	-103.53	260.95	0.05
7144.00	5.54	84.02	6984.03	-259.39	1273.97	32.25	-103.53	259.39	1.62
7238.00	2.90	93.69	7077.77	-259.07	1280.86	32.25	-103.53	259.07	2.90
7333.00	3.12	92.90	7172.64	-259.35	1285.84	32.25	-103.53	259.35	0.24
7428.00	3.12	92.90	7267.50	-259.61	1291.00	32.25	-103.53	259.61	0.00
7523.00	3.16	93.16	7362.36	-259.89	1296.20	32.25	-103.53	259.89	0.04
7618.00	3.08	98.61	7457.22	-260.41	1301.34	32.25	-103.53	260.41	0.32

7713.00	2.77	97.03	7552.09	-261.08	1306.14	32.25	-103.53	261.08	0.34
7808.00	1.93	96.33	7647.01	-261.53	1310.01	32.25	-103.53	261.53	0.88
7902.00	2.07	95.80	7740.95	-261.88	1313.27	32.25	-103.53	261.88	0.15
7997.00	1.76	97.91	7835.90	-262.25	1316.42	32.25	-103.53	262.25	0.33
8092.00	1.80	106.17	7930.85	-262.87	1319.30	32.25	-103.53	262.87	0.27
8187.00	1.85	107.75	8025.81	-263.75	1322.19	32.25	-103.53	263.75	0.07
8282.00	1.80	106.17	8120.76	-264.64	1325.09	32.25	-103.53	264.64	0.07
8377.00	2.29	111.00	8215.70	-265.73	1328.29	32.25	-103.53	265.73	0.55
8472.00	2.33	112.41	8310.62	-267.15	1331.85	32.25	-103.53	267.15	0.07
8566.00	2.37	111.36	8404.54	-268.59	1335.43	32.25	-103.53	268.59	0.06
8661.00	2.51	108.37	8499.45	-269.96	1339.23	32.25	-103.53	269.96	0.20
8756.00	0.92	41.22	8594.42	-270.04	1341.71	32.25	-103.53	270.04	2.44
8851.00	1.05	5.80	8689.40	-268.60	1342.30	32.25	-103.53	268.60	0.64
8946.00	1.01	16.17	8784.39	-266.93	1342.62	32.25	-103.53	266.93	0.20
9041.00	1.05	26.80	8879.37	-265.35	1343.24	32.25	-103.53	265.35	0.21
9135.00	1.05	36.12	8973.36	-263.88	1344.14	32.25	-103.53	263.88	0.18
9230.00	0.88	39.90	9068.34	-262.62	1345.12	32.25	-103.53	262.62	0.19
9325.00	0.66	59.68	9163.33	-261.78	1346.06	32.25	-103.53	261.78	0.36
9420.00	0.92	62.05	9258.33	-261.15	1347.21	32.25	-103.53	261.15	0.28
9515.00	1.05	39.64	9353.31	-260.12	1348.44	32.25	-103.53	260.12	0.42
9610.00	0.75	25.05	9448.30	-258.89	1349.25	32.25	-103.53	258.89	0.39
9705.00	0.57	78.66	9543.29	-258.23	1349.98	32.25	-103.53	258.23	0.65
9799.00	0.79	128.32	9637.29	-258.54	1350.95	32.25	-103.53	258.54	0.64
9894.00	0.66	127.26	9732.28	-259.28	1351.90	32.25	-103.53	259.28	0.14
9989.00	0.92	94.92	9827.27	-259.68	1353.09	32.25	-103.53	259.68	0.53
10084.00	1.54	93.43	9922.25	-259.82	1355.13	32.25	-103.53	259.82	0.65
10179.00	1.89	92.55	10017.21	-259.96	1357.97	32.25	-103.53	259.96	0.37
10274.00	1.67	94.57	10112.16	-260.14	1360.91	32.25	-103.53	260.14	0.24
10369.00	1.80	93.69	10207.12	-260.35	1363.78	32.25	-103.53	260.35	0.14
10463.00	1.98	82.44	10301.07	-260.23	1366.86	32.25	-103.53	260.23	0.44
10558.00	1.32	109.60	10396.03	-260.38	1369.52	32.25	-103.53	260.38	1.06
10670.00	8.09	185.01	10507.63	-268.68	1370.05	32.25	-103.53	268.68	7.02
10765.00	19.56	181.84	10599.73	-291.31	1368.95	32.25	-103.53	291.31	12.10
10860.00	26.95	178.59	10686.95	-328.78	1368.97	32.25	-103.53	328.78	7.89
10955.00	34.11	178.94	10768.73	-377.00	1369.99	32.25	-103.53	377.00	7.54
11050.00	49.10	182.72	10839.57	-439.86	1368.77	32.25	-103.53	439.86	15.99
11144.00	67.91	181.05	10888.46	-519.61	1366.27	32.25	-103.53	519.61	20.07
11239.00	79.91	179.91	10914.74	-610.72	1365.53	32.25	-103.53	610.72	12.68
11334.00	87.12	181.14	10925.47	-705.04	1364.66	32.25	-103.53	705.04	7.70
11429.00	88.44	180.79	10929.15	-799.95	1363.06	32.25	-103.53	799.95	1.44
11524.00	91.16	180.53	10929.48	-894.94	1361.97	32.25	-103.53	894.94	2.88
11619.00	88.13	182.02	10930.07	-989.90	1359.85	32.25	-103.53	989.90	3.55
11713.00	88.62	181.58	10932.73	-1083.81	1356.90	32.25	-103.53	1083.81	0.70
11808.00	90.64	181.32	10933.35	-1178.78	1354.50	32.24	-103.53	1178.78	2.14
11903.00	89.27	182.28	10933.42	-1273.73	1351.52	32.24	-103.53	1273.73	1.76
11998.00	89.67	182.46	10934.30	-1368.64	1347.59	32.24	-103.53	1368.64	0.46
12093.00	90.77	182.28	10933.93	-1463.56	1343.66	32.24	-103.53	1463.56	1.17

12188.00	88.88	181.84	10934.22	-1558.49	1340.24	32.24	-103.53	1558.49	2.04
12282.00	89.49	178.15	10935.56	-1652.46	1340.25	32.24	-103.53	1652.46	3.98
12377.00	90.07	177.89	10935.93	-1747.41	1343.54	32.24	-103.53	1747.41	0.67
12472.00	90.55	177.71	10935.41	-1842.33	1347.18	32.24	-103.53	1842.33	0.54
12567.00	90.77	178.86	10934.32	-1937.28	1350.02	32.24	-103.53	1937.28	1.23
12662.00	91.12	178.42	10932.75	-2032.24	1352.28	32.24	-103.53	2032.24	0.59
12756.00	92.22	178.24	10930.01	-2126.16	1355.02	32.24	-103.53	2126.16	1.19
12851.00	93.41	178.15	10925.35	-2221.00	1358.01	32.24	-103.53	2221.00	1.26
12946.00	94.07	177.98	10919.15	-2315.74	1361.21	32.24	-103.53	2315.74	0.72
13041.00	90.90	179.12	10915.03	-2410.61	1363.61	32.24	-103.53	2410.61	3.55
13136.00	91.38	178.33	10913.14	-2505.57	1365.72	32.24	-103.53	2505.57	0.97
13231.00	92.88	178.06	10909.61	-2600.45	1368.71	32.24	-103.53	2600.45	1.60
13325.00	90.81	178.94	10906.58	-2694.36	1371.17	32.24	-103.53	2694.36	2.39
13420.00	89.58	177.80	10906.26	-2789.32	1373.87	32.24	-103.53	2789.32	1.77
13515.00	90.59	177.36	10906.12	-2884.23	1377.88	32.24	-103.53	2884.23	1.16
13610.00	88.70	179.21	10906.71	-2979.18	1380.73	32.24	-103.53	2979.18	2.78
13704.00	86.33	179.65	10910.78	-3073.08	1381.66	32.24	-103.53	3073.08	2.56
13799.00	87.60	179.82	10915.81	-3167.94	1382.10	32.24	-103.53	3167.94	1.35
13894.00	88.53	178.77	10919.02	-3262.88	1383.27	32.24	-103.53	3262.88	1.48
13989.00	88.75	177.54	10921.28	-3357.80	1386.33	32.24	-103.53	3357.80	1.31
14084.00	89.36	177.54	10922.84	-3452.70	1390.40	32.24	-103.53	3452.70	0.64
14179.00	90.11	177.10	10923.28	-3547.60	1394.84	32.24	-103.53	3547.60	0.92
14273.00	91.21	176.75	10922.20	-3641.45	1399.89	32.24	-103.53	3641.45	1.23
14368.00	92.18	178.86	10919.39	-3736.34	1403.52	32.24	-103.53	3736.34	2.44
14463.00	92.92	182.02	10915.16	-3831.23	1402.80	32.24	-103.53	3831.23	3.41
14558.00	93.23	181.93	10910.07	-3926.03	1399.53	32.24	-103.53	3926.03	0.34
14653.00	90.86	182.81	10906.68	-4020.88	1395.60	32.24	-103.53	4020.88	2.66
14747.00	90.59	182.11	10905.49	-4114.79	1391.57	32.24	-103.53	4114.79	0.80
14842.00	91.52	181.84	10903.74	-4209.71	1388.29	32.24	-103.53	4209.71	1.02
14937.00	92.84	181.49	10900.12	-4304.60	1385.53	32.24	-103.53	4304.60	1.44
15032.00	90.20	182.55	10897.60	-4399.50	1382.19	32.24	-103.53	4399.50	2.99
15127.00	89.89	182.81	10897.53	-4494.40	1377.74	32.24	-103.53	4494.40	0.43
15222.00	90.55	182.72	10897.16	-4589.29	1373.16	32.24	-103.53	4589.29	0.70
15316.00	89.23	180.88	10897.35	-4683.23	1370.21	32.24	-103.53	4683.23	2.41
15411.00	89.89	180.35	10898.07	-4778.22	1369.19	32.23	-103.53	4778.22	0.89
15506.00	90.20	180.17	10898.00	-4873.22	1368.76	32.23	-103.53	4873.22	0.38
15601.00	91.34	179.73	10896.72	-4968.21	1368.84	32.23	-103.53	4968.21	1.29
15695.00	87.91	178.86	10897.34	-5062.19	1370.00	32.23	-103.53	5062.19	3.76
15790.00	87.47	177.98	10901.17	-5157.07	1372.61	32.23	-103.53	5157.07	1.03
15885.00	88.48	177.98	10904.52	-5251.95	1375.96	32.23	-103.53	5251.95	1.06
15980.00	88.92	177.89	10906.68	-5346.87	1379.38	32.23	-103.53	5346.87	0.47
16075.00	88.57	177.98	10908.76	-5441.78	1382.81	32.23	-103.53	5441.78	0.38
16170.00	90.55	177.71	10909.49	-5536.71	1386.38	32.23	-103.53	5536.71	2.10
16265.00	91.96	177.01	10907.41	-5631.58	1390.75	32.23	-103.53	5631.58	1.66
16360.00	88.62	177.54	10906.93	-5726.46	1395.27	32.23	-103.53	5726.46	3.56
16454.00	89.27	177.10	10908.66	-5820.34	1399.66	32.23	-103.53	5820.34	0.83
16549.00	90.81	175.95	10908.59	-5915.16	1405.42	32.23	-103.53	5915.16	2.02

16644.00	90.15	178.15	10907.80	-6010.03	1410.31	32.23	-103.53	6010.03	2.42
16738.00	91.47	177.62	10906.47	-6103.95	1413.78	32.23	-103.53	6103.95	1.51
16833.00	90.59	181.67	10904.76	-6198.91	1414.37	32.23	-103.53	6198.91	4.36
16928.00	90.95	181.93	10903.48	-6293.86	1411.38	32.23	-103.53	6293.86	0.47
17023.00	87.82	181.23	10904.50	-6388.80	1408.76	32.23	-103.53	6388.80	3.38
17067.00	88.26	181.67	10906.01	-6432.76	1407.65	32.23	-103.53	6432.76	1.41
17162.00	88.31	181.76	10908.85	-6527.68	1404.81	32.23	-103.53	6527.68	0.11
17256.00	88.53	182.02	10911.44	-6621.59	1401.71	32.23	-103.53	6621.59	0.36
17351.00	89.58	181.84	10913.01	-6716.52	1398.51	32.23	-103.53	6716.52	1.12
17446.00	90.73	181.67	10912.75	-6811.48	1395.60	32.23	-103.53	6811.48	1.22
17541.00	88.88	182.55	10913.08	-6906.40	1392.10	32.23	-103.53	6906.40	2.16
17635.00	89.63	182.19	10914.30	-7000.32	1388.22	32.23	-103.53	7000.32	0.89
17730.00	88.40	181.67	10915.93	-7095.25	1385.02	32.23	-103.53	7095.25	1.41
17825.00	87.82	180.44	10919.06	-7190.18	1383.27	32.23	-103.53	7190.18	1.43
17920.00	88.75	180.00	10921.91	-7285.13	1382.90	32.23	-103.53	7285.13	1.08
18015.00	85.10	180.53	10927.00	-7379.98	1382.47	32.23	-103.53	7379.98	3.88
18110.00	84.44	179.91	10935.66	-7474.58	1382.10	32.23	-103.53	7474.58	0.95
18205.00	84.97	179.38	10944.43	-7569.17	1382.69	32.23	-103.53	7569.17	0.79
18300.00	85.76	178.94	10952.11	-7663.85	1384.08	32.23	-103.53	7663.85	0.95
18394.00	86.46	178.50	10958.48	-7757.61	1386.17	32.23	-103.53	7757.61	0.88
18489.00	86.99	177.98	10963.91	-7852.41	1389.09	32.23	-103.53	7852.41	0.78
18584.00	88.84	176.92	10967.37	-7947.25	1393.31	32.23	-103.53	7947.25	2.24
18679.00	89.85	177.01	10968.45	-8042.11	1398.34	32.23	-103.53	8042.11	1.07
18774.00	90.86	176.22	10967.86	-8136.94	1403.95	32.23	-103.53	8136.94	1.35
18869.00	91.12	174.99	10966.22	-8231.64	1411.23	32.23	-103.53	8231.64	1.32
18964.00	91.34	174.28	10964.18	-8326.20	1420.11	32.23	-103.53	8326.20	0.78
19022.00	91.34	174.28	10962.83	-8383.90	1425.89	32.22	-103.53	8383.90	0.00

All data are in feet unless otherwise stated. Directions and coordinates are relative to Grid North.
Vertical depths are relative to GE+23.5. Northings and Eastings are relative to Well.

The Dogleg Severity is in Degrees per 100 feet.

Vertical Section is from Slot and calculated along an Azimuth of 180.000° (Grid).

Coordinate System is NAD 1927 (NADCON CONUS) US State Plane 1927 (Exact solution), New Mexico East 3001
Central meridian is -104.333°.

Grid Convergence at Surface is 0.427°.

Based upon Minimum Curvature type calculations, at a Measured Depth of 19022.00ft.,
the Bottom Hole Displacement is 8504.29ft., in the Direction of 180.000° (Grid).

NAD 27 Northing (usft)	NAD 27 Easting (usft)	NAD 83 Northing (usft)	NAD 83 Easting (usft)
454879.69	747327.24	454938.70	788511.07
454879.83	747325.99	454938.84	788509.82
454879.54	747325.09	454938.55	788508.92
454878.86	747324.26	454937.87	788508.09
454877.87	747323.27	454936.89	788507.10
454876.49	747322.48	454935.50	788506.31
454874.59	747322.46	454933.61	788506.28
454872.42	747323.45	454931.43	788507.27
454870.94	747326.10	454929.95	788509.92
454870.18	747329.73	454929.18	788513.55
454869.69	747332.68	454928.69	788516.50
454869.17	747335.01	454928.17	788518.83
454868.59	747337.03	454927.59	788520.84
454868.21	747338.22	454927.20	788522.04
454867.48	747340.27	454926.47	788524.09
454867.89	747343.62	454926.88	788527.43
454868.71	747351.07	454927.69	788534.89
454868.41	747361.81	454927.37	788545.63
454867.91	747375.06	454926.86	788558.87
454866.59	747393.19	454925.52	788577.01
454863.70	747418.44	454922.60	788602.25
454860.76	747447.89	454919.62	788631.70
454858.25	747477.04	454917.07	788660.84
454856.04	747505.44	454914.83	788689.24
454854.28	747533.07	454913.03	788716.87
454853.24	747559.86	454911.96	788743.66
454852.63	747585.80	454911.32	788769.59
454851.91	747611.13	454910.57	788794.92
454851.23	747635.86	454909.86	788819.65
454848.91	747661.60	454907.50	788845.39
454845.14	747687.97	454903.70	788871.76
454841.25	747713.61	454899.77	788897.40

454836.27	747738.07	454894.77	788921.85
454830.96	747762.06	454889.43	788945.83
454826.31	747785.39	454884.75	788969.16
454822.30	747808.20	454880.71	788991.96
454819.20	747830.58	454877.58	789014.33
454816.15	747852.40	454874.51	789036.15
454812.36	747874.53	454870.69	789058.28
454808.84	747896.41	454867.14	789080.15
454806.20	747916.66	454864.47	789100.40
454803.04	747935.81	454861.29	789119.55
454798.32	747954.84	454856.55	789138.57
454792.57	747974.37	454850.78	789158.09
454786.16	747995.70	454844.34	789179.41
454779.73	748017.43	454837.88	789201.13
454773.53	748038.14	454831.66	789221.83
454765.63	748062.10	454823.73	789245.78
454756.44	748088.24	454814.50	789271.92
454748.05	748112.97	454806.08	789296.64
454739.91	748137.34	454797.92	789321.00
454731.39	748161.62	454789.37	789345.27
454722.61	748185.66	454780.55	789369.29
454708.54	748226.35	454766.44	789409.96
454702.57	748246.32	454760.44	789429.93
454697.20	748265.22	454755.05	789448.82
454690.78	748286.06	454748.59	789469.66
454683.15	748309.71	454740.94	789493.30
454675.70	748333.47	454733.46	789517.04
454668.47	748356.68	454726.20	789540.24
454661.44	748379.96	454719.14	789563.52
454655.04	748403.32	454712.71	789586.87
454649.06	748426.89	454706.70	789610.43
454643.47	748449.66	454701.08	789633.19
454638.22	748469.39	454695.81	789652.92
454633.44	748486.36	454691.01	789669.88
454629.01	748502.87	454686.55	789686.39
454624.74	748519.25	454682.27	789702.76
454620.80	748535.85	454678.31	789719.36
454617.88	748551.78	454675.36	789735.29
454616.16	748566.63	454673.63	789750.13
454616.59	748579.58	454674.05	789763.08
454618.74	748590.97	454676.18	789774.48
454620.30	748601.21	454677.73	789784.72
454620.62	748608.10	454678.04	789791.61
454620.34	748613.08	454677.75	789796.59
454620.08	748618.24	454677.48	789801.75
454619.80	748623.44	454677.20	789806.95
454619.28	748628.58	454676.67	789812.08

454618.61	748633.38	454676.00	789816.88
454618.16	748637.25	454675.53	789820.75
454617.81	748640.51	454675.18	789824.01
454617.44	748643.66	454674.81	789827.16
454616.82	748646.54	454674.19	789830.04
454615.94	748649.43	454673.30	789832.93
454615.05	748652.33	454672.41	789835.83
454613.96	748655.53	454671.31	789839.03
454612.54	748659.09	454669.89	789842.59
454611.10	748662.67	454668.45	789846.16
454609.73	748666.47	454667.08	789849.96
454609.65	748668.95	454666.99	789852.44
454611.09	748669.54	454668.43	789853.03
454612.76	748669.86	454670.10	789853.35
454614.34	748670.48	454671.68	789853.98
454615.81	748671.38	454673.14	789854.88
454617.07	748672.36	454674.41	789855.86
454617.91	748673.30	454675.24	789856.80
454618.54	748674.45	454675.87	789857.95
454619.57	748675.68	454676.90	789859.18
454620.80	748676.49	454678.13	789860.00
454621.46	748677.22	454678.79	789860.73
454621.15	748678.19	454678.48	789861.69
454620.41	748679.14	454677.74	789862.64
454620.01	748680.33	454677.34	789863.84
454619.87	748682.37	454677.19	789865.87
454619.73	748685.21	454677.04	789868.71
454619.55	748688.15	454676.86	789871.66
454619.34	748691.02	454676.65	789874.52
454619.46	748694.10	454676.77	789877.61
454619.31	748696.76	454676.61	789880.27
454611.01	748697.29	454668.31	789880.78
454588.38	748696.19	454645.69	789879.66
454550.91	748696.21	454608.22	789879.63
454502.69	748697.23	454560.00	789880.59
454439.83	748696.01	454497.14	789879.30
454360.08	748693.51	454417.39	789876.69
454268.97	748692.77	454326.28	789875.84
454174.65	748691.90	454231.96	789874.85
454079.74	748690.30	454137.05	789873.14
453984.75	748689.21	454042.07	789871.92
453889.79	748687.09	453947.11	789869.69
453795.88	748684.14	453853.20	789866.62
453700.91	748681.74	453758.24	789864.10
453605.96	748678.76	453663.29	789861.00
453511.05	748674.83	453568.38	789856.95
453416.13	748670.90	453473.47	789852.91

453321.20	748667.48	453378.54	789849.37
453227.23	748667.49	453284.57	789849.26
453132.28	748670.78	453189.62	789852.43
453037.36	748674.42	453094.69	789855.96
452942.41	748677.26	452999.74	789858.68
452847.45	748679.52	452904.77	789860.82
452753.53	748682.26	452810.85	789863.44
452658.69	748685.25	452716.01	789866.31
452563.95	748688.45	452621.27	789869.39
452469.08	748690.85	452526.40	789871.67
452374.12	748692.96	452431.44	789873.67
452279.24	748695.95	452336.55	789876.54
452185.33	748698.41	452242.63	789878.88
452090.37	748701.11	452147.67	789881.47
451995.46	748705.12	452052.75	789885.36
451900.51	748707.97	451957.80	789888.09
451806.61	748708.90	451863.90	789888.90
451711.75	748709.34	451769.04	789889.22
451616.81	748710.51	451674.10	789890.27
451521.89	748713.57	451579.17	789893.21
451426.99	748717.64	451484.27	789897.17
451332.09	748722.08	451389.37	789901.50
451238.24	748727.13	451295.51	789906.42
451143.35	748730.76	451200.62	789909.94
451048.46	748730.04	451105.73	789909.09
450953.66	748726.77	451010.93	789905.71
450858.81	748722.84	450916.08	789901.66
450764.90	748718.81	450822.18	789897.51
450669.98	748715.53	450727.26	789894.12
450575.09	748712.77	450632.37	789891.24
450480.19	748709.43	450537.48	789887.78
450385.29	748704.98	450442.59	789883.22
450290.40	748700.40	450347.71	789878.52
450196.46	748697.45	450253.76	789875.45
450101.47	748696.43	450158.78	789874.31
450006.47	748696.00	450063.78	789873.76
449911.48	748696.08	449968.79	789873.72
449817.50	748697.24	449874.81	789874.76
449722.62	748699.85	449779.92	789877.26
449627.74	748703.20	449685.04	789880.49
449532.82	748706.62	449590.12	789883.79
449437.91	748710.05	449495.20	789887.10
449342.98	748713.62	449400.27	789890.55
449248.11	748717.99	449305.39	789894.81
449153.23	748722.51	449210.51	789899.21
449059.35	748726.90	449116.62	789903.48
448964.53	748732.66	449021.79	789909.12

448869.66	748737.55	448926.92	789913.89
448775.74	748741.02	448832.99	789917.25
448680.78	748741.61	448738.03	789917.72
448585.83	748738.62	448643.09	789914.61
448490.89	748736.00	448548.15	789911.88
448446.93	748734.89	448504.19	789910.71
448352.01	748732.05	448409.28	789907.75
448258.10	748728.95	448315.37	789904.53
448163.17	748725.75	448220.44	789901.22
448068.21	748722.84	448125.49	789898.19
447973.29	748719.34	448030.57	789894.57
447879.37	748715.46	447936.66	789890.57
447784.44	748712.26	447841.74	789887.25
447689.51	748710.51	447746.81	789885.39
447594.56	748710.14	447651.85	789884.90
447499.71	748709.71	447557.01	789884.35
447405.11	748709.34	447462.41	789883.87
447310.52	748709.93	447367.81	789884.33
447215.84	748711.32	447273.13	789885.60
447122.08	748713.41	447179.37	789887.58
447027.28	748716.33	447084.57	789890.38
446932.44	748720.55	446989.72	789894.48
446837.58	748725.58	446894.86	789899.39
446742.75	748731.19	446800.02	789904.89
446648.05	748738.47	446705.31	789912.05
446553.49	748747.35	446610.74	789920.81
446495.79	748753.13	446553.03	789926.52

Well Name: BELL LAKE UNIT SOUTH	Well Location: T24S / R33E / SEC 1 / SWNW / 32.2481723 / -103.5338188	County or Parish/State: LEA / NM
Well Number: 202H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMLC063993	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002545179	Well Status: Producing Oil Well	Operator: KAISER FRANCIS OIL COMPANY

Subsequent Report

Sundry ID: 2667306

Type of Submission: Subsequent Report

Type of Action: Hydraulic Fracturing

Date Sundry Submitted: 04/18/2022

Time Sundry Submitted: 08:51

Date Operation Actually Began: 02/03/2022

Actual Procedure: 2/22: Test csg to 9,900#. Test annulus to 500#. Perf Stage 1: 18,720'-18,812' OA w/ 5, 3-1/8" guns. BD perfs @ 5,502#. Established injection into perfs: 3 BPM @ 5,921# for 25 bbls. SD and isolate well. ISIP 5,361#, 5 min 4,280#, 10 min 3,792#, 15 min 3,571. 2/22-3/22: Stage-frac lateral 11,280'-18,812' OA in 43 stages w/ 419557 bbls fluid carrying 18,310,430# sd. 3/22-4/22: Drill out all plugs with 2-7/8" PH6 Workstring and drillout BHA. TLTR: 427,923 bbls. SICP: 2,700#.

SR Attachments

Actual Procedure

Bell_Lake_Unit_South_202H_WB_20220418085130.pdf

Well Name: BELL LAKE UNIT SOUTH	Well Location: T24S / R33E / SEC 1 / SWNW / 32.2481723 / -103.5338188	County or Parish/State: LEA / NM
Well Number: 202H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMLC063993	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002545179	Well Status: Producing Oil Well	Operator: KAISER FRANCIS OIL COMPANY

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: CHRISTINA OPFER	Signed on: APR 18, 2022 08:51 AM
Name: KAISER FRANCIS OIL COMPANY	
Title: Regulatory Manager	
Street Address: 6733 S YALE AVENUE	
City: TULSA	State: OK
Phone: (918) 491-4468	
Email address: CHRISTINAO@KFOC.NET	

Field

Representative Name: Jeremy Parent		
Street Address: 88 Shell Rd		
City: Jal	State: NM	Zip: 88252
Phone: (580)504-2593		
Email address: jeremyp@kfoc.net		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 06/11/2022
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
		1. WELL API NO.			30-025-45179					
		2. Type of Lease			☐ STATE ☐ FEE ☒ FED/INDIAN					
		3. State Oil & Gas Lease No.								
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing:					5. Lease Name or Unit Agreement Name					
☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)					Bell Lake Unit South					
7. Type of Completion:					6. Well Number:					
☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER _____					202H					
8. Name of Operator					9. OGRID					
Kaiser-Francis Oil Company					12361					
10. Address of Operator					11. Pool name or Wildcat					
P.O. Box 21468 Tulsa, OK 74121-1468					Bell Lake; Bone Spring, South					
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	E	1	24S	34E		2,070	N	245	W	Lea
BH:	N	12	24S	34E		94	S	1,607	W	Lea
13. Date Spudded	14. Date T.D. Reached	15. Date Rig Released			16. Date Completed (Ready to Produce)			17. Elevations (DF and RKB, RT, GR, etc.)		
2/20/21	3/5/21	3/7/21			4/2/22			3,631.8 GR		
18. Total Measured Depth of Well		19. Plug Back Measured Depth			20. Was Directional Survey Made?			21. Type Electric and Other Logs Run		
19,022'		18,875'			YES			GR		
22. Producing Interval(s), of this completion - Top, Bottom, Name										
11,280'-18,812'										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13 3/8"		54.5#		1,380'		17 1/2"		1,030 sx		
9 5/8"		40#		5,151'		12 1/4"		1,295 sx		
5 1/2"		20#		19,002'		8 1/2"		3,305 sx		
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
none	-	-	-	-	none	-	-			
26. Perforation record (interval, size, and number)					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.					
11,280'-18,812', 0.41", 2064 holes					DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED			
					11,280'-18,812'		419,557 bbls fluid + 18,310,430# sd			
28. PRODUCTION										
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)				
4/15/22		Flowing				Prod				
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio			
4/15/22	24	20/64"		77	181	1,097	44			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
	2,400									
29. Disposition of Gas (Sold, used for fuel, vented, etc.)							30. Test Witnessed By			
Sold										
31. List Attachments										
C-104 NW, C-102 As-Drilled w/HSU, C-103 Completion, Final Svy., WBD										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude			Longitude			NAD83				
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature <u>Christina Opfer</u>		Printed Name <u>Christina Opfer</u>		Title <u>Regulatory Manager</u>		Date <u>5/5/2022</u>				
E-mail Address <u>ChristinaO@kfoc.net</u>										

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy_____	T. Canyon_____	T. Ojo Alamo_____	T. Penn A"_____
T. Salt_____	T. Strawn_____	T. Kirtland _____	T. Penn. "B"_____
B. Salt_____	T. Atoka_____	T. Fruitland_____	T. Penn. "C"_____
T. Yates_____	T. Miss_____	T. Pictured Cliffs_____	T. Penn. "D"_____
T. 7 Rivers_____	T. Devonian_____	T. Cliff House_____	T. Leadville_____
T. Queen_____	T. Silurian_____	T. Menefee_____	T. Madison_____
T. Grayburg_____	T. Montoya_____	T. Point Lookout_____	T. Elbert_____
T. San Andres_____	T. Simpson_____	T. Mancos_____	T. McCracken_____
T. Glorieta_____	T. McKee_____	T. Gallup_____	T. Ignacio Otzte_____
T. Paddock_____	T. Ellenburger_____	Base Greenhorn_____	T. Granite _____
T. Blinebry_____	T. Gr. Wash_____	T. Dakota_____	
T. Tubb_____	T. Delaware Sand_____	T. Morrison_____	
T. Drinkard_____	T. Bone Springs_____	T. Todilto_____	
T. Abo_____	T. _____	T. Entrada_____	
T. Wolfcamp_____	T. _____	T. Wingate_____	
T. Penn_____	T. _____	T. Chinle_____	
T. Cisco (Bough C)_____	T. _____	T. Permian_____	

OIL OR GAS SANDS OR
ZONES

No. 1, from.....to.....

No. 3, from.....to.....

No. 2, from.....to.....

No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.


No. 1, from.....to.....feet.....

No. 2, from.....to.....feet.....

No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
1,320			Rustler, Sand				
5,353			Delaware, Sand				
8,921			Lower Brushy Canyon, Sand				
9,095			Upper Avalon, Sand				
10,133			Bone Spring 1 st , Sand				
10,563			Bone Spring 2 nd , Lime				
10,797			Bone Spring 2 nd , Sand				



11280	11395	11	280	11	395	11,280'-11,395'	11,280'-11, 11,457'-11, 11,634'-11, 11,811'-11, 11,989'-12, 12,168'-12, 12,347'-12,
11457	11576	11	457	11	576	11,457'-11,576'	
11634	11753	11	634	11	753	11,634'-11,753'	
11811	11931	11	811	11	931	11,811'-11,931'	
11989	12108	11	989	12	108	11,989'-12,108'	
12168	12285	12	168	12	285	12,168'-12,285'	
12347	12462	12	347	12	462	12,347'-12,462'	
12520	12639	12	520	12	639	12,520'-12,639'	
12697	12816	12	697	12	816	12,697'-12,816'	
12874	12994	12	874	12	994	12,874'-12,994'	
13052	13171	13	052	13	171	13,052'-13,171'	
13229	13344	13	229	13	344	13,229'-13,344'	
13406	13520	13	406	13	520	13,406'-13,520'	
13583	13702	13	583	13	702	13,583'-13,702'	
13760	13879	13	760	13	879	13,760'-13,879'	
13937	14057	13	937	14	057	13,937'-14,057'	
14115	14234	14	115	14	234	14,115'-14,234'	
14292	14411	14	292	14	411	14,292'-14,411'	
14469	14588	14	469	14	588	14,469'-14,588'	
14646	14765	14	646	14	765	14,646'-14,765'	
14825	14942	14	825	14	942	14,825'-14,942'	
15000	15124	15	000	15	124	15,000'-15,124'	
15178	15297	15	178	15	297	15,178'-15,297'	
15355	15474	15	355	15	474	15,355'-15,474'	
15540	15651	15	540	15	651	15,540'-15,651'	
15709	15828	15	709	15	828	15,709'-15,828'	
15886	16005	15	886	16	005	15,886'-16,005'	
16063	16183	16	063	16	183	16,063'-16,183'	
16241	16360	16	241	16	360	16,241'-16,360'	
16418	16537	16	418	16	537	16,418'-16,537'	
16595	16714	16	595	16	714	16,595'-16,714'	
16776	16891	16	776	16	891	16,776'-16,891'	
16954	17068	16	954	17	068	16,954'-17,068'	
17126	17246	17	126	17	246	17,126'-17,246'	

17304	17423	17	304	17	423	17,304'-17,423'
17481	17600	17	481	17	600	17,481'-17,600'
17706	17827	17	706	17	827	17,706'-17,827'
17835	17954	17	835	17	954	17,835'-17,954'
18018	18131	18	018	18	131	18,018'-18,131'
18189	18309	18	189	18	309	18,189'-18,309'
18367	18486	18	367	18	486	18,367'-18,486'
18544	18663	18	544	18	663	18,544'-18,663'
18720	18812	18	720	18	812	18,720'-18,812'

12,520'-12,12,697'-12,12,874'-12,13,052'-13,13,229'-13,13,406'-13,13,583'-13,13,760'-13,13,937'-14,14,115'-14,14,292'-14,14,469'-14,14,646'-14,

14,825'-14, 15,000'-15, 15,178'-15, 15,355'-15, 15,540'-15, 15,709'-15, 15,886'-16, 16,063'-16, 16,241'-16, 16,418'-16, 16,595'-16, 16,776'-16, 16,954'-17,

17,126'-17,17,304'-17,17,481'-17,17,706'-17,17,835'-17,18,018'-18,18,189'-18,18,367'-18,18,544'-18,18,720'-18,812'

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 124619

ACKNOWLEDGMENTS

Operator: KAISER-FRANCIS OIL CO PO Box 21468 Tulsa, OK 741211468	OGRID: 12361
	Action Number: 124619
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 124619

CONDITIONS

Operator: KAISER-FRANCIS OIL CO PO Box 21468 Tulsa, OK 741211468	OGRID: 12361
	Action Number: 124619
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
crystal.walker	None	9/16/2025