

| | | |
|-------------------------------|--|--|
| Well Name: SAN JUAN 30-5 UNIT | Well Location: T30N / R5W / SEC 9 / SENW / 36.830625 / -107.36545 | County or Parish/State: RIO ARRIBA / NM |
| Well Number: 260A | Type of Well: OTHER | Allottee or Tribe Name: |
| Lease Number: NMSF078997 | Unit or CA Name: SAN JUAN 30-5 UNIT--FR | Unit or CA Number: NMNM78419D |
| US Well Number: 3003927256 | Operator: HILCORP ENERGY COMPANY | |

Subsequent Report

Sundry ID: 2870841

Type of Submission: Subsequent Report Type of Action: Workover Operations

Date Sundry Submitted: 08/29/2025 Time Sundry Submitted: 12:09

Date Operation Actually Began: 08/05/2025

Actual Procedure: During a recent workover, this well has now had a rod pump installed. Please see the attached workover operations and updated wellbore schematic.

SR Attachments

Actual Procedure

SAN_JUAN_30_5_UNIT_260A_SR_WO_Writeup_20250829120815.pdf

| | | |
|-------------------------------|--|--|
| Well Name: SAN JUAN 30-5 UNIT | Well Location: T30N / R5W / SEC 9 / SENW / 36.830625 / -107.36545 | County or Parish/State: RIO ARRIBA / NM |
| Well Number: 260A | Type of Well: OTHER | Allottee or Tribe Name: |
| Lease Number: NMSF078997 | Unit or CA Name: SAN JUAN 30-5 UNIT--FR | Unit or CA Number: NMNM78419D |
| US Well Number: 3003927256 | Operator: HILCORP ENERGY COMPANY | |

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

| | |
|--|----------------------------------|
| Operator Electronic Signature: AMANDA WALKER | Signed on: AUG 29, 2025 12:09 PM |
| Name: HILCORP ENERGY COMPANY | |
| Title: Operations/Regulatory Technician | |
| Street Address: 1111 TRAVIS ST | |
| City: HOUSTON | State: TX |
| Phone: (346) 237-2177 | |
| Email address: MWALKER@HILCORP.COM | |

Field

| | | |
|----------------------|--------|------|
| Representative Name: | | |
| Street Address: | | |
| City: | State: | Zip: |
| Phone: | | |
| Email address: | | |

BLM Point of Contact

| | |
|---------------------------------|---|
| BLM POC Name: KENNETH G RENNICK | BLM POC Title: Petroleum Engineer |
| BLM POC Phone: 5055647742 | BLM POC Email Address: krennick@blm.gov |
| Disposition: Accepted | Disposition Date: 08/29/2025 |
| Signature: Kenneth Rennick | |



Well Operations Summary L48

Well Name: SAN JUAN 30-5 UNIT #260A

API: 3003927256

Field: FC

State: NEW MEXICO

Permit to Drill (PTD) #:

Sundry #:

Rig/Service: CCWS #7

Jobs

Actual Start Date: 8/5/2025

End Date: 8/7/2025

| | | |
|--------------------|-------------------------------|-----------------------------|
| Report Number 1 | Report Start Date 8/5/2025 | Report End Date 8/5/2025 |
|--------------------|-------------------------------|-----------------------------|

Operation

CREW TRAVEL TO THE SAN JUAN 29-6 #207A.

PJSM.

LOAD OUT EQUIPMENT, ROAD RIG AND EQUIPMENT TO LOCATION.

R/U CCWS #7 AND EQUIPMENT.

N/D WELLHEAD, BOLTS CORRODED AND DIFFICULT TO REMOVE. N/U BOP.

CHANGE OVER EQUIPMENT TO HANDLE 3-1/2".

PULL AND REMOVE TBG HANGER, PULL TBG OUT OF 4' OF FILL.

L/D 88 JTS 3-1/2" EUE TBG, 8 JTS 3-1/2" FL4S TBG.

SWAP OUT FLOATS, CREW CHANGING HANDLING TOOLS AND RAMS TO 2-3/8".

M/U 4-3/4" BIT, TALLY AND P/U TBG TO 1,500'.

SISW, DEBRIEF CREW, SDFN.

CREW TRAVEL TO YARD.

| | | |
|--------------------|-------------------------------|-----------------------------|
| Report Number 2 | Report Start Date 8/6/2025 | Report End Date 8/6/2025 |
|--------------------|-------------------------------|-----------------------------|

Operation

CREW TRAVEL TO LOCATION.

PJSM.

P/U TBG TAG TOL @ 2,917'. COULD NOT GET BIT INSIDE LINER WITH WRENCH OR TONGS. P/U POWER SWIVEL. ROTATE BIT INTO LINER TOP PUSHING SOMETHING DOWN FOR 8-10' AND THEN IT FELL. ONCE JUNK FELL, THE WELL BEGAN BLOWING HARDER FOR 2-3 MIN. CONT TO P/U TBG TO FILL @ 3,121'.

BRING ON AIR/MIST 1250 CFM, 10 BPH MIST 1 GAL FOAMER, 1 GAL CI. EST CIRC AND LOWER MIST TO 8 BPH. C/O TO JUNK @ 3,133' WASHING DOWN EASY AND WAS ABLE TO MAKE 4' MORE. RETRNS OF RUBBER AND STEEL BANDS FROM OLD INFLATABLE. C/O TO 3,137'. PUMP SWEEPS AND CIRC CLEAN, VERY LITTLE COAL IN RETURNS. BLOW WELL DRY.

R/D POWER SWIVEL.

TOOH W/ BIT BHA.

SISW, DEBRIEF CREW, SDFN.

CREW TRAVEL TO YARD.

| | | |
|--------------------|-------------------------------|-----------------------------|
| Report Number 3 | Report Start Date 8/7/2025 | Report End Date 8/7/2025 |
|--------------------|-------------------------------|-----------------------------|

Operation

CREW TRAVEL TO LOCATION.

PJSM.

M/U PGA-1 M.A. TIH TAG @ 3,140'.

L/D TAG JT AND LAND TBG AS FOLLOWS:

EOT @ 3,134.60', S/N @ 3,100.39', PBTD @ 3,140'.

(1) 7-1/16" x 2 3/8" TUBING HANGER

(1) 2 3/8" 4.7# J-55 TBG

(1) 2-3/8" J-55 PUP JT

(98) 2 3/8" 4.7# J-55 TBG

(1) 2 3/8" x 1.78 S/N

(1) 2-3/8" x M.A. SLOTTED MID JT

(1) 2-3/8 BULL PLUG

N/D BOP, N/U NEW B-1, M/U RATIGAN, PUMPING TEE AND VALVES.

P/U NEW PUMP AND BUCKET TEST (GOOD). P/U NEW ROD STRING,

SPACE OUT AND SEAT PUMP.

RUN ROD STRING AS FOLLOWS:

(1) 1 1/4" X 22' POLISH ROD.

(1) 3/4" x 2' PONY RODS.

(119) 3/4" SLICK RODS.

(3) 1 1/4" SINKER BARS.

(1) 18K SHEAR TOOL.

(1) 3/4" X 8' GUIDED ROD.

(1) 2"X 1 1/4" X 9'x13' RHAC-Z HVR HIL-1227

(1) 1" X 10' GAS ANCHOR.

FILL AND TEST TBG TO 1,000 PSI. BLEED DOWN TO 200 PSI AND LONG STROKE PUMP W/ RIG BACK TO 300 PSI, NO FLUID ON ANNULUS. PUMP

WELLSTIM AND 10 BBLs DOWN ANNULUS AND STROKE PUMP WITH RIG TO 500 PSI. RYAN AND TIM ON LOCATION.

HANG OFF ROD STRING 3" FROM TAG, ROLL PUMPING UNIT UP AND CHECK FOR ALIGNMENT.

R/D CCWS #7 AND MOVE EQUIPMENT OFF TO NEARBY LOCATION. RELEASE RIG TO TBD.

CREW TRAVEL TO YARD.




Current Schematic - Version 3

Well Name: SAN JUAN 30-5 UNIT #260A

| | | | | | |
|-----------------------------------|---|-------------------------------------|------------------------------------|--------------------------------|--------------------------------------|
| API / UWI 3003927256 | Surface Legal Location 009-030N-005W-F | Field Name FC | Route 1202 | State/Province NEW MEXICO | Well Configuration Type Vertical |
| Ground Elevation (ft) 6,364.00 | Original KB/RT Elevation (ft) 6,377.00 | Tubing Hanger Elevation (ft) | RKB to GL (ft) 13.00 | KB-Casing Flange Distance (ft) | KB-Tubing Hanger Distance (ft) |
| Tubing Strings | | | | | |
| Run Date 8/7/2025 08:30 | Set Depth (ftKB) 3,134.60 | String Max Nominal OD (in) 2 3/8 | String Min Nominal ID (in) 2.00 | Weight/Length (lb/ft) 4.70 | Original Spud Date 2/2/2003 00:00 |

Original Hole, SAN JUAN 30-5 UNIT #260A [Vertical]



Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 502242

CONDITIONS

| | |
|--|--|
| Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002 | OGRID: 372171 |
| | Action Number: 502242 |
| | Action Type: [C-103] Sub. Workover (C-103R) |

CONDITIONS

| Created By | Condition | Condition Date |
|----------------|-----------|----------------|
| andrew.fordyce | None | 9/16/2025 |