

Form 3160-5
(September 2001)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB No. 1004-0135
Expires: January 31, 2004**SUNDRY NOTICES AND REPORTS ON WELLS****Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.****SUBMIT IN TRIPLICATE- Other instructions on reverse side.**1. Type of Well
☒ Oil Well ☐ Gas Well ☐ Other2. Name of Operator
Ton R. Cone for Cano Petro of New Mexico, Inc.3a. Address
P.O. Box 400, Southwest City, MO 648633b. Phone No. (include area code)
918-837-0370

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1980 FSL, 660 FWL, UL L, Sec 30, T7S, R32E

5. Lease Serial No.

NM-15019

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

Cone Federal #17

9. API Well No.

30-041-20498

10. Field and Pool, or Exploratory Area

Tomahawk; San Andres

11. County or Parish, State

Roosevelt County, NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
☒ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off
☐ Subsequent Report	☐ Alter Casing	☐ Fracture Treat	☐ Reclamation	☐ Well Integrity
☐ Final Abandonment Notice	☐ Casing Repair	☐ New Construction	☐ Recomplete	☐ Other _____
	☐ Change Plans	☒ Plug and Abandon	☐ Temporarily Abandon	
	☐ Convert to Injection	☐ Plug Back	☐ Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

See Attached**See Conditions of Approval****Like Approval by NMOCD**14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)**Bobby Stearns**Title **Agent**

Signature c48fb377-bd74-406f-a498-32c2766328b9

Digitally signed by c48fb377-bd74-406f-a498-32c2766328b9
Date: 2025.08.27 12:24:32 -06'00'Date **08/27/2025****THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved by _____

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title **Petroleum Engineer**Date **08/28/2025**Office **RFO**

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this

form and the number of copies to be submitted, particularly with regard to local area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13 - Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or

present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well and date well site conditioned for final inspection looking to approval of the abandonment.

NOTICE

The Privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c) and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

This information is being collected to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT

Public reporting burden for this form is estimated to average 25 minutes per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0135), Bureau Information Collection Clearance Officer, (WO-630), Mail Stop 401 LS, 1849 C St., N.W., Washington D.C. 20240

**Proposed Plugging Procedures
Cano Petro of New Mexico, Inc.
Cone Federal #17
30-041-20498**

1. Lay down rods and POOH with tubing.
2. Set 4.5" CIBP at 4050. Circulate MLF and casing to 500#. Spot 25 sx Class C cement on top of CIBP.
3. Run CBL. Adjust procedures accordingly.
4. Perforate at 3032' and squeeze with 40 sx cement. Queen/Grayburg. This is an estimated depth due to these formations not being listed on the lithology report.
5. Perforate at 2153' and squeeze with 40 sx cement. WOC and tag. Top Yates.
6. Perforate at 1833' and squeeze with 50 sx cement. WOC and tag above 1680'. Top Salt, Rustler and Surface Shoe.
7. Perforate at 150' and circulate cement to surface in/out 4.5" casing.
8. Remove wellhead and ensure good cement to surface in both strings of casing.
9. Install below ground marker.


Figure 1 consists of two schematic diagrams, (a) and (b), illustrating the experimental setup. Both diagrams show a vertical tube with a liquid level (indicated by a horizontal line) and a gas phase above it. In (a), the gas phase is represented by a shaded area. In (b), the gas phase is represented by a shaded area, and arrows indicate the flow of gas into the tube from the right and out of the tube to the right.



Perforations 4100' to 4132'



Cano Petro of New Mexico, Inc.
Cone Federal #17
API 30-041-20498
WBD After PA



**Cone Federal 17
30-041-20498
Tom R. Cone
August 28, 2025
Conditions of Approval**

- 1. Operator shall place a CIBP at 4,050' (50'-100' above top perf) and spot 25sx of Class C cement on top. WOC and TAG.**
- 2. Operator shall perf at 3,053' and squeeze cement class C cement to 2,753' to seal the San Andres, Queen and Grayburg Formations. WOC and TAG.**
- 3. Operator shall perf at 2,203' and squeeze cement class C cement to 2,083' to seal the Yates and bottom of Salt. WOC and TAG.**
- 4. Operator shall perf at 1,850' and squeeze cement class C cement to 1,688' to seal the top of Salt, Rustler and 8-5/8" casing shoe. WOC and TAG.**
- 5. Operator shall perf at 150' and squeeze cement class C cement to surface as proposed.**
- 6. Dry hole marker must be below ground.**
- 7. Surface reclamation will need to be completed once the well bore has been plugged. Please contact rflores@blm.gov for additional information.**
- 8. See attached for general plugging stipulations.**
- 9. See attached for New Mexico Oil Conservation Division's plugging guidelines.**

JAM 08282025

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oecd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 506377

CONDITIONS

Operator: CANO PETRO OF NEW MEXICO, INC. 801 Cherry Street Fort Worth, TX 76102	OGRID: 248802
	Action Number: 506377
	Action Type: [C-103] NOI Plug & Abandon (C-103F)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	Submit CBL tif file to NMOCD for upload into the Well Log File.	9/16/2025
loren.diede	Submit photo and GPS coordinates of the P&A marker with the final P&A reports.	9/16/2025