Phone: (505) 476-3441 General Information	State of New Me Energy, Minerals and Natu		Form C-103 Revised July 18, 2013 WELL API NO.	
Phone: (505) 629-6116 Online Phone Directory Visit: https://www.emnrd.nm.gov/ocd/contact-us/	OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505		30-015-25306 5. Indicate Type of Lease STATE FEE 6. State Oil & Gas Lease No. OG-647	
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well Gas Well Other			7. Lease Name or Unit Agreement Name Welch 8. Well Number 001	
2. Name of Operator	_		9. OGRID Number 329487	
BXP Operating, LLC 3. Address of Operator 1515 W Calle Sur, Suite 174, Hobbs, 1	NM 88240	WH	10. Pool name or Wildcat Artesia: Queen-Grayburg-San Andres	
4. Well Location				
	650feet from theSouth		feet from theEastline	
Section 30	Township 18S	Range 28		
	 Elevation (Show whether DR 3651 GL 	K, KKB, KI, GK, etc	c.)	
12. Check App	propriate Box to Indicate N	ature of Notice,	Report or Other Data	
TEMPORARILY ABANDON	PLUG AND ABANDON CHANGE PLANS MULTIPLE COMPL	REMEDIAL WOR COMMENCE DR CASING/CEMEN Noti done OTHER: SO a	ILLING OPNS. P AND A IT JOR fy OCD 24 hrs. prior to any work e, gilbert.cordero@emnrd.nm.gov CO may be assigned.	
	. SEE RULE 19.15.7.14 NMAC		nd give pertinent dates, including estimated dat impletions: Attach wellbore diagram of	
obb III III onbb				
Spud Date:	Rig Release Da			
<u></u>		1UST BE PLUGGE		
I hereby certify that the information about	ove is true and complete to the be	est of my knowledg	ge and belief.	
SIGNATURE HOLLEN	TITLEAgent	<u>DA</u> TE	9/16/2025	
Type or print nameM.Y. Merchant For State Use Only	E-mail address:mymerch	@penrocoil.com_	PHONE: 575-492-1236	
APPROVED BY: Conditions of Approval (if any):	TITLE	StaffW	lanager DATE 9/17/25	

Proposed procedure to plug & abandon subject to NMOCD approval

Welch #1

API 30-015-25306

1. RU well service unit. Pull rods & pump. LD same.

APPROVED GC 9/17/25

- 2. NU BOP. TOH w/ 2 3/8" tbg (70 jts- 2240')
- 3. RU wireline. Gauge ring to 1900'. Run CIBP @ 1880'. Test Casing 500psi/30min Run RCBL to Surface Circ 10# gelled brine w/ 35' cement on top. W.O.C. 4 hrs. Tag TOC.
- 4. Spot 15 sx cement @ 1895' 1795' T Grayburg
- 5. Spot 15 sx cmt @ 1550' 1450' T Queen
- 6. Spot 15 sx cmt @ 1320' 1220' T 7Rivers (
- 7. Perfs sqz holes @ 400''. Spot/squeeze 50 sxs circulate surface. WOC & Bubble test
- 8. RD wsu. Cut off wellhead & anchors. Install DH regulatory marker.
- 9. Remove all equp from surface, including electrical
- 10. Hand over site to environmental group to follow ECO/SLO.


BXP operating LLS

Welch # 1

30-015-25306

Eddy County, NM

017125 Myren



Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 506349

CONDITIONS

Operator:	OGRID:
BXP Operating, LLC	329487
11757 KATY FREEWAY	Action Number:
HOUSTON, TX 77079	506349
	Action Type:
	[C-103] NOI Plug & Abandon (C-103F)

CONDITIONS

Created By		Condition Date
gcordero	A Cement Bond Log (CBL) is required to be submitted to electronic permitting.	9/17/2025
gcordero	Submit Cement Bond Logs (CBL) prior to submittal of C-103P.	9/17/2025