U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: HOSS 2/11 W0BO FED COM Well Location: T25S / R28E / SEC 2 / NENE / County or Parish/State: EDDY / NM

32.165677 / -104.0532822

Well Number: 1H Type of Well: CONVENTIONAL GAS WELL Allottee or Tribe Name:

Lease Number: NMNM134867 Unit or CA Name: Unit or CA Number: NMNM138437

US Well Number: 3001548286 Operator: MEWBOURNE OIL COMPANY

# **Subsequent Report**

**Sundry ID: 2841168** 

**Type of Submission:** Subsequent Report **Type of Action:** Drilling Operations

Date Sundry Submitted: 03/11/2025 Time Sundry Submitted: 09:15

Date Operation Actually Began: 09/30/2021

Actual Procedure: OCD rejection: Spud 17 ½" hole @ 496'. Ran 481' of 13 3/8" 54.5# J55 ST&C csg. Held safety meeting. Pump 20 bbls FW spacer. Par Five cmt w/525 sks Class C w/2% CaCl2 & ¼#/sk Cellophane (yd @ 1.34 cuft/sk @ 14.8 PPG). Displaced w/68 bbls of BW. Plug down @ 9:00 P.M. 09/30/21. Circ 210 sks of cmt to pit. (Notified Omar Alomar w/BLM but did not witness.) 10/22/2021 Tested BOPE to 5000# high 250# low & Annular 3500# high/250# low. 10/23/2021 At 7:00 A.M. 10/23/21, tested csg to 1500# 30 mins, held OK. Drilled out at 12 ¼". FIT to 10.3 PPG EMW. 10/24/2021 TD 12 ¼" hole @ 2587'. Ran 2582' of 9 5/8" 40# HCL80 LT&C csg. Set Cameron mandrel hanger through BOP w/70k#. Held safety meeting. Par Five cmt w/450 sks Poz Class C w/5% Salt, 4%, Gel, 1% Extender, 5% Enhancer, 3#/sk Kolseal, 0.4#/sk Defoamer & #/sk Cellophane (yd @ 2.17 cuft/sk @ 12.5 PPG). Tail w/200 sks Class C Neat (yd @ 1.32 cuft/sk @ 14.8 PPG). Displaced w/192 bbls of FW. Plug down @ 6:15 P.M. 10/24/21. Circ 102 sks of cmt to the pit. (Notified Kent Caffall w/BLM but did not witness.) 10/25/2021 At 5:30 A.M. 10/25/21, tested csg to 1500#, for 30 mins, held OK. Drilled out at 8 %". FIT to 10.0 PPG EMW. 10/30/2021 TD 8 %" hole @ 10028'. Ran 10013' of 7" 29# HPP110 BT&C csg. Set Cameron mandrel hanger through BOP w/150k#. 10/31/2021 Held safety meeting. Pump 20 bbls FW Spacer. Par Five cmt w/600 sks PVL w/30% Potter Beads, 0.5% Fluid Loss, 0.1% Settling Agent 11% Enhancer, 3#/sk Kolseal, 0.8#/sk Defoamer (yd @ 2.98 cuft/sk @ 9.8 PPG). Tail w/400 sks Class H w/0.5% Fluid Loss, 0.2% Retarder (yd @ 1.18 cuft/sk @ 15.6 PPG). Displaced w/370 bbls of OBM. Plug down @ 6:45 A.M. 10/31/21. Circ 36 sks of cmt to the pit. (Notified Chase Messer w/BLM but did not witness.) Remarks: Cmt w/Par Five. WOC. RD Par Five. LD landing tool. Set & test pack-off to 5k#. Install bit guide. Replace saver sub. Test blind rams to 1500#. PU dir tools & test. TIH. RS. TIH. At 20:30hrs 10/31/21 tested csg to 1500#, held OK. Drilled out at 6 1/8". 11/07/2021 TD 6 1/8" hole @19665' MD. 11/08/2021 Ran 4 ½" 13.5# HCP110 CDC HTQ csg from 9044' (top of liner) to 19665'. 11/09/2021 Held safety meeting. Dropped 1.5" ball & set hanger w/20k#. Pushed

Received by OCD: 3/41PN2H25H8513724Wbbb FED COM

Well Location: T25S / R28E / SEC 2 / NENE / County or Parish/State: EDDY / NM

Page 2 of 4

32.165677 / -104.0532822

Well Number: 1H

Type of Well: CONVENTIONAL GAS WELL

Allottee or Tribe Name:

Lease Number: NMNM134867

Unit or CA Name:

Unit or CA Number: NMNM138437

US Well Number: 3001548286

Operator: MEWBOURNE OIL COMPANY

w/55k# to test hanger. Pressured up to 2728# to blow ball seat. Established returns. Pumped 30 bbls diesel & 20 bbls of 11.5 PPG Mud Push spacer. Par Five cmt w/725 sks (35:65) Poz H w/6% Gel, 0.9% Retarder, 0.5% Fluid loss, 0.2% Extender & 10#/sk Obsidian Pumice (1.74 ft³/sk @ 13.5 ppg). Drop dart. Displaced w/247 bbls (calculated volume) of sugar BW. Lift Pressure 2900# @ 3 BPM. Plug down @ 11:30 P.M. 11/08/21. Bumped plug w/2900#. Open wet shoe sub @ w/3825#. Pump additional 2 bbls sugar FW. Set packer w/60k#. Released from liner hanger w/1200# on DP. Displaced 7" csg w/400 bbls of sugar BW w/polymer. Circ 128 sks cmt off liner top. At 1:00 P.M. 11/09/21, tested liner top to 2500# for 30 mins, held OK. (Notified Rami Abdelhadi w/BLM but did not witness.) Rig Released to walk @ 1:00 P.M. 11/09/21.

### **Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: RUBY OJEDA Signed on: MAR 11, 2025 09:15 AM

Name: MEWBOURNE OIL COMPANY

Title: Regulatory

Street Address: 4801 BUSINESS PARK BLVD

City: HOBBS State: NM

Phone: (575) 393-5905

Email address: RCABALLERO@MEWBOURNE.COM

# **Field**

Representative Name:

**Street Address:** 

City:

State:

Zip:

Phone:

**Email address:** 

# **BLM Point of Contact**

**BLM POC Name: JONATHON W SHEPARD BLM POC Title:** Petroleum Engineer

**BLM POC Phone:** 5752345972 BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted Disposition Date: 03/18/2025

Signature: Jonathon Shepard

Received by OCD: WAPNAMESHOSE 3724 WOOD FED COM

Well Location: T25S / R28E / SEC 2 / NENE /

NE / County or Parish/State: EDDY / NM

32.165677 / -104.0532822

Well Number: 1H Type of Well: CONVENTIONAL GAS WELL

Allottee or Tribe Name:

Lease Number: NMNM134867 Unit or CA Name:

Unit or CA Number: NMNM138437

Page 3 of 4

**US Well Number:** 3001548286

**Operator: MEWBOURNE OIL COMPANY** 

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 443792

### **CONDITIONS**

Operator:	OGRID:
MEWBOURNE OIL CO	14744
P.O. Box 5270	Action Number:
Hobbs, NM 88241	443792
	Action Type:
	[C-103] Sub. Drilling (C-103N)

### CONDITIONS

Created By		Condition Date
crystal.walker	None	9/17/2025