TITLE


DATE

For State Use Only

ased to Imaging: 9/17/2025 2:20:09 PMnations of Approval (if any).

- 5/28/25 MIRU
- 5/29/25 Trouble unsetting pkr, work with swivel
- 5/30/25 SB 342 jts, LD 1 jt & pkr. RIH tbg, hit bad spot @ 173 jt. Worked past tight spot, RIH 342 jts total
- 6/2/25 PUH to 11,600' pump 100 bbl down tbg. Spot 15sx H cmt @ 11,600'-11490'. WOC-Tag @ 11,453'. SB 250 jts
- 6/3/25 Well gassing pump 10 bbl down tbg & 10 bbl down casing. SB rest of tbg. RIH GR to 5635', POOH. RIH scraper to 5635'
- 6/4/25 RIH w/ string mill, work bad spot @ 5635', get down to 6100'. RIH GR, tag @ 5635'. Call OCD, ok to spot cmt @ 11478'
- 6/5/25 RIH Tbg to 11,563' Spot 35sx H cmt @ 11,563'. WOC-Tag @ 11,563'. Spot 40sx H cmt @ 11,563' w/ 2sx CaCl
- 6/6/25 Tag TOC @ 11,420'. Pump 2sx LCM, Spot 40sx H cmt @ 11,420'. WOC-Tag @ 11,420'. Spot 40sx H cmt @ 11,420' w/ 2sx CaCl.
- 6/9/25 Tag TOC @ 11,392'. PUH to 11,355' Spot 40sx H cmt to 11,030'. WOC-Tag @ 11,320'. Call OCD. Spot 25sx H cmt @ 11,290'-11.087'
- 6/10/25 Tag TOC @ 11,320'. Call OCD. Spot 25sx H cmt @ 11,290'-11,087'. WOC-Tag @ 11,320'. Call OCD. Spot 25sx H cmt @ 11,290'-11,087' w/ 2sx LCM.
- 6/11/25 Tag TOC @ 11,100°. OK by OCD, RIH WL Perf @ 9620°. Spot 25sx H cmt @ 9691'-9488'. WOC-no tag. Call OCD, respot plug. Tbg stuck, work tbg no luck. Pump 190bbl BW down 5½, no circ
- 6/12/25 5½ & 8% on slight vac. RU WL run freepoint, 100% stuck @ 7640'-7670', 100% free @ 5910'. Work tbg for 2 hrs. Run 2nd freepoint, stuck same spot. Call OCD ok to cut tbg @ 7600' & perf @ 7514' in AM
- 6/13/25 RIH WL cut tbg @ 7600' tbg not free, work tbg no luck. Pump ½ bbl down tbg, pressure to 600#. Call OCD cut tbg again @ 7500'. RIH WL cut tbg @ 7494' tbg not free. Pressure to 600#, leave tbg with 70 pts.
- 6/16/25 RU 3rd party WL RIH w/ chemical cutter & cut tbg @ 7490' work tbg, not free. Pump ½ bbl down tbg, pressure to 600#.
 Run freepoint, stuck @ 7345', free @ 7318', 100% @ 7310'. RIH WL cut tbg @ 7300', tbg free. LD 10 jts. RIH WL Perf @ 7300'. RIH tbg to 7280'
- 6/17/25 Pump 100 bbl down tbg. Spot 40sx H cmt @ 7300' WOC-Tag @ 6990'. Perf @ 6336' Spot 25sx cmt @ 6395'
- 6/18/25 Tag TOC @ 6290' Tag low call OCD. Spot 25sx cmt @ 6290'-6038', no tag req. Spot 25sx cmt @ 5750'. RU 3rd party WL Run CBL from 5600' to surf (did not tag cmt @ 5600'.) RIH Tbg Spot 25sx cmt @ 5635'-5385.
- 6/19/25 Tag TOC @ 5530'. Press test csg, circ out 8-5/8. Set pkr @ 2414', test above pkr failed, test below pkr failed. Perf @ 4805' Spot 25sx cmt @ 4861'-4600'. WOC-no tag. Re-Spot 25sx cmt @ 4861'-4600'.
- 6/20/25 Tag TOC @ 4755'. PKR @ 3883' pressure to 500#, held below pkr. Spot 25sx cmt @ 4750'-4479' (per OCD). RIH WL Perf @ 3171', circ out 8-5/8, Sqz 35sx cmt @ 3171'-3025'. WOC-Tag @ 3009'. Press to 500#, held. RIH WL Perf @ 1970' Sqz 35sx cmt @ 1970'-1824'
- 6/23/25 Tag TOC @ 1790'. Holes in csg @ 915'-813'. Set PKR @ 30', circ 200sx cmt to surf. POOH, top off well. RDMO

6/28/25 - Cut off wellhead and anchors. Install P&A marker



Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 495258

CONDITIONS

Operator:	OGRID:
RAYBAW Operating, LLC	330220
2626 Cole Avenue	Action Number:
Dallas, TX 75204	495258
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By		Condition Date
gcordero	Clean Location in accordance with 19.15.25.10 NMAC.	9/17/2025
gcordero	Submit C-103Q within one year of plugging.	9/17/2025