

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Kaiser-Francis Oil Company P.O. Box 21468, Tulsa, OK 74121-1468		² OGRID Number 12361
		³ Reason for Filing Code; Effective Date New Well; 5/7/22
⁴ API Number 30-025-45859	⁵ Pool Name Bell Lake; Bone Spring, South	⁶ Pool Code 98264
⁷ Property Code 316707	⁸ Property Name Bell Lake Unit South	⁹ Well Number 206H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
I	1	24S	34E		2,549	South	1,246	East	Lea

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	12	24S	33E		157	South	1,142	East	Lea
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 4/30/2022	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
	Markwest Tornado GP, LLC	G
	1515 Araphoe St., Suite 1600 Denver, CO 80202	
	Plains Pipeline LP	O
	333 Clay St., #1600 Houston, TX 77002	

IV. Well Completion Data

²¹ Spud Date 6/11/21	²² Ready Date 4/9/22	²³ TD 18,855’ MD/ 10,878’ TVD	²⁴ PBDT 18,733’ MD/ 10,880’ TVD	²⁵ Perforations 11,130’-18,699’	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement	
17 ½”		13 ¾”	1,344’	1,065	
12 ¼”		9 ⅝”	5,096’	1,340	
8 ¾”		5 ½”	18,829’	2,465	

V. Well Test Data

³¹ Date New Oil 5/7/22	³² Gas Delivery Date 5/7/22	³³ Test Date 5/7/22	³⁴ Test Length 24 hrs.	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 2,975
³⁷ Choke Size 16/64”	³⁸ Oil 100	³⁹ Water 1,330	⁴⁰ Gas 421		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Christina Opfer</i>			OIL CONSERVATION DIVISION Approved by: Title: Approval Date:		
Printed name: Christina Opfer					
Title: Regulatory Manager					
E-mail Address: ChristinaO@kfoc.net					
Date: 6/22/2022		Phone: 918-491-4468			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office
☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-45859	² Pool Code 98264	³ Pool Name Bell Lake; Bone Spring, South
⁴ Property Code 316707	⁵ Property Name BELL LAKE UNIT SOUTH	⁶ Well Number 206H
⁷ OGRID No. 12361	⁸ Operator Name KAISER-FRANCIS OIL COMPANY	⁹ Elevation 3630.0

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
I	1	24 S	33 E		2549	SOUTH	1246	EAST	LEA

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	12	24 S	33 E		157	SOUTH	1142	EAST	LEA
¹² Dedicated Acres 480	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No. R-14600						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

NW CORNER SEC. 1 LAT. = 32.2538616°N LONG. = 103.5345979°W NMSP EAST (FT) N = 457006.66 E = 788254.80 SW CORNER SEC. 1 LAT. = 32.2393922°N LONG. = 103.5346316°W NMSP EAST (FT) N = 451742.64 E = 788283.52 W/4 CORNER SEC. 12 LAT. = 32.2321350°N LONG. = 103.5346171°W NMSP EAST (FT) N = 449102.53 E = 788307.65 SW CORNER SEC. 12 LAT. = 32.224858°N LONG. = 103.5346052°W NMSP EAST (FT) N = 446454.39 E = 788331.02		N89°38'53"E 2639.55 FT DNF LOT 4 LOT 3 LOT 2 LOT 1 BELL LAKE UNIT SOUTH 206H ELEV. = 3630.0' LAT. = 32.2463550°N (NAD83) LONG. = 103.5215522°W NMSP EAST (FT) N = 454306.03 E = 792308.43 FIRST TAKE POINT 2546' FSL, 1190' FEL LAT. = 32.2463459°N LONG. = 103.5213721°W S/4 CORNER SEC. 1 LAT. = 32.2393654°N LONG. = 103.5260783°W NMSP EAST (FT) N = 451752.65 E = 790928.21 S89°46'59"W 2645.24 FT LATITUDE AND LONGITUDE VALUES ARE NAD 83 STATE PLANE VALUES ARE NMSP EAST GRID LAST TAKE POINT 437' FSL, 1145' FEL LAT. = 32.2260290°N LONG. = 103.5212170°W NMSP EAST (FT) N = 446632.40 E = 792472.80 S/4 CORNER SEC. 12 LAT. = 32.2248389°N LONG. = 103.5260591°W NMSP EAST (FT) N = 446468.03 E = 790973.89 S89°42'16"W 2643.43 FT		NE CORNER SEC. 1 LAT. = 32.2538416°N LONG. = 103.5175252°W NMSP EAST (FT) N = 457039.08 E = 793532.76 SE CORNER SEC. 1 LAT. = 32.2393361°N LONG. = 103.5175208°W NMSP EAST (FT) N = 451762.01 E = 793574.23 E/4 CORNER SEC. 12 LAT. = 32.2320807°N LONG. = 103.5175191°W NMSP EAST (FT) N = 449122.52 E = 793594.79 SE CORNER SEC. 12 LAT. = 32.2248219°N LONG. = 103.5175153°W NMSP EAST (FT) N = 446481.79 E = 793616.04 S00°27'01"E 2639.14 FT S00°27'01"E 2639.14 FT S00°27'01"E 2640.10 FT S00°26'46"E 2640.10 FT S00°27'01"E 2641.33 FT S00°27'40"E 2642.72 FT		¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Christina Opfer 6/23/22 Signature Date Christina Opfer Printed Name ChristinaO@kfoc.net E-mail Address ¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. MAY 12, 2022 Date of Survey  Signature and Seal of Professional Surveyor: Certificate Number: 12797 SURV. NO. 6860	
---	--	--	--	--	--	---	--

Intent ☐ As Drilled ☒

API # 30-025-45859		
Operator Name: KAISER-FRANCIS OIL COMPANY	Property Name: BELL LAKE UNIT SOUTH	Well Number 206H

Kick Off Point (KOP)

UL H	Section 1	Township 24S	Range 33E	Lot	Feet 2209	From N/S NORTH	Feet 1148	From E/W EAST	County LEA
Latitude 32.2477760					Longitude 103.5212347				NAD 83

First Take Point (FTP)

UL I	Section 1	Township 24S	Range 33E	Lot	Feet 2546	From N/S SOUTH	Feet 1190	From E/W EAST	County LEA
Latitude 32.2463459					Longitude 103.5213721				NAD 83

Last Take Point (LTP)

UL P	Section 12	Township 24S	Range 33E	Lot	Feet 437	From N/S SOUTH	Feet 1145	From E/W EAST	County LEA
Latitude 32.2260290					Longitude 103.5212170				NAD 83

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☒

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API # 30-025-48177		
Operator Name: Kaiser-Francis Oil Company	Property Name: Bell Lake Unit South	Well Number 204H

KZ 06/29/2018



Directional Survey Report

Company: **Kaiser Francis Oil Company**Well: **Bell Lake Unit S. 206H**County: **Lea**State: **New Mexico**Field: **Bell Lake; Bone Spring, South**API: **30-025-45859**Rig: **Cactus 166**Service Co: **GTMWD**Job #: **GT210735**Survey Calc: **Minimum Curvature**

Well Surface Location

Latitude: **32.24623**Longitude: **-103.52107**Reference: **NAD 1927**Y (Northing): **454247.04**X (Easting): **751124.56**Field Engr: **Gregg Warren****Daniel Snyder**Report Date: **Jun 24 2021**Time: **00:06**Mag Reference: **Grid North**Mag Correction: **6.11**Vert Sect. Azi: **180.00**Perm Datum: **Mean Sea Level**Depth Ref: **Rotary Table**RKB Height: **23**GL Elev: **3630**

Survey	MD	Inc	Azimuth	TVD	VS	Rectangular Offsets		Course		Temp	Closure		Source
						NS	EW	Length	DLS		Distance	Azimuth	
Tie In	0	0	0	0	0	0	0	0	0	0	0	0	
1	226.00	0.66	357.50	226.00	-1.30	1.30	-0.06	226.00	0.29	0.00	1.30	357.50	Imp Svy
2	327.00	0.44	31.60	326.99	-2.21	2.21	0.12	101.00	0.38	0.00	2.22	3.13	Imp Svy
3	422.00	0.84	16.31	421.98	-3.19	3.19	0.51	95.00	0.45	0.00	3.23	9.04	Imp Svy
4	516.00	0.75	32.39	515.98	-4.37	4.37	1.03	94.00	0.25	0.00	4.49	13.27	Imp Svy
5	611.00	0.57	2.15	610.97	-5.37	5.37	1.38	95.00	0.41	0.00	5.54	14.43	Imp Svy
6	706.00	0.57	23.60	705.96	-6.27	6.27	1.59	95.00	0.22	0.00	6.47	14.21	Imp Svy
7	801.00	0.66	36.52	800.96	-7.15	7.15	2.10	95.00	0.17	0.00	7.45	16.40	Imp Svy
8	896.00	0.53	80.29	895.95	-7.66	7.66	2.86	95.00	0.48	0.00	8.18	20.49	Imp Svy
9	990.00	0.53	19.91	989.95	-8.14	8.14	3.44	94.00	0.57	0.00	8.84	22.89	Imp Svy
10	1085.00	0.22	268.64	1084.95	-8.55	8.55	3.41	95.00	0.68	0.00	9.20	21.72	Imp Svy
11	1180.00	0.44	256.86	1179.95	-8.46	8.46	2.87	95.00	0.24	0.00	8.94	18.72	Imp Svy
12	1275.00	0.31	263.28	1274.95	-8.35	8.35	2.26	95.00	0.14	0.00	8.65	15.13	Imp Svy
13	1302.00	0.84	266.44	1301.94	-8.33	8.33	1.99	27.00	1.97	0.00	8.56	13.42	Imp Svy
14	1369.00	0.92	275.41	1368.94	-8.35	8.35	0.96	67.00	0.24	0.00	8.41	6.57	Imp Svy
15	1464.00	1.05	274.70	1463.92	-8.49	8.49	-0.66	95.00	0.14	0.00	8.52	355.53	Imp Svy
16	1558.00	1.05	276.99	1557.91	-8.67	8.67	-2.38	94.00	0.04	0.00	8.99	344.66	Imp Svy
17	1653.00	2.51	357.50	1652.87	-10.85	10.85	-3.33	95.00	2.69	0.00	11.35	342.93	Imp Svy
18	1748.00	4.13	8.92	1747.71	-16.31	16.31	-2.89	95.00	1.83	0.00	16.57	349.94	Imp Svy
19	1843.00	4.04	9.36	1842.47	-22.99	22.99	-1.82	95.00	0.10	0.00	23.07	355.48	Imp Svy
20	1937.00	4.31	4.00	1936.22	-29.78	29.78	-1.03	94.00	0.50	0.00	29.80	358.01	Imp Svy
21	2032.00	4.97	4.09	2030.91	-37.45	37.45	-0.49	95.00	0.69	0.00	37.45	359.25	Imp Svy
22	2127.00	7.21	2.42	2125.36	-47.51	47.51	0.05	95.00	2.37	0.00	47.51	0.07	Imp Svy
23	2221.00	7.78	4.18	2218.56	-59.75	59.75	0.77	94.00	0.65	0.00	59.76	0.74	Imp Svy
24	2316.00	7.74	4.18	2312.69	-72.54	72.54	1.70	95.00	0.04	0.00	72.56	1.34	Imp Svy
25	2411.00	8.04	358.99	2406.79	-85.57	85.57	2.05	95.00	0.81	0.00	85.59	1.37	Imp Svy
26	2506.00	9.41	356.44	2500.69	-99.96	99.96	1.45	95.00	1.50	0.00	99.97	0.83	Imp Svy
27	2600.00	8.79	354.77	2593.51	-114.78	114.78	0.32	94.00	0.72	0.00	114.78	0.16	Imp Svy
28	2695.00	8.62	356.79	2687.41	-129.12	129.12	-0.74	95.00	0.37	0.00	129.12	359.67	Imp Svy
29	2790.00	8.40	355.39	2781.37	-143.15	143.15	-1.70	95.00	0.32	0.00	143.16	359.32	Imp Svy
30	2885.00	7.96	358.02	2875.40	-156.64	156.64	-2.48	95.00	0.61	0.00	156.66	359.09	Imp Svy
31	2980.00	9.01	2.77	2969.36	-170.64	170.64	-2.35	95.00	1.33	0.00	170.66	359.21	Imp Svy
32	3075.00	8.88	3.82	3063.21	-185.39	185.39	-1.50	95.00	0.22	0.00	185.39	359.54	Imp Svy
33	3170.00	8.57	4.09	3157.11	-199.76	199.76	-0.51	95.00	0.33	0.00	199.76	359.85	Imp Svy
34	3265.00	8.48	5.49	3251.06	-213.80	213.80	0.67	95.00	0.24	0.00	213.80	0.18	Imp Svy
35	3360.00	8.00	7.60	3345.08	-227.32	227.32	2.21	95.00	0.60	0.00	227.33	0.56	Imp Svy
36	3455.00	7.87	5.93	3439.17	-240.34	240.34	3.76	95.00	0.28	0.00	240.37	0.90	Imp Svy
37	3550.00	8.00	2.86	3533.26	-253.41	253.41	4.76	95.00	0.47	0.00	253.46	1.08	Imp Svy
38	3644.00	7.69	5.14	3626.38	-266.21	266.21	5.65	94.00	0.47	0.00	266.27	1.22	Imp Svy
39	3739.00	8.35	1.72	3720.45	-279.44	279.44	6.43	95.00	0.86	0.00	279.51	1.32	Imp Svy
40	3834.00	9.01	359.78	3814.36	-293.77	293.77	6.60	95.00	0.76	0.00	293.85	1.29	Imp Svy
41	3929.00	8.57	359.78	3908.24	-308.29	308.29	6.55	95.00	0.46	0.00	308.36	1.22	Imp Svy
42	4023.00	7.96	0.57	4001.27	-321.80	321.80	6.59	94.00	0.66	0.00	321.87	1.17	Imp Svy
43	4118.00	7.87	0.57	4095.36	-334.88	334.88	6.72	95.00	0.09	0.00	334.95	1.15	Imp Svy
44	4212.00	7.47	1.54	4188.52	-347.43	347.43	6.94	94.00	0.45	0.00	347.49	1.15	Imp Svy
45	4307.00	6.46	0.13	4282.82	-358.94	358.94	7.12	95.00	1.08	0.00	359.01	1.14	Imp Svy
46	4402.00	5.63	1.36	4377.29	-368.95	368.95	7.25	95.00	0.88	0.00	369.02	1.13	Imp Svy
47	4496.00	4.84	8.13	4470.90	-377.48	377.48	7.92	94.00	1.07	0.00	377.56	1.20	Imp Svy
48	4591.00	4.35	11.47	4565.59	-384.98	384.98	9.20	95.00	0.59	0.00	385.09	1.37	Imp Svy

49	4686.00	4.13	12.79	4660.33	-391.85	391.85	10.67	95.00	0.25	0.00	391.99	1.56	Imp Svy
50	4780.00	3.74	25.62	4754.11	-397.91	397.91	12.75	94.00	1.02	0.00	398.12	1.83	Imp Svy
51	4875.00	3.60	40.30	4848.92	-402.98	402.98	16.02	95.00	1.00	0.00	403.30	2.28	Imp Svy
52	4969.00	3.56	42.85	4942.74	-407.37	407.37	19.91	94.00	0.17	0.00	407.86	2.80	Imp Svy
53	5048.00	3.34	42.23	5021.59	-410.87	410.87	23.13	79.00	0.28	0.00	411.52	3.22	Imp Svy
54	5166.00	3.08	38.89	5139.41	-415.89	415.89	27.43	118.00	0.27	0.00	416.79	3.77	Imp Svy
55	5261.00	2.73	27.56	5234.29	-419.88	419.88	30.07	95.00	0.71	0.00	420.95	4.10	Imp Svy
56	5356.00	2.64	14.90	5329.18	-424.00	424.00	31.68	95.00	0.63	0.00	425.18	4.27	Imp Svy
57	5451.00	2.99	3.30	5424.07	-428.59	428.59	32.39	95.00	0.70	0.00	429.81	4.32	Imp Svy
58	5546.00	3.96	355.21	5518.89	-434.33	434.33	32.26	95.00	1.14	0.00	435.52	4.25	Imp Svy
59	5641.00	4.00	351.17	5613.66	-440.87	440.87	31.48	95.00	0.30	0.00	441.99	4.08	Imp Svy
60	5735.00	3.38	347.04	5707.47	-446.81	446.81	30.35	94.00	0.72	0.00	447.84	3.89	Imp Svy
61	5830.00	3.34	351.26	5802.31	-452.28	452.28	29.30	95.00	0.26	0.00	453.22	3.71	Imp Svy
62	5925.00	3.34	348.18	5897.15	-457.72	457.72	28.31	95.00	0.19	0.00	458.60	3.54	Imp Svy
63	6020.00	3.43	325.94	5991.98	-462.78	462.78	26.16	95.00	1.38	0.00	463.52	3.23	Imp Svy
64	6114.00	2.81	328.32	6085.84	-467.07	467.07	23.37	94.00	0.67	0.00	467.66	2.86	Imp Svy
65	6209.00	2.37	329.90	6180.75	-470.75	470.75	21.16	95.00	0.47	0.00	471.23	2.57	Imp Svy
66	6304.00	1.58	348.00	6275.69	-473.74	473.74	19.91	95.00	1.05	0.00	474.15	2.41	Imp Svy
67	6399.00	1.41	343.26	6370.66	-476.14	476.14	19.30	95.00	0.22	0.00	476.53	2.32	Imp Svy
68	6493.00	1.54	343.08	6464.63	-478.45	478.45	18.60	94.00	0.14	0.00	478.81	2.23	Imp Svy
69	6589.00	1.36	339.65	6560.60	-480.75	480.75	17.82	96.00	0.21	0.00	481.08	2.12	Imp Svy
70	6683.00	1.32	347.65	6654.57	-482.86	482.86	17.21	94.00	0.20	0.00	483.16	2.04	Imp Svy
71	6778.00	1.32	346.60	6749.54	-484.99	484.99	16.72	95.00	0.03	0.00	485.28	1.97	Imp Svy
72	6873.00	1.32	357.23	6844.52	-487.15	487.15	16.41	95.00	0.26	0.00	487.42	1.93	Imp Svy
73	6968.00	1.19	348.80	6939.50	-489.21	489.21	16.17	95.00	0.24	0.00	489.48	1.89	Imp Svy
74	7062.00	1.10	351.87	7033.48	-491.06	491.06	15.85	94.00	0.12	0.00	491.32	1.85	Imp Svy
75	7157.00	0.97	335.44	7128.46	-492.69	492.69	15.39	95.00	0.34	0.00	492.93	1.79	Imp Svy
76	7252.00	1.01	336.58	7223.45	-494.19	494.19	14.72	95.00	0.05	0.00	494.41	1.71	Imp Svy
77	7346.00	1.05	340.97	7317.43	-495.77	495.77	14.11	94.00	0.09	0.00	495.97	1.63	Imp Svy
78	7441.00	0.84	313.99	7412.42	-497.07	497.07	13.32	95.00	0.51	0.00	497.25	1.54	Imp Svy
79	7536.00	1.19	305.99	7507.41	-498.14	498.14	12.03	95.00	0.40	0.00	498.28	1.38	Imp Svy
80	7630.00	1.32	300.28	7601.38	-499.26	499.26	10.30	94.00	0.19	0.00	499.36	1.18	Imp Svy
81	7725.00	1.10	310.91	7696.36	-500.41	500.41	8.67	95.00	0.33	0.00	500.48	0.99	Imp Svy
82	7819.00	0.66	313.99	7790.35	-501.37	501.37	7.59	94.00	0.47	0.00	501.43	0.87	Imp Svy
83	7914.00	0.40	307.22	7885.35	-501.95	501.95	6.94	95.00	0.28	0.00	502.00	0.79	Imp Svy
84	8008.00	0.22	354.68	7979.35	-502.33	502.33	6.66	94.00	0.32	0.00	502.38	0.76	Imp Svy
85	8103.00	0.31	81.87	8074.35	-502.55	502.55	6.90	95.00	0.39	0.00	502.60	0.79	Imp Svy
86	8197.00	0.75	83.89	8168.34	-502.65	502.65	7.76	94.00	0.47	0.00	502.71	0.88	Imp Svy
87	8292.00	1.10	80.99	8263.33	-502.86	502.86	9.28	95.00	0.37	0.00	502.95	1.06	Imp Svy
88	8387.00	1.45	92.68	8358.30	-502.95	502.95	11.38	95.00	0.46	0.00	503.08	1.30	Imp Svy
89	8481.00	1.36	98.40	8452.28	-502.73	502.73	13.67	94.00	0.18	0.00	502.91	1.56	Imp Svy
90	8576.00	1.49	88.46	8547.25	-502.60	502.60	16.02	95.00	0.29	0.00	502.85	1.83	Imp Svy
91	8670.00	1.67	93.82	8641.21	-502.54	502.54	18.61	94.00	0.25	0.00	502.88	2.12	Imp Svy
92	8765.00	2.07	83.45	8736.16	-502.64	502.64	21.70	95.00	0.55	0.00	503.11	2.47	Imp Svy
93	8859.00	2.55	85.30	8830.08	-503.01	503.01	25.47	94.00	0.52	0.00	503.65	2.90	Imp Svy
94	8954.00	1.19	83.98	8925.03	-503.28	503.28	28.55	95.00	1.43	0.00	504.09	3.25	Imp Svy
95	9049.00	1.45	73.87	9020.01	-503.72	503.72	30.69	95.00	0.37	0.00	504.65	3.49	Imp Svy
96	9143.00	1.76	81.43	9113.97	-504.27	504.27	33.26	94.00	0.40	0.00	505.36	3.77	Imp Svy
97	9238.00	1.85	79.24	9208.92	-504.77	504.77	36.21	95.00	0.12	0.00	506.07	4.10	Imp Svy
98	9332.00	2.20	68.34	9302.86	-505.72	505.72	39.38	94.00	0.55	0.00	507.25	4.45	Imp Svy
99	9427.00	3.12	74.93	9397.76	-507.06	507.06	43.57	95.00	1.02	0.00	508.93	4.91	Imp Svy
100	9521.00	2.24	98.40	9491.66	-507.46	507.46	47.85	94.00	1.48	0.00	509.71	5.39	Imp Svy
101	9616.00	2.55	83.63	9586.58	-507.42	507.42	51.79	95.00	0.72	0.00	510.06	5.83	Imp Svy
102	9711.00	3.21	88.02	9681.46	-507.75	507.75	56.55	95.00	0.73	0.00	510.89	6.36	Imp Svy
103	9805.00	4.31	77.57	9775.25	-508.60	508.60	62.63	94.00	1.37	0.00	512.44	7.02	Imp Svy
104	9900.00	4.57	70.53	9869.97	-510.63	510.63	69.68	95.00	0.64	0.00	515.36	7.77	Imp Svy
105	9994.00	3.47	70.53	9963.74	-512.83	512.83	75.90	94.00	1.17	0.00	518.41	8.42	Imp Svy
106	10089.00	3.38	73.79	10058.57	-514.57	514.57	81.30	95.00	0.23	0.00	520.95	8.98	Imp Svy
107	10184.00	3.91	74.05	10153.38	-516.24	516.24	87.10	95.00	0.56	0.00	523.54	9.58	Imp Svy
108	10231.00	4.62	78.00	10200.24	-517.07	517.07	90.49	47.00	1.63	0.00	524.93	9.93	Imp Svy
109	10278.00	4.92	78.53	10247.08	-517.87	517.87	94.32	47.00	0.65	0.00	526.39	10.32	Imp Svy
110	10373.00	8.88	169.85	10341.59	-511.44	511.44	99.62	95.00	10.78	0.00	521.06	11.02	Imp Svy
111	10467.00	18.81	180.57	10432.76	-489.09	489.09	100.75	94.00	10.87	0.00	499.36	11.64	Imp Svy
112	10562.00	25.49	192.61	10520.74	-453.77	453.77	96.13	95.00	8.47	0.00	463.84	11.96	Imp Svy
113	10656.00	38.20	188.57	10600.44	-405.08	405.08	87.34	94.00	13.70	0.00	414.39	12.17	Imp Svy
114	10751.00	49.89	183.21	10668.63	-339.52	339.52	80.91	95.00	12.91	0.00	349.02	13.40	Imp Svy
115	10846.00	57.71	185.67	10724.70	-263.16	263.16	74.90	95.00	8.49	0.00	273.61	15.89	Imp Svy
116	10940.00	69.27	184.97	10766.58	-179.55	179.55	67.14	94.00	12.32	0.00	191.69	20.50	Imp Svy

117	11035.00	79.43	182.24	10792.18	-88.37	88.37	61.45	95.00	11.05	0.00	107.64	34.81	Imp Svy
118	11130.00	87.82	180.75	10802.72	5.92	-5.92	58.99	95.00	8.97	0.00	59.29	95.73	Imp Svy
119	11224.00	88.79	180.31	10805.50	99.87	-99.87	58.13	94.00	1.13	0.00	115.56	149.80	Imp Svy
120	11319.00	91.78	178.02	10805.03	194.84	-194.84	59.51	95.00	3.96	0.00	203.73	163.02	Imp Svy
121	11413.00	90.15	175.65	10803.45	288.68	-288.68	64.70	94.00	3.06	0.00	295.84	167.37	Imp Svy
122	11508.00	90.77	176.00	10802.68	383.42	-383.42	71.61	95.00	0.75	0.00	390.05	169.42	Imp Svy
123	11602.00	91.82	176.27	10800.56	477.18	-477.18	77.95	94.00	1.15	0.00	483.51	170.72	Imp Svy
124	11697.00	90.51	177.23	10798.63	572.01	-572.01	83.33	95.00	1.71	0.00	578.05	171.71	Imp Svy
125	11792.00	90.51	177.67	10797.78	666.91	-666.91	87.56	95.00	0.46	0.00	672.63	172.52	Imp Svy
126	11887.00	88.75	177.50	10798.40	761.82	-761.82	91.56	95.00	1.86	0.00	767.30	173.15	Imp Svy
127	11981.00	89.85	177.50	10799.54	855.72	-855.72	95.66	94.00	1.17	0.00	861.05	173.62	Imp Svy
128	12075.00	88.22	178.20	10801.13	949.64	-949.64	99.19	94.00	1.89	0.00	954.80	174.04	Imp Svy
129	12170.00	88.66	178.11	10803.71	1044.55	-1044.55	102.25	95.00	0.47	0.00	1049.55	174.41	Imp Svy
130	12265.00	89.89	176.79	10804.92	1139.45	-1139.45	106.47	95.00	1.90	0.00	1144.41	174.66	Imp Svy
131	12359.00	88.44	177.15	10806.29	1233.30	-1233.30	111.44	94.00	1.59	0.00	1238.33	174.84	Imp Svy
132	12454.00	87.65	179.08	10809.53	1328.19	-1328.19	114.56	95.00	2.19	0.00	1333.12	175.07	Imp Svy
133	12549.00	88.97	178.82	10812.33	1423.13	-1423.13	116.30	95.00	1.42	0.00	1427.88	175.33	Imp Svy
134	12644.00	87.30	180.31	10815.42	1518.07	-1518.07	117.03	95.00	2.36	0.00	1522.58	175.59	Imp Svy
135	12738.00	87.82	179.87	10819.42	1611.99	-1611.99	116.88	94.00	0.72	0.00	1616.22	175.85	Imp Svy
136	12833.00	88.88	179.25	10822.16	1706.94	-1706.94	117.61	95.00	1.29	0.00	1710.99	176.06	Imp Svy
137	12927.00	86.29	179.52	10826.12	1800.85	-1800.85	118.62	94.00	2.77	0.00	1804.75	176.23	Imp Svy
138	13022.00	86.73	179.69	10831.90	1895.67	-1895.67	119.27	95.00	0.50	0.00	1899.42	176.40	Imp Svy
139	13117.00	88.13	179.25	10836.16	1990.56	-1990.56	120.15	95.00	1.54	0.00	1994.19	176.55	Imp Svy
140	13212.00	89.76	178.20	10837.91	2085.52	-2085.52	122.26	95.00	2.04	0.00	2089.10	176.64	Imp Svy
141	13307.00	87.96	178.99	10839.80	2180.47	-2180.47	124.59	95.00	2.07	0.00	2184.03	176.73	Imp Svy
142	13402.00	88.53	178.11	10842.71	2275.39	-2275.39	126.99	95.00	1.10	0.00	2278.93	176.81	Imp Svy
143	13496.00	90.02	177.58	10843.90	2369.32	-2369.32	130.53	94.00	1.68	0.00	2372.91	176.85	Imp Svy
144	13591.00	88.88	177.58	10844.81	2464.22	-2464.22	134.54	95.00	1.20	0.00	2467.89	176.87	Imp Svy
145	13686.00	87.65	178.82	10847.69	2559.13	-2559.13	137.52	95.00	1.84	0.00	2562.82	176.92	Imp Svy
146	13781.00	89.10	177.58	10850.38	2654.04	-2654.04	140.50	95.00	2.01	0.00	2657.76	176.97	Imp Svy
147	13876.00	87.78	179.25	10852.97	2748.96	-2748.96	143.13	95.00	2.24	0.00	2752.69	177.02	Imp Svy
148	13971.00	88.84	178.64	10855.77	2843.91	-2843.91	144.88	95.00	1.29	0.00	2847.59	177.08	Imp Svy
149	14066.00	87.87	179.96	10858.50	2938.86	-2938.86	146.04	95.00	1.72	0.00	2942.48	177.16	Imp Svy
150	14161.00	89.10	179.61	10861.01	3033.82	-3033.82	146.40	95.00	1.35	0.00	3037.35	177.24	Imp Svy
151	14256.00	90.33	179.43	10861.48	3128.81	-3128.81	147.19	95.00	1.31	0.00	3132.27	177.31	Imp Svy
152	14351.00	88.31	179.96	10862.61	3223.80	-3223.80	147.70	95.00	2.20	0.00	3227.18	177.38	Imp Svy
153	14446.00	89.80	179.78	10864.18	3318.78	-3318.78	147.91	95.00	1.58	0.00	3322.08	177.45	Imp Svy
154	14541.00	89.01	180.40	10865.16	3413.78	-3413.78	147.76	95.00	1.06	0.00	3416.97	177.52	Imp Svy
155	14607.00	87.87	180.49	10866.96	3479.75	-3479.75	147.25	66.00	1.73	150.80	3482.86	177.58	MWD Run 5
156	14638.00	86.55	182.51	10868.47	3510.70	-3510.70	146.45	31.00	7.78	152.60	3513.75	177.61	MWD Run 5
157	14670.00	86.86	183.03	10870.31	3542.61	-3542.61	144.90	32.00	1.91	152.60	3545.57	177.66	MWD Run 5
158	14765.00	88.75	182.15	10873.95	3637.44	-3637.44	140.61	95.00	2.19	154.40	3640.15	177.79	MWD Run 5
159	14859.00	90.64	182.51	10874.46	3731.35	-3731.35	136.78	94.00	2.05	156.20	3733.86	177.90	MWD Run 5
160	14954.00	88.92	180.75	10874.82	3826.31	-3826.31	134.09	95.00	2.58	158.00	3828.66	177.99	MWD Run 5
161	15049.00	90.51	180.84	10875.30	3921.29	-3921.29	132.77	95.00	1.67	156.20	3923.54	178.06	MWD Run 5
162	15144.00	88.79	180.31	10875.88	4016.28	-4016.28	131.82	95.00	1.89	156.20	4018.45	178.12	MWD Run 5
163	15239.00	90.55	179.78	10876.43	4111.28	-4111.28	131.75	95.00	1.93	159.80	4113.39	178.16	MWD Run 5
164	15333.00	90.24	180.22	10875.78	4205.28	-4205.28	131.74	94.00	0.57	159.80	4207.34	178.21	MWD Run 5
165	15428.00	88.92	179.96	10876.47	4300.27	-4300.27	131.60	95.00	1.42	159.80	4302.28	178.25	MWD Run 5
166	15523.00	90.59	179.87	10876.87	4395.27	-4395.27	131.74	95.00	1.76	158.00	4397.24	178.28	MWD Run 5
167	15618.00	89.14	179.34	10877.09	4490.26	-4490.26	132.39	95.00	1.62	159.80	4492.21	178.31	MWD Run 5
168	15712.00	90.15	178.64	10877.66	4584.24	-4584.24	134.05	94.00	1.31	161.60	4586.20	178.33	MWD Run 5
169	15807.00	89.71	179.78	10877.77	4679.23	-4679.23	135.36	95.00	1.29	161.60	4681.19	178.34	MWD Run 5
170	15902.00	91.03	179.87	10877.15	4774.23	-4774.23	135.64	95.00	1.39	163.40	4776.15	178.37	MWD Run 5
171	15996.00	90.02	179.87	10876.29	4868.22	-4868.22	135.86	94.00	1.08	161.60	4870.12	178.40	MWD Run 5
172	16091.00	91.65	179.34	10874.90	4963.21	-4963.21	136.51	95.00	1.80	163.40	4965.08	178.42	MWD Run 5
173	16185.00	90.68	179.69	10872.99	5057.18	-5057.18	137.30	94.00	1.09	163.40	5059.05	178.44	MWD Run 5
174	16280.00	89.10	179.17	10873.18	5152.17	-5152.17	138.25	95.00	1.76	163.40	5154.03	178.46	MWD Run 5
175	16374.00	90.64	178.99	10873.39	5246.16	-5246.16	139.76	94.00	1.65	165.20	5248.02	178.47	MWD Run 5
176	16469.00	89.63	178.99	10873.17	5341.14	-5341.14	141.43	95.00	1.06	165.20	5343.01	178.48	MWD Run 5
177	16563.00	88.53	179.43	10874.69	5435.12	-5435.12	142.73	94.00	1.26	165.20	5436.99	178.50	MWD Run 5
178	16658.00	90.24	179.34	10875.71	5530.11	-5530.11	143.74	95.00	1.81	167.00	5531.97	178.51	MWD Run 5
179	16752.00	88.88	178.02	10876.43	5624.07	-5624.07	145.90	94.00	2.02	167.00	5625.97	178.51	MWD Run 5
180	16847.00	87.65	177.85	10879.31	5718.97	-5718.97	149.32	95.00	1.31	167.00	5720.92	178.50	MWD Run 5
181	16941.00	89.32	177.85	10881.80	5812.86	-5812.86	152.85	94.00	1.78	167.00	5814.87	178.49	MWD Run 5
182	17036.00	91.78	177.41	10880.88	5907.77	-5907.77	156.78	95.00	2.63	167.00	5909.85	178.48	MWD Run 5
183	17130.00	89.71	178.11	10879.66	6001.69	-6001.69	160.45	94.00	2.32	165.20	6003.83	178.47	MWD Run 5
184	17225.00	87.87	178.64	10881.66	6096.62	-6096.62	163.15	95.00	2.02	167.00	6098.80	178.47	MWD Run 5

185	17320.00	90.11	178.64	10883.34	6191.57	-6191.57	165.40	95.00	2.36	167.00	6193.78	178.47	MWD Run 5
186	17415.00	93.14	178.55	10880.64	6286.50	-6286.50	167.73	95.00	3.19	168.80	6288.73	178.47	MWD Run 5
187	17509.00	92.09	180.05	10876.35	6380.39	-6380.39	168.88	94.00	1.94	167.00	6382.62	178.48	MWD Run 5
188	17604.00	90.99	180.84	10873.80	6475.35	-6475.35	168.15	95.00	1.43	167.00	6477.53	178.51	MWD Run 5
189	17699.00	88.70	180.75	10874.06	6570.33	-6570.33	166.83	95.00	2.41	167.00	6572.45	178.55	MWD Run 5
190	17793.00	87.65	181.19	10877.05	6664.27	-6664.27	165.24	94.00	1.22	168.80	6666.32	178.58	MWD Run 5
191	17888.00	90.24	180.92	10878.80	6759.23	-6759.23	163.49	95.00	2.74	168.80	6761.21	178.61	MWD Run 5
192	17983.00	88.57	180.40	10879.78	6854.21	-6854.21	162.40	95.00	1.84	168.80	6856.14	178.64	MWD Run 5
193	18078.00	89.71	180.40	10881.20	6949.20	-6949.20	161.74	95.00	1.20	170.60	6951.08	178.67	MWD Run 5
194	18172.00	89.36	181.01	10881.96	7043.19	-7043.19	160.58	94.00	0.75	170.60	7045.02	178.69	MWD Run 5
195	18267.00	91.16	180.57	10881.52	7138.17	-7138.17	159.27	95.00	1.95	172.40	7139.95	178.72	MWD Run 5
196	18361.00	90.55	179.78	10880.12	7232.16	-7232.16	158.98	94.00	1.07	170.60	7233.91	178.74	MWD Run 5
197	18456.00	89.10	179.96	10880.41	7327.16	-7327.16	159.19	95.00	1.54	170.60	7328.89	178.76	MWD Run 5
198	18551.00	90.51	179.34	10880.74	7422.15	-7422.15	159.77	95.00	1.62	172.40	7423.87	178.77	MWD Run 5
199	18645.00	89.23	178.82	10880.95	7516.14	-7516.14	161.29	94.00	1.47	172.40	7517.87	178.77	MWD Run 5
200	18740.00	91.25	178.99	10880.55	7611.12	-7611.12	163.10	95.00	2.14	174.20	7612.86	178.77	MWD Run 5
201	18804.00	92.66	178.64	10878.37	7675.06	-7675.06	164.43	64.00	2.27	172.40	7676.82	178.77	MWD Run 5
PTB	18855.00	92.66	178.64	10878.37	7675.06	-7675.06	164.43	51.00	2.27	172.40	7676.82	178.77	PTB

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

Well Name: BELL LAKE UNIT SOUTH	Well Location: T24S / R33E / SEC 1 / NESE / 32.246122 / -103.521195	County or Parish/State: LEA / NM
Well Number: 206H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMLC063798	Unit or CA Name: BELL LAKE	Unit or CA Number: NMNM68292X
US Well Number: 3002545859	Well Status: Producing Oil Well	Operator: KAISER FRANCIS OIL COMPANY

Subsequent Report

Sundry ID: 2672183

Type of Submission: Subsequent Report	Type of Action: Hydraulic Fracturing
Date Sundry Submitted: 05/17/2022	Time Sundry Submitted: 01:53
Date Operation Actually Began: 03/24/2022	

Actual Procedure: 3/22: Test casing to 9,900#. Test annulus to 1,000#. TCP Stage 1: 18,579' - 18,699' OA w/5, 3-1/8" TCP guns. BD perms @ 5,184#. Establish injection into perms: 10.2 BPM @ 6,303# for 30 bbls. SD and isolate well. ISIP 4,420, 5 min 4,113#, 10 min 3,960#, 15 min 3,884#. 3/22-4/22: Stage-Frac Lateral 11,130' - 18,699' in 43 stages w/ 417,008 bbls fluid carrying 18,298,013# sd. 5/22: Drill out all plugs with 2-7/8" PH6 Workstring and Drillout BHA. TLTR: 428,604 bbls. SICP: 2,800#.

SR Attachments

Actual Procedure

Bell_Lake_Unit_South_206H_WB_20220517135253.pdf

Well Name: BELL LAKE UNIT SOUTH	Well Location: T24S / R33E / SEC 1 / NESE / 32.246122 / -103.521195	County or Parish/State: LEA / NM
Well Number: 206H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMLC063798	Unit or CA Name: BELL LAKE	Unit or CA Number: NMNM68292X
US Well Number: 3002545859	Well Status: Producing Oil Well	Operator: KAISER FRANCIS OIL COMPANY

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: CHRISTINA OPFER	Signed on: MAY 17, 2022 01:53 PM
Name: KAISER FRANCIS OIL COMPANY	
Title: Regulatory Manager	
Street Address: 6733 S YALE AVENUE	
City: TULSA	State: OK
Phone: (918) 491-4468	
Email address: CHRISTINAO@KFOC.NET	

Field

Representative Name: Jeremy Parent		
Street Address: 88 Shell Rd		
City: Jal	State: NM	Zip: 88252
Phone: (580)504-2593		
Email address: jeremyp@kfoc.net		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 07/06/2022
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
		1. WELL API NO.			30-025-45859					
		2. Type of Lease			☐ STATE ☐ FEE ☒ FED/INDIAN					
		3. State Oil & Gas Lease No.								
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing:					5. Lease Name or Unit Agreement Name					
☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)					Bell Lake Unit South					
7. Type of Completion:					6. Well Number:					
☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER _____					206H					
8. Name of Operator					9. OGRID					
Kaiser-Francis Oil Company					12361					
10. Address of Operator					11. Pool name or Wildcat					
P.O. Box 21468 Tulsa, OK 74121-1468					Bell Lake; Bone Spring, South					
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	I	1	24S	33E		2,549	S	1,246	E	Lea
BH:	P	12	24S	33E		157	S	1,142	E	Lea
13. Date Spudded	14. Date T.D. Reached	15. Date Rig Released			16. Date Completed (Ready to Produce)			17. Elevations (DF and RKB, RT, GR, etc.)		
6/11/21	6/22/21	6/24/21			4/9/22			3,630 GR		
18. Total Measured Depth of Well		19. Plug Back Measured Depth			20. Was Directional Survey Made?			21. Type Electric and Other Logs Run		
18,855' MD		18,733' MD			YES			GR		
22. Producing Interval(s), of this completion - Top, Bottom, Name										
11,130'-18,699'										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13 3/8"		54.5#		1,344'		17 1/2"		1,065 sx		
9 5/8"		40#		5,096'		12 1/4"		1,340 sx		
5 1/2"		20#		18,829'		8 3/4"		2,465 sx		
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET		PACKER SET	
none	-	-	-	-		none	-		-	
26. Perforation record (interval, size, and number)						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
11,130'-18,699', 0.41", 2064 holes										
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						11,130'-18,699'		417,008 bbls fluid + 18,298,013# sd		
28. PRODUCTION										
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)				
5/7/22		Flowing				Prod				
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio			
5/7/22	24	16/64"		100	421	1,330	44			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
	2,975									
29. Disposition of Gas (Sold, used for fuel, vented, etc.)							30. Test Witnessed By			
Sold										
31. List Attachments										
C-104 NW, C-102 As-Drilled w/HSU, C-103 Completion, Final Svy., WBD										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date: 2/19/21			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude			Longitude			NAD83				
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature <u>Christina Opfer</u>		Printed Name <u>Christina Opfer</u>		Title <u>Regulatory Manager</u>		Date <u>6/23/2022</u>				
E-mail Address <u>ChristinaO@kfoc.net</u>										

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy_____	T. Canyon_____	T. Ojo Alamo_____	T. Penn A"_____
T. Salt_____	T. Strawn_____	T. Kirtland _____	T. Penn. "B"_____
B. Salt_____	T. Atoka_____	T. Fruitland_____	T. Penn. "C"_____
T. Yates_____	T. Miss_____	T. Pictured Cliffs_____	T. Penn. "D"_____
T. 7 Rivers_____	T. Devonian_____	T. Cliff House_____	T. Leadville_____
T. Queen_____	T. Silurian_____	T. Menefee_____	T. Madison_____
T. Grayburg_____	T. Montoya_____	T. Point Lookout_____	T. Elbert_____
T. San Andres_____	T. Simpson_____	T. Mancos_____	T. McCracken_____
T. Glorieta_____	T. McKee_____	T. Gallup_____	T. Ignacio Otzte_____
T. Paddock_____	T. Ellenburger_____	Base Greenhorn_____	T. Granite _____
T. Blinebry_____	T. Gr. Wash_____	T. Dakota_____	
T. Tubb_____	T. Delaware Sand_____	T. Morrison_____	
T. Drinkard_____	T. Bone Springs_____	T. Todilto_____	
T. Abo_____	T. _____	T. Entrada_____	
T. Wolfcamp_____	T. _____	T. Wingate_____	
T. Penn_____	T. _____	T. Chinle_____	
T. Cisco (Bough C)_____	T. _____	T. Permian_____	

OIL OR GAS SANDS OR
ZONES

No. 1, from.....to.....

No. 3, from.....to.....

No. 2, from.....to.....

No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....

No. 2, from.....to.....feet.....

No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From (MD)	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
1,310			Rustler, Sand				
5,207			Top Delaware, Sand				
8,686			Lower Brushy Canyon, Sand				
8,853			Upper Avalon, Sand				
9,837			Bone Spring 1 st , Sand				
10,325			Bone Spring 2 nd , Lime				
10,538			Bone Spring 2 nd , Sand				

11130	11247	11	130	11	247	11,130'-11,247'	11,130'-11,11,307'-11,11,485'-11,11,662'-11,11,840'-11,12,017'-12,12,195'-12,
11307	11425	11	307	11	425	11,307'-11,425'	
11485	11602	11	485	11	602	11,485'-11,602'	
11662	11778	11	662	11	778	11,662'-11,778'	
11840	11957	11	840	11	957	11,840'-11,957'	
12017	12133	12	017	12	133	12,017'-12,133'	
12195	12312	12	195	12	312	12,195'-12,312'	
12372	12490	12	372	12	490	12,372'-12,490'	
12550	12667	12	550	12	667	12,550'-12,667'	
12727	12845	12	727	12	845	12,727'-12,845'	
12905	13022	12	905	13	022	12,905'-13,022'	
13082	13200	13	082	13	200	13,082'-13,200'	
13264	13377	13	264	13	377	13,264'-13,377'	
13437	13555	13	437	13	555	13,437'-13,555'	
13615	13730	13	615	13	730	13,615'-13,730'	
13792	13909	13	792	13	909	13,792'-13,909'	
13973	14087	13	973	14	087	13,973'-14,087'	
14147	14264	14	147	14	264	14,147'-14,264'	
14324	14442	14	324	14	442	14,324'-14,442'	
14502	14619	14	502	14	619	14,502'-14,619'	
14679	14797	14	679	14	797	14,679'-14,797'	
14857	14974	14	857	14	974	14,857'-14,974'	
15034	15152	15	034	15	152	15,034'-15,152'	
15212	15327	15	212	15	327	15,212'-15,327'	
15389	15507	15	389	15	507	15,389'-15,507'	
15567	15684	15	567	15	684	15,567'-15,684'	
15744	15862	15	744	15	862	15,744'-15,862'	
15922	16039	15	922	16	039	15,922'-16,039'	
16099	16215	16	099	16	215	16,099'-16,215'	
16276	16395	16	276	16	395	16,276'-16,395'	
16454	16571	16	454	16	571	16,454'-16,571'	
16631	16749	16	631	16	749	16,631'-16,749'	
16809	16926	16	809	16	926	16,809'-16,926'	
16986	17100	16	986	17	100	16,986'-17,100'	

17164	17281	17	164	17	281	17,164'-17,281'
17341	17459	17	341	17	459	17,341'-17,459'
17520	17638	17	520	17	638	17,520'-17,638'
17696	17814	17	696	17	814	17,696'-17,814'
17878	17991	17	878	17	991	17,878'-17,991'
18051	18165	18	051	18	165	18,051'-18,165'
18229	18346	18	229	18	346	18,229'-18,346'
18406	18524	18	406	18	524	18,406'-18,524'
18579	18699	18	579	18	699	18,579'-18,699'

12,372'-12,12,550'-12,12,727'-12,12,905'-13,13,082'-13,13,264'-13,13,437'-13,13,615'-13,13,792'-13,13,973'-14,14,147'-14,14,324'-14,14,502'-14,

14,679'-14, 14,857'-14, 15,034'-15, 15,212'-15, 15,389'-15, 15,567'-15, 15,744'-15, 15,922'-16, 16,099'-16, 16,276'-16, 16,454'-16, 16,631'-16, 16,809'-16,

16,986'-17,17,164'-17,17,341'-17,17,520'-17,17,696'-17,17,878'-17,18,051'-18,18,229'-18,18,406'-18,18,579'-18,699'

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 124628

ACKNOWLEDGMENTS

Operator: KAISER-FRANCIS OIL CO PO Box 21468 Tulsa, OK 741211468	OGRID: 12361
	Action Number: 124628
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 124628

CONDITIONS

Operator: KAISER-FRANCIS OIL CO PO Box 21468 Tulsa, OK 741211468	OGRID: 12361
	Action Number: 124628
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
crystal.walker	None	9/17/2025