

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Kaiser-Francis Oil Company P.O. Box 21468, Tulsa, OK 74121-1468		² OGRID Number 12361
		³ Reason for Filing Code; Effective Date New Well; 4/28/22
⁴ API Number 30-025-48205	⁵ Pool Name Bell Lake; Wolfcamp, South	⁶ Pool Code 98266
⁷ Property Code 316707	⁸ Property Name Bell Lake Unit South	⁹ Well Number 403H

II. ¹⁰ Surface Location

UL or lot no. F	Section 1	Township 24S	Range 33E	Lot Idn	Feet from the 2,548	North/South Line North	Feet from the 2,028	East/West line West	County Lea
--------------------	--------------	-----------------	--------------	---------	------------------------	---------------------------	------------------------	------------------------	---------------

¹¹ Bottom Hole Location

UL or lot no. N	Section 12	Township 24S	Range 33E	Lot Idn	Feet from the 102	North/South line South	Feet from the 2,346	East/West line West	County Lea
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 4/21/2022	¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date		

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
	Markwest Tornado GP, LLC	G
	1515 Araphoe St., Suite 1600 Denver, CO 80202	
	Plains Pipeline LP	O
	333 Clay St., #1600 Houston, TX 77002	

IV. Well Completion Data

²¹ Spud Date 2/20/2021	²² Ready Date 4/14/2022	²³ TD 19,836’ MD/ 11,852’ TVD	²⁴ PBDT 19,649’ MD/ 11,851’ TVD	²⁵ Perforations 12,098’-19,618’	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement	
17 ½”		13 ¾”	1,380’	1,030	
12 ¼”		10 ¾”	5,010’	840	
9 7/8”		7 5/8”	11,090’	1,200	
6 ¾”		5 ½”	19,798’	1,535	

V. Well Test Data

³¹ Date New Oil 4/29/22	³² Gas Delivery Date 4/28/22	³³ Test Date 4/28/22	³⁴ Test Length 24 hrs.	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 4,100
³⁷ Choke Size 18/64”	³⁸ Oil 707	³⁹ Water 1,752	⁴⁰ Gas 1,319		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Christina Opfer</i>			OIL CONSERVATION DIVISION		
Printed name: Christina Opfer			Approved by:		
Title: Regulatory Manager			Title:		
E-mail Address: ChristinaO@kfoc.net			Approval Date:		
Date: 5/5/2022		Phone: 918-491-4468			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-48205	² Pool Code 98266	³ Pool Name Bell Lake; Wolfcamp, South
⁴ Property Code 316707	⁵ Property Name BELL LAKE UNIT SOUTH	
⁷ OGRID No. 12361	⁸ Operator Name KAISER-FRANCIS OIL COMPANY	⁶ Well Number 403H ⁹ Elevation 3628.3

¹⁰ Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
F	1	24 S	33 E		2548	NORTH	2028	WEST	LEA

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	12	24 S	33 E		102	SOUTH	2346	WEST	LEA

¹² Dedicated Acres	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
480			R-14601

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



Intent ☐ As Drilled ☒

API # 30-025-48205		
Operator Name: KAISER-FRANCIS OIL COMPANY	Property Name: BELL LAKE UNIT SOUTH	Well Number 403H

Kick Off Point (KOP)

UL F	Section 1	Township 24S	Range 33E	Lot	Feet 2234	From N/S NORTH	Feet 2367	From E/W WEST	County LEA
Latitude 32.2477127					Longitude 103.5269578			NAD 83	

First Take Point (FTP)

UL K	Section 1	Township 24S	Range 33E	Lot	Feet 2543	From N/S SOUTH	Feet 2349	From E/W WEST	County LEA
Latitude 32.2463562					Longitude 103.5270204			NAD 83	

Last Take Point (LTP)

UL N	Section 12	Township 24S	Range 33E	Lot	Feet 302	From N/S SOUTH	Feet 2355	From E/W WEST	County LEA
Latitude 32.2256699					Longitude 103.5269924			NAD 83	

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☒

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API # 30-025-45521		
Operator Name: Kaiser-Francis Oil Company	Property Name: Bell Lake Unit South	Well Number 401H

KZ 06/29/2018

KAISER FRANCIS OIL CO.
BELL LAKE UNIT S. 403H - HORIZONTAL

LEA COUNTY, N.M. 27

SEC 1-T24S-R33E

Your Ref:

Measured Depth (ft)	Incl.	Azim.	Vertical Depth (ft)	Northings (ft)	Eastings (ft)	LATDEC (ft)	LONGDEC (dega/100ft)	Vertical Section	Dogleg Rate
0.00	0.00	0.00	0.00	0.00	0.00	32.25	-103.53	0.00	0.00
139.00	0.70	217.70	139.00	-0.67	-0.52	32.25	-103.53	0.67	0.50
237.00	1.01	253.21	236.99	-1.39	-1.71	32.25	-103.53	1.39	0.61
328.00	0.57	239.68	327.98	-1.86	-2.87	32.25	-103.53	1.86	0.52
420.00	0.62	248.82	419.97	-2.27	-3.73	32.25	-103.53	2.27	0.12
511.00	0.62	253.47	510.97	-2.58	-4.66	32.25	-103.53	2.58	0.06
603.00	0.35	219.37	602.96	-2.94	-5.32	32.25	-103.53	2.94	0.42
695.00	0.18	210.67	694.96	-3.28	-5.57	32.25	-103.53	3.28	0.19
786.00	0.26	137.46	785.96	-3.56	-5.50	32.25	-103.53	3.56	0.30
876.00	0.26	133.24	875.96	-3.85	-5.21	32.25	-103.53	3.85	0.02
968.00	0.31	118.56	967.96	-4.11	-4.84	32.25	-103.53	4.11	0.10
1059.00	0.70	108.02	1058.96	-4.40	-4.10	32.25	-103.53	4.40	0.44
1151.00	0.57	111.88	1150.95	-4.75	-3.14	32.25	-103.53	4.75	0.15
1243.00	0.62	108.63	1242.95	-5.08	-2.24	32.25	-103.53	5.08	0.07
1327.00	0.71	101.10	1326.94	-5.32	-1.30	32.25	-103.53	5.32	0.15
1440.00	0.40	80.59	1439.93	-5.39	-0.23	32.25	-103.53	5.39	0.32
1534.00	0.44	3.34	1533.93	-4.98	0.12	32.25	-103.53	4.98	0.56
1629.00	0.62	0.79	1628.93	-4.10	0.15	32.25	-103.53	4.10	0.19
1724.00	0.53	350.42	1723.92	-3.15	0.08	32.25	-103.53	3.15	0.14
1819.00	0.92	35.42	1818.92	-2.10	0.45	32.25	-103.53	2.10	0.70
1914.00	2.07	30.23	1913.88	0.01	1.76	32.25	-103.53	-0.01	1.22
2009.00	3.43	32.43	2008.77	3.89	4.14	32.25	-103.53	-3.89	1.44
2104.00	4.79	34.54	2103.53	9.55	7.92	32.25	-103.53	-9.55	1.44
2198.00	6.81	26.63	2197.04	17.77	12.64	32.25	-103.53	-17.77	2.31
2293.00	8.35	24.43	2291.21	29.09	18.02	32.25	-103.53	-29.09	1.65
2388.00	9.10	26.63	2385.11	42.08	24.24	32.25	-103.53	-42.08	0.86
2483.00	9.14	27.07	2478.91	55.52	31.04	32.25	-103.53	-55.52	0.08
2578.00	9.19	31.73	2572.70	68.69	38.46	32.25	-103.53	-68.69	0.78
2673.00	9.58	36.47	2666.43	81.50	47.15	32.25	-103.53	-81.50	0.91
2862.00	8.97	38.05	2852.95	105.75	65.58	32.25	-103.53	-105.75	0.35
2957.00	8.84	35.94	2946.81	117.49	74.43	32.25	-103.53	-117.49	0.37
3052.00	8.84	37.18	3040.68	129.22	83.13	32.25	-103.53	-129.22	0.20

3147.00	8.70	35.86	3134.57	140.85	91.75	32.25	-103.53	-140.85	0.26
3242.00	8.62	36.82	3228.49	152.38	100.22	32.25	-103.53	-152.38	0.17
3337.00	8.35	36.65	3322.45	163.61	108.61	32.25	-103.53	-163.61	0.29
3432.00	8.26	39.02	3416.45	174.45	117.02	32.25	-103.53	-174.45	0.37
3526.00	8.31	38.49	3509.47	185.01	125.50	32.25	-103.53	-185.01	0.10
3621.00	7.96	40.08	3603.51	195.42	134.01	32.25	-103.53	-195.42	0.44
3716.00	6.24	43.33	3697.78	204.21	141.79	32.25	-103.53	-204.21	1.86
3811.00	6.37	40.87	3792.21	211.95	148.78	32.25	-103.53	-211.95	0.32
3906.00	5.41	42.19	3886.71	219.25	155.23	32.25	-103.53	-219.25	1.02
4001.00	4.18	36.56	3981.37	225.35	160.30	32.25	-103.53	-225.35	1.38
4096.00	4.48	40.95	4076.10	230.93	164.80	32.25	-103.53	-230.93	0.47
4191.00	3.87	38.49	4170.85	236.24	169.22	32.25	-103.53	-236.24	0.67
4285.00	2.90	37.09	4264.68	240.62	172.63	32.25	-103.53	-240.62	1.04
4380.00	3.03	40.95	4359.56	244.44	175.73	32.25	-103.53	-244.44	0.25
4475.00	2.99	50.36	4454.43	247.91	179.28	32.25	-103.53	-247.91	0.52
4570.00	3.65	39.02	4549.27	251.84	183.09	32.25	-103.53	-251.84	0.98
4665.00	3.34	44.29	4644.09	256.17	186.93	32.25	-103.53	-256.17	0.47
4760.00	3.43	50.80	4738.92	259.95	191.06	32.25	-103.53	-259.95	0.42
4855.00	3.52	57.65	4833.75	263.31	195.73	32.25	-103.53	-263.31	0.45
4950.00	3.60	70.57	4928.57	265.86	201.01	32.25	-103.53	-265.86	0.85
4962.00	3.52	65.30	4940.55	266.14	201.70	32.25	-103.53	-266.14	2.81
5036.00	3.12	69.34	5014.42	267.80	205.64	32.25	-103.53	-267.80	0.63
5131.00	3.08	68.46	5109.28	269.65	210.44	32.25	-103.53	-269.65	0.07
5226.00	2.02	65.04	5204.19	271.29	214.33	32.25	-103.53	-271.29	1.13
5321.00	1.80	60.55	5299.13	272.73	217.15	32.25	-103.53	-272.73	0.28
5416.00	1.80	57.39	5394.09	274.27	219.70	32.25	-103.53	-274.27	0.10
5511.00	1.80	54.84	5489.04	275.93	222.18	32.25	-103.53	-275.93	0.08
5605.00	1.80	55.46	5582.99	277.62	224.60	32.25	-103.53	-277.62	0.02
5700.00	1.58	54.05	5677.95	279.24	226.89	32.25	-103.53	-279.24	0.24
5795.00	1.67	52.29	5772.91	280.85	229.05	32.25	-103.53	-280.85	0.11
5890.00	1.58	54.75	5867.88	282.45	231.21	32.25	-103.53	-282.45	0.12
5985.00	1.58	53.17	5962.84	284.00	233.33	32.25	-103.53	-284.00	0.05
6079.00	1.63	52.91	6056.80	285.58	235.43	32.25	-103.53	-285.58	0.05
6174.00	1.71	50.36	6151.76	287.30	237.60	32.25	-103.53	-287.30	0.11
6269.00	1.58	49.66	6246.72	289.05	239.69	32.25	-103.53	-289.05	0.14
6364.00	1.58	54.14	6341.69	290.66	241.75	32.25	-103.53	-290.66	0.13
6459.00	1.63	53.00	6436.65	292.24	243.89	32.25	-103.53	-292.24	0.06
6554.00	1.63	52.64	6531.61	293.88	246.05	32.25	-103.53	-293.88	0.01
6649.00	1.67	51.68	6626.57	295.56	248.21	32.25	-103.53	-295.56	0.05
6744.00	1.14	70.13	6721.54	296.74	250.18	32.25	-103.53	-296.74	0.73
6838.00	0.40	98.08	6815.53	297.01	251.39	32.25	-103.53	-297.01	0.86
6933.00	0.44	93.07	6910.53	296.94	252.08	32.25	-103.53	-296.94	0.06
7028.00	0.48	87.71	7005.53	296.94	252.84	32.25	-103.53	-296.94	0.06
7123.00	0.44	106.17	7100.53	296.85	253.59	32.25	-103.53	-296.85	0.16
7218.00	0.53	108.19	7195.52	296.61	254.36	32.25	-103.53	-296.61	0.10
7313.00	0.62	116.54	7290.52	296.25	255.23	32.25	-103.53	-296.25	0.13
7408.00	0.57	120.32	7385.51	295.78	256.10	32.25	-103.53	-295.78	0.07

7503.00	0.57	111.71	7480.51	295.36	256.95	32.25	-103.53	-295.36	0.09
7597.00	0.75	116.10	7574.50	294.92	257.93	32.25	-103.53	-294.92	0.20
7692.00	0.88	123.31	7669.49	294.25	259.10	32.25	-103.53	-294.25	0.17
7787.00	0.92	125.94	7764.48	293.40	260.33	32.25	-103.53	-293.40	0.06
7882.00	0.92	125.77	7859.47	292.51	261.57	32.25	-103.53	-292.51	0.00
7977.00	1.05	126.30	7954.45	291.54	262.89	32.25	-103.53	-291.54	0.14
8072.00	1.14	127.18	8049.44	290.46	264.34	32.25	-103.53	-290.46	0.10
8166.00	1.41	121.20	8143.41	289.29	266.07	32.25	-103.53	-289.29	0.32
8261.00	1.67	119.79	8238.38	288.00	268.28	32.25	-103.53	-288.00	0.28
8356.00	1.63	121.81	8333.34	286.60	270.63	32.25	-103.53	-286.60	0.07
8451.00	1.71	118.65	8428.30	285.21	273.02	32.25	-103.53	-285.21	0.13
8546.00	1.67	124.19	8523.26	283.75	275.41	32.25	-103.53	-283.75	0.18
8641.00	1.80	119.97	8618.21	282.23	277.84	32.25	-103.53	-282.23	0.19
8736.00	1.85	119.79	8713.17	280.72	280.47	32.25	-103.53	-280.72	0.05
8831.00	1.85	113.82	8808.12	279.34	283.20	32.25	-103.53	-279.34	0.20
8925.00	1.80	124.71	8902.07	277.89	285.80	32.25	-103.53	-277.89	0.37
9020.00	1.89	127.26	8997.02	276.09	288.28	32.25	-103.53	-276.09	0.13
9115.00	2.11	125.86	9091.96	274.11	290.94	32.25	-103.53	-274.11	0.24
9210.00	2.37	121.37	9186.89	272.07	294.03	32.25	-103.53	-272.07	0.33
9305.00	2.15	111.88	9281.82	270.38	297.37	32.25	-103.53	-270.38	0.46
9400.00	2.07	49.83	9376.76	270.82	300.33	32.25	-103.53	-270.82	2.29
9495.00	2.64	60.03	9471.68	273.02	303.54	32.25	-103.53	-273.02	0.74
9589.00	2.59	49.48	9565.59	275.49	307.03	32.25	-103.53	-275.49	0.51
9684.00	3.08	31.37	9660.47	279.06	309.99	32.25	-103.53	-279.06	1.07
9779.00	3.21	43.42	9755.33	283.17	313.14	32.25	-103.53	-283.17	0.71
10064.00	2.99	31.37	10039.92	295.31	322.50	32.25	-103.53	-295.31	0.24
10159.00	2.59	25.57	10134.80	299.36	324.71	32.25	-103.53	-299.36	0.51
10254.00	1.93	14.15	10229.73	302.85	326.03	32.25	-103.53	-302.85	0.84
10349.00	1.49	26.63	10324.69	305.51	326.98	32.25	-103.53	-305.51	0.60
10443.00	1.80	34.28	10418.65	307.82	328.36	32.25	-103.53	-307.82	0.40
10538.00	1.27	20.65	10513.61	310.04	329.57	32.25	-103.53	-310.04	0.67
10633.00	1.10	15.29	10608.59	311.90	330.18	32.25	-103.53	-311.90	0.21
10728.00	1.19	25.22	10703.57	313.67	330.84	32.25	-103.53	-313.67	0.23
10823.00	1.01	12.04	10798.56	315.39	331.43	32.25	-103.53	-315.39	0.33
10918.00	1.01	13.71	10893.54	317.02	331.81	32.25	-103.53	-317.02	0.03
11013.00	1.32	40.34	10988.52	318.67	332.71	32.25	-103.53	-318.67	0.65
11063.00	1.58	43.15	11038.51	319.61	333.56	32.25	-103.53	-319.61	0.54
11150.00	2.11	47.55	11125.46	321.56	335.56	32.25	-103.53	-321.56	0.63
11245.00	2.95	180.96	11220.42	320.30	336.81	32.25	-103.53	-320.30	4.90
11340.00	2.46	165.67	11315.31	315.88	337.27	32.25	-103.53	-315.88	0.91
11435.00	10.42	169.54	11409.64	305.44	339.34	32.25	-103.53	-305.44	8.39
11530.00	23.43	179.65	11500.35	277.98	341.02	32.25	-103.53	-277.98	13.99
11624.00	37.19	178.94	11581.30	230.66	341.67	32.25	-103.53	-230.66	14.64
11719.00	47.56	179.73	11651.39	166.72	342.37	32.25	-103.53	-166.72	10.93
11814.00	57.71	181.23	11708.97	91.32	341.67	32.25	-103.53	-91.32	10.76
11909.00	66.68	185.62	11753.26	7.57	336.52	32.25	-103.53	-7.57	10.29
12004.00	87.25	183.95	11774.57	-84.17	328.90	32.25	-103.53	84.17	21.72

12098.00	90.33	184.92	11776.55	-177.86	321.63	32.25	-103.53	177.86	3.44
12193.00	89.36	185.36	11776.81	-272.47	313.12	32.25	-103.53	272.47	1.12
12288.00	90.81	184.92	11776.67	-367.09	304.61	32.25	-103.53	367.09	1.60
12383.00	84.31	179.47	11780.71	-461.84	300.97	32.25	-103.53	461.84	8.92
12478.00	85.54	178.59	11789.12	-556.45	302.57	32.25	-103.53	556.45	1.59
12572.00	89.45	178.94	11793.23	-650.32	304.59	32.24	-103.53	650.32	4.18
12667.00	86.95	177.62	11796.21	-745.23	307.44	32.24	-103.53	745.23	2.98
12762.00	87.25	177.01	11801.02	-840.00	311.89	32.24	-103.53	840.00	0.71
12857.00	88.53	176.57	11804.51	-934.78	317.20	32.24	-103.53	934.78	1.42
12952.00	88.62	175.69	11806.88	-1029.54	323.61	32.24	-103.53	1029.54	0.93
13047.00	95.12	176.57	11803.78	-1124.22	330.02	32.24	-103.53	1124.22	6.90
13142.00	90.68	176.22	11798.97	-1218.88	335.98	32.24	-103.53	1218.88	4.69
13237.00	90.29	177.45	11798.17	-1313.73	341.23	32.24	-103.53	1313.73	1.36
13331.00	92.04	176.13	11796.26	-1407.56	346.49	32.24	-103.53	1407.56	2.33
13426.00	89.01	178.15	11795.39	-1502.42	351.23	32.24	-103.53	1502.42	3.83
13521.00	88.44	178.42	11797.50	-1597.36	354.07	32.24	-103.53	1597.36	0.66
13616.00	92.92	180.17	11796.37	-1692.32	355.24	32.24	-103.53	1692.32	5.06
13711.00	92.13	181.49	11792.19	-1787.21	353.87	32.24	-103.53	1787.21	1.62
13805.00	87.03	180.17	11792.88	-1881.16	352.50	32.24	-103.53	1881.16	5.60
13900.00	87.03	178.42	11797.80	-1976.03	353.67	32.24	-103.53	1976.03	1.84
13995.00	86.51	176.66	11803.15	-2070.78	357.74	32.24	-103.53	2070.78	1.93
14090.00	89.14	177.71	11806.76	-2165.59	362.40	32.24	-103.53	2165.59	2.98
14185.00	85.71	176.57	11811.03	-2260.36	367.14	32.24	-103.53	2260.36	3.80
14280.00	86.02	177.62	11817.88	-2354.99	371.94	32.24	-103.53	2354.99	1.15
14375.00	84.97	182.02	11825.34	-2449.67	372.24	32.24	-103.53	2449.67	4.75
14469.00	88.48	181.76	11830.71	-2543.45	369.14	32.24	-103.53	2543.45	3.74
14564.00	88.66	181.49	11833.08	-2638.38	366.45	32.24	-103.53	2638.38	0.34
14659.00	88.57	181.32	11835.38	-2733.33	364.12	32.24	-103.53	2733.33	0.20
14754.00	87.30	181.05	11838.80	-2828.24	362.16	32.24	-103.53	2828.24	1.37
14849.00	90.37	181.58	11840.73	-2923.19	359.98	32.24	-103.53	2923.19	3.28
14944.00	90.77	183.69	11839.79	-3018.08	355.61	32.24	-103.53	3018.08	2.26
15039.00	87.82	181.76	11840.96	-3112.95	351.10	32.24	-103.53	3112.95	3.71
15134.00	88.00	182.19	11844.42	-3207.83	347.82	32.24	-103.53	3207.83	0.49
15229.00	86.77	180.70	11848.75	-3302.69	345.43	32.24	-103.53	3302.69	2.03
15323.00	92.13	180.70	11849.66	-3396.65	344.28	32.24	-103.53	3396.65	5.70
15418.00	88.88	180.70	11848.82	-3491.63	343.12	32.24	-103.53	3491.63	3.42
15513.00	89.54	180.61	11850.13	-3586.61	342.04	32.24	-103.53	3586.61	0.70
15608.00	90.33	180.00	11850.24	-3681.61	341.53	32.24	-103.53	3681.61	1.05
15703.00	88.57	181.14	11851.15	-3776.59	340.59	32.24	-103.53	3776.59	2.21
15798.00	87.56	180.52	11854.36	-3871.53	339.21	32.24	-103.53	3871.53	1.25
15892.00	88.09	181.05	11857.92	-3965.45	337.92	32.24	-103.53	3965.45	0.80
15987.00	84.97	179.21	11863.67	-4060.26	337.71	32.24	-103.53	4060.26	3.81
16082.00	90.55	179.56	11867.39	-4155.14	338.72	32.24	-103.53	4155.14	5.89
16177.00	89.71	179.38	11867.17	-4250.14	339.60	32.24	-103.53	4250.14	0.90
16272.00	86.51	177.01	11870.30	-4345.02	342.59	32.23	-103.53	4345.02	4.19
16367.00	86.46	179.21	11876.13	-4439.78	345.72	32.23	-103.53	4439.78	2.31
16461.00	88.09	181.93	11880.60	-4533.66	344.78	32.23	-103.53	4533.66	3.37

16556.00	92.66	185.18	11879.98	-4628.44	338.89	32.23	-103.53	4628.44	5.90
16651.00	88.70	183.34	11878.85	-4723.15	331.84	32.23	-103.53	4723.15	4.60
16746.00	92.88	182.55	11877.54	-4817.99	326.96	32.23	-103.53	4817.99	4.48
16841.00	92.04	180.79	11873.46	-4912.86	324.20	32.23	-103.53	4912.86	2.05
16936.00	88.57	180.26	11872.96	-5007.84	323.33	32.23	-103.53	5007.84	3.69
17031.00	90.07	180.00	11874.08	-5102.83	323.11	32.23	-103.53	5102.83	1.60
17126.00	90.64	182.46	11873.49	-5197.80	321.07	32.23	-103.53	5197.80	2.66
17220.00	88.35	180.88	11874.32	-5291.74	318.33	32.23	-103.53	5291.74	2.96
17315.00	93.58	179.03	11872.72	-5386.69	318.41	32.23	-103.53	5386.69	5.84
17410.00	93.89	178.42	11866.54	-5481.47	320.51	32.23	-103.53	5481.47	0.72
17505.00	93.10	178.50	11860.74	-5576.26	323.06	32.23	-103.53	5576.26	0.84
17600.00	85.41	176.83	11861.98	-5671.09	326.93	32.23	-103.53	5671.09	8.28
17644.00	87.78	179.03	11864.59	-5714.98	328.51	32.23	-103.53	5714.98	7.34
17739.00	92.44	180.35	11864.41	-5809.95	329.03	32.23	-103.53	5809.95	5.10
17834.00	90.24	179.56	11862.19	-5904.92	329.10	32.23	-103.53	5904.92	2.46
17928.00	87.91	177.10	11863.71	-5998.85	331.84	32.23	-103.53	5998.85	3.60
18023.00	89.36	177.98	11865.97	-6093.74	335.92	32.23	-103.53	6093.74	1.79
18118.00	89.36	177.10	11867.03	-6188.64	339.99	32.23	-103.53	6188.64	0.93
18213.00	89.58	176.31	11867.91	-6283.48	345.45	32.23	-103.53	6283.48	0.86
18308.00	89.58	175.25	11868.61	-6378.22	352.44	32.23	-103.53	6378.22	1.12
18403.00	89.54	177.36	11869.33	-6473.01	358.57	32.23	-103.53	6473.01	2.22
18498.00	88.92	177.54	11870.61	-6567.91	362.79	32.23	-103.53	6567.91	0.68
18592.00	89.93	178.68	11871.55	-6661.85	365.89	32.23	-103.53	6661.85	1.62
18687.00	88.04	177.89	11873.24	-6756.79	368.73	32.23	-103.53	6756.79	2.16
18782.00	91.65	178.59	11873.49	-6851.73	371.65	32.23	-103.53	6851.73	3.87
18877.00	92.13	178.33	11870.36	-6946.64	374.20	32.23	-103.53	6946.64	0.57
18972.00	91.30	177.54	11867.52	-7041.53	377.63	32.23	-103.53	7041.53	1.21
19067.00	90.15	176.75	11866.32	-7136.41	382.36	32.23	-103.53	7136.41	1.47
19162.00	92.00	178.59	11864.53	-7231.30	386.22	32.23	-103.53	7231.30	2.75
19257.00	92.13	178.50	11861.11	-7326.21	388.63	32.23	-103.53	7326.21	0.17
19351.00	92.18	177.98	11857.58	-7420.10	391.51	32.23	-103.53	7420.10	0.56
19446.00	92.00	180.79	11854.11	-7515.02	392.53	32.23	-103.53	7515.02	2.96
19541.00	90.59	182.02	11851.96	-7609.96	390.20	32.23	-103.53	7609.96	1.97
19636.00	89.98	182.11	11851.49	-7704.90	386.78	32.23	-103.53	7704.90	0.65
19731.00	89.98	182.19	11851.52	-7799.83	383.22	32.23	-103.53	7799.83	0.08
19778.00	89.93	181.84	11851.56	-7846.80	381.56	32.23	-103.53	7846.80	0.75
19836.00	89.93	181.84	11851.63	-7904.78	379.70	32.22	-103.53	7904.78	0.00

All data are in feet unless otherwise stated. Directions and coordinates are relative to Grid North.
Vertical depths are relative to GE+23.5. Northings and Eastings are relative to Well.

The Dogleg Severity is in Degrees per 100 feet.

Vertical Section is from Slot and calculated along an Azimuth of 180.000° (Grid).

Coordinate System is NAD 1927 (NADCON CONUS) US State Plane 1927 (Exact solution), New Mexico East 3001
Central meridian is -104.333°.

Grid Convergence at Surface is 0.430°.

Based upon Minimum Curvature type calculations, at a Measured Depth of 19836.00ft., the Bottom Hole Displacement is 7913.89ft., in the Direction of 180.000° (Grid).

NAD 27 Northing (usft)	NAD 27 Easting (usft)	NAD 83 Northing (usft)	NAD 83 Easting (usft)
454412.46	749112.45	454471.46	790296.31
454411.79	749111.93	454470.79	790295.79
454411.07	749110.74	454470.07	790294.60
454410.60	749109.58	454469.60	790293.44
454410.19	749108.72	454469.19	790292.58
454409.88	749107.79	454468.88	790291.65
454409.52	749107.13	454468.52	790290.99
454409.18	749106.88	454468.18	790290.74
454408.90	749106.95	454467.90	790290.81
454408.61	749107.24	454467.61	790291.10
454408.35	749107.61	454467.35	790291.47
454408.06	749108.35	454467.06	790292.21
454407.71	749109.31	454466.71	790293.17
454407.38	749110.21	454466.38	790294.07
454407.14	749111.15	454466.14	790295.01
454407.07	749112.22	454466.07	790296.08
454407.48	749112.57	454466.48	790296.43
454408.36	749112.60	454467.36	790296.46
454409.31	749112.53	454468.31	790296.39
454410.36	749112.90	454469.36	790296.76
454412.47	749114.21	454471.47	790298.07
454416.35	749116.59	454475.35	790300.45
454422.01	749120.37	454481.01	790304.23
454430.23	749125.09	454489.23	790308.95
454441.55	749130.47	454500.55	790314.33
454454.54	749136.69	454513.54	790320.55
454467.98	749143.49	454526.98	790327.35
454481.15	749150.91	454540.15	790334.77
454493.96	749159.60	454552.96	790343.46
454518.21	749178.03	454577.21	790361.89
454529.95	749186.88	454588.95	790370.74
454541.68	749195.58	454600.68	790379.44

454553.31	749204.20	454612.31	790388.06
454564.84	749212.67	454623.84	790396.53
454576.07	749221.06	454635.07	790404.92
454586.91	749229.47	454645.91	790413.33
454597.47	749237.95	454656.47	790421.81
454607.88	749246.46	454666.88	790430.32
454616.67	749254.24	454675.67	790438.10
454624.41	749261.23	454683.41	790445.09
454631.71	749267.68	454690.71	790451.54
454637.81	749272.75	454696.81	790456.61
454643.39	749277.25	454702.39	790461.11
454648.70	749281.67	454707.70	790465.53
454653.08	749285.08	454712.08	790468.94
454656.90	749288.18	454715.90	790472.04
454660.37	749291.73	454719.37	790475.59
454664.30	749295.54	454723.30	790479.40
454668.63	749299.38	454727.63	790483.24
454672.41	749303.51	454731.41	790487.37
454675.77	749308.18	454734.77	790492.04
454678.32	749313.46	454737.32	790497.32
454678.60	749314.15	454737.60	790498.01
454680.26	749318.09	454739.26	790501.95
454682.11	749322.89	454741.11	790506.75
454683.75	749326.78	454742.75	790510.64
454685.19	749329.60	454744.19	790513.46
454686.73	749332.15	454745.73	790516.01
454688.39	749334.63	454747.39	790518.49
454690.08	749337.05	454749.08	790520.91
454691.70	749339.34	454750.70	790523.20
454693.31	749341.50	454752.31	790525.36
454694.91	749343.66	454753.91	790527.52
454696.46	749345.78	454755.46	790529.64
454698.04	749347.88	454757.04	790531.74
454699.76	749350.05	454758.76	790533.91
454701.51	749352.14	454760.51	790536.00
454703.12	749354.20	454762.12	790538.06
454704.70	749356.34	454763.70	790540.20
454706.34	749358.50	454765.34	790542.36
454708.02	749360.66	454767.02	790544.52
454709.20	749362.63	454768.20	790546.49
454709.47	749363.84	454768.47	790547.70
454709.40	749364.53	454768.40	790548.39
454709.40	749365.29	454768.40	790549.15
454709.31	749366.04	454768.31	790549.90
454709.07	749366.81	454768.07	790550.67
454708.71	749367.68	454767.71	790551.54
454708.24	749368.55	454767.24	790552.41

454707.82	749369.40	454766.82	790553.26
454707.38	749370.38	454766.38	790554.24
454706.71	749371.55	454765.71	790555.41
454705.86	749372.78	454764.86	790556.64
454704.97	749374.02	454763.97	790557.88
454704.00	749375.34	454763.00	790559.20
454702.92	749376.79	454761.92	790560.65
454701.75	749378.52	454760.75	790562.38
454700.46	749380.73	454759.46	790564.59
454699.06	749383.08	454758.06	790566.94
454697.67	749385.47	454756.67	790569.33
454696.21	749387.86	454755.21	790571.72
454694.69	749390.29	454753.69	790574.15
454693.18	749392.92	454752.18	790576.78
454691.80	749395.65	454750.80	790579.51
454690.35	749398.25	454749.35	790582.11
454688.55	749400.73	454747.55	790584.59
454686.57	749403.39	454745.57	790587.25
454684.53	749406.48	454743.53	790590.34
454682.84	749409.82	454741.84	790593.68
454683.28	749412.78	454742.28	790596.64
454685.48	749415.99	454744.48	790599.85
454687.95	749419.48	454746.95	790603.34
454691.52	749422.44	454750.52	790606.30
454695.63	749425.59	454754.63	790609.45
454707.77	749434.95	454766.77	790618.81
454711.82	749437.16	454770.82	790621.02
454715.31	749438.48	454774.31	790622.34
454717.97	749439.43	454776.97	790623.29
454720.28	749440.81	454779.28	790624.67
454722.50	749442.02	454781.50	790625.88
454724.36	749442.63	454783.36	790626.49
454726.13	749443.29	454785.13	790627.15
454727.85	749443.88	454786.85	790627.74
454729.48	749444.26	454788.48	790628.12
454731.13	749445.16	454790.13	790629.02
454732.07	749446.01	454791.07	790629.87
454734.02	749448.01	454793.02	790631.87
454732.76	749449.26	454791.76	790633.12
454728.34	749449.72	454787.34	790633.58
454717.90	749451.79	454776.90	790635.65
454690.44	749453.47	454749.44	790637.33
454643.12	749454.12	454702.12	790637.98
454579.18	749454.82	454638.18	790638.68
454503.78	749454.12	454562.78	790637.98
454420.03	749448.97	454479.03	790632.83
454328.29	749441.35	454387.29	790625.21

454234.60	749434.08	454293.60	790617.94
454139.99	749425.57	454198.99	790609.43
454045.37	749417.06	454104.37	790600.92
453950.62	749413.42	454009.62	790597.28
453856.01	749415.02	453915.01	790598.88
453762.14	749417.04	453821.14	790600.90
453667.23	749419.89	453726.23	790603.75
453572.46	749424.34	453631.46	790608.20
453477.68	749429.65	453536.68	790613.51
453382.92	749436.06	453441.92	790619.92
453288.24	749442.47	453347.24	790626.33
453193.58	749448.43	453252.58	790632.29
453098.73	749453.68	453157.73	790637.54
453004.90	749458.94	453063.90	790642.80
452910.04	749463.68	452969.04	790647.54
452815.10	749466.52	452874.10	790650.38
452720.14	749467.69	452779.14	790651.55
452625.25	749466.32	452684.25	790650.18
452531.30	749464.95	452590.30	790648.81
452436.43	749466.12	452495.43	790649.98
452341.68	749470.19	452400.68	790654.05
452246.87	749474.85	452305.87	790658.71
452152.10	749479.59	452211.10	790663.45
452057.47	749484.39	452116.47	790668.25
451962.79	749484.69	452021.79	790668.55
451869.01	749481.59	451928.01	790665.45
451774.08	749478.90	451833.08	790662.76
451679.13	749476.57	451738.13	790660.43
451584.22	749474.61	451643.22	790658.47
451489.27	749472.43	451548.27	790656.29
451394.38	749468.06	451453.38	790651.92
451299.51	749463.55	451358.51	790647.41
451204.63	749460.27	451263.63	790644.13
451109.77	749457.88	451168.77	790641.74
451015.81	749456.73	451074.81	790640.59
450920.83	749455.57	450979.83	790639.43
450825.85	749454.49	450884.85	790638.35
450730.85	749453.98	450789.85	790637.84
450635.87	749453.04	450694.87	790636.90
450540.93	749451.66	450599.93	790635.52
450447.01	749450.37	450506.01	790634.23
450352.20	749450.16	450411.20	790634.02
450257.32	749451.17	450316.32	790635.03
450162.32	749452.05	450221.32	790635.91
450067.44	749455.04	450126.44	790638.90
449972.68	749458.17	450031.68	790642.03
449878.80	749457.23	449937.80	790641.09

449784.02	749451.34	449843.02	790635.20
449689.31	749444.29	449748.31	790628.15
449594.47	749439.41	449653.47	790623.27
449499.60	749436.65	449558.60	790620.51
449404.62	749435.78	449463.62	790619.64
449309.63	749435.56	449368.63	790619.42
449214.66	749433.52	449273.66	790617.38
449120.72	749430.78	449179.72	790614.64
449025.77	749430.86	449084.77	790614.72
448930.99	749432.96	448989.99	790616.82
448836.20	749435.51	448895.20	790619.37
448741.37	749439.38	448800.37	790623.24
448697.48	749440.96	448756.48	790624.82
448602.51	749441.48	448661.51	790625.34
448507.54	749441.55	448566.54	790625.41
448413.61	749444.29	448472.61	790628.15
448318.72	749448.37	448377.72	790632.23
448223.82	749452.44	448282.82	790636.30
448128.98	749457.90	448187.98	790641.76
448034.24	749464.89	448093.24	790648.75
447939.45	749471.02	447998.45	790654.88
447844.55	749475.24	447903.55	790659.10
447750.61	749478.34	447809.61	790662.20
447655.67	749481.18	447714.67	790665.04
447560.73	749484.10	447619.73	790667.96
447465.82	749486.65	447524.82	790670.51
447370.93	749490.08	447429.93	790673.94
447276.05	749494.81	447335.05	790678.67
447181.16	749498.67	447240.16	790682.53
447086.25	749501.08	447145.25	790684.94
446992.36	749503.96	447051.36	790687.82
446897.44	749504.98	446956.44	790688.84
446802.50	749502.65	446861.50	790686.51
446707.56	749499.23	446766.56	790683.09
446612.63	749495.67	446671.63	790679.53
446565.66	749494.01	446624.66	790677.87
446507.68	749492.15	446566.68	790676.01

..

Well Name: BELL LAKE UNIT SOUTH	Well Location: T24S / R33E / SEC 1 / SENW / 32.247298 / -103.527498	County or Parish/State: LEA / NM
Well Number: 403H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMLC063993	Unit or CA Name: BELL LAKE	Unit or CA Number: NMNM68292X
US Well Number: 3002548205	Well Status: Producing Oil Well	Operator: KAISER FRANCIS OIL COMPANY

Subsequent Report

Sundry ID: 2668655

Type of Submission: Subsequent Report	Type of Action: Hydraulic Fracturing
Date Sundry Submitted: 04/26/2022	Time Sundry Submitted: 11:21
Date Operation Actually Began: 03/06/2022	

Actual Procedure: 2/22: Pressure test csg to 13,000#. Test annulus to 1,000#. Pump down 2,000 gals 15% green acid. Perf Stage 1: 19,496'-19,618' w/5, 3-1/8" guns. BD perfs @ 6,600# - no break seen. Establish injection into perfs: 5 BPM @ 6,900# for 20 bbls. SI and isolate well. ISIP 6,570#, 5 min 4,759#, 10 min 4,689#, 15 min 4,668#. 3/22: Stage-Frac lateral 12,098'-19,618' in 43 stages w/ 1437,576 bbls fluid carrying 21,381,488# sd. 4/22: Drilled out all plugs w/ 2-7/8" PH6 workstring and drillout BHA. TLTR: 445,677 bbls. SICP: 3,450#.

SR Attachments

Actual Procedure

Bell_Lake_Unit_South_403H_WB_20220426112051.pdf

Well Name: BELL LAKE UNIT SOUTH	Well Location: T24S / R33E / SEC 1 / SENW / 32.247298 / -103.527498	County or Parish/State: LEA / NM
Well Number: 403H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMLC063993	Unit or CA Name: BELL LAKE	Unit or CA Number: NMNM68292X
US Well Number: 3002548205	Well Status: Producing Oil Well	Operator: KAISER FRANCIS OIL COMPANY

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: CHRISTINA OPFER	Signed on: APR 26, 2022 11:21 AM
Name: KAISER FRANCIS OIL COMPANY	
Title: Regulatory Manager	
Street Address: 6733 S YALE AVENUE	
City: TULSA	State: OK
Phone: (918) 491-4468	
Email address: CHRISTINAO@KFOC.NET	

Field

Representative Name: Jeremy Parent		
Street Address: 88 Shell Rd		
City: Jal	State: NM	Zip: 88252
Phone: (580)504-2593		
Email address: jeremyp@kfoc.net		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 06/11/2022
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017				
		1. WELL API NO. 30-025-48205								
		2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN								
		3. State Oil & Gas Lease No.								
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name Bell Lake Unit South				
						6. Well Number: 403H				
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER _____										
8. Name of Operator Kaiser-Francis Oil Company						9. OGRID 12361				
10. Address of Operator P.O. Box 21468 Tulsa, OK 74121-1468						11. Pool name or Wildcat Bell Lake; Wolfcamp, South				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	F	1	24S	33E		2,548	N	2,028	W	Lea
BH:	N	12	24S	33E		102	S	2,346	W	Lea
13. Date Spudded 2/20/21	14. Date T.D. Reached 3/3/21		15. Date Rig Released 3/5/21			16. Date Completed (Ready to Produce) 4/14/22		17. Elevations (DF and RKB, RT, GR, etc.) 3,628.3' GR		
18. Total Measured Depth of Well 19,836' MD			19. Plug Back Measured Depth 19,649' MD			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GR		
22. Producing Interval(s), of this completion - Top, Bottom, Name 12,098'-19,618'										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13 3/8"		54.5#		1,380'		17 1/2"		1,030 sx		
10 3/4"		45.5#		5,010'		12 1/4"		840 sx		
7 5/8"		29.7#		11,090'		9 7/8"		1,200 sx		
5 1/2"		23#		19,798'		6 3/4"		1,535 sx		
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
none	-	-	-	-	none	-	-			
26. Perforation record (interval, size, and number) 12,098'-19,618', 0.41", 1935 holes					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.					
					DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED			
					12,098'-19,618'		437,576 bbls fluid + 21,381,488# sd			
28. PRODUCTION										
Date First Production 4/28/22		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Prod				
Date of Test 4/28/22	Hours Tested 24	Choke Size 18/64"	Prod'n For Test Period	Oil - Bbl 707	Gas - MCF 1,319	Water - Bbl. 1,752	Gas - Oil Ratio 48			
Flow Tubing Press.	Casing Pressure 4,100	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold							30. Test Witnessed By			
31. List Attachments C-104 NW, C-102 As-Drilled w/HSU, C-103 Completion, Final Svy., WBD										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date: 3/5/21			
34. If an on-site burial was used at the well, report the exact location of the on-site burial: Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature <u>Christina Opfer</u> Printed Name <u>Christina Opfer</u> Title <u>Regulatory Manager</u> Date <u>6/23/2022</u>										
E-mail Address <u>ChristinaO@kfoc.net</u>										

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy_____	T. Canyon_____	T. Ojo Alamo_____	T. Penn A"_____
T. Salt_____	T. Strawn_____	T. Kirtland _____	T. Penn. "B"_____
B. Salt_____	T. Atoka_____	T. Fruitland_____	T. Penn. "C"_____
T. Yates_____	T. Miss_____	T. Pictured Cliffs_____	T. Penn. "D"_____
T. 7 Rivers_____	T. Devonian_____	T. Cliff House_____	T. Leadville_____
T. Queen_____	T. Silurian_____	T. Menefee_____	T. Madison_____
T. Grayburg_____	T. Montoya_____	T. Point Lookout_____	T. Elbert_____
T. San Andres_____	T. Simpson_____	T. Mancos_____	T. McCracken_____
T. Glorieta_____	T. McKee_____	T. Gallup_____	T. Ignacio Otzte_____
T. Paddock_____	T. Ellenburger_____	Base Greenhorn_____	T. Granite _____
T. Blinebry_____	T. Gr. Wash_____	T. Dakota_____	
T. Tubb_____	T. Delaware Sand_____	T. Morrison_____	
T. Drinkard_____	T. Bone Springs_____	T. Todilto_____	
T. Abo_____	T. _____	T. Entrada_____	
T. Wolfcamp_____	T. _____	T. Wingate_____	
T. Penn_____	T. _____	T. Chinle_____	
T. Cisco (Bough C)_____	T. _____	T. Permian_____	

OIL OR GAS SANDS OR
ZONES

No. 1, from.....to.....

No. 3, from.....to.....

No. 2, from.....to.....

No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....

No. 2, from.....to.....feet.....

No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From (MD)	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
1,322			Rustler, Sand				
5,227			Top Delaware, Sand				
8,777			Lower Brushy Canyon, Sand				
8,944			Upper Avalon, Sand				
9,984			Bone Spring 1 st , Sand				
10,417			Bone Spring 2 nd , Lime				
10,619			Bone Spring 2 nd , Sand				
11,053			Bone Spring 3 rd , Lime				
11,589			Bone Spring 3 rd , Sand				
11,937			Wolfcamp, Sand				

12098	12216	12	098	12	216	12,098'-12,216'	12,098'-12, 12,274'-12, 12,450'-12, 12,627'-12, 12,803'-12, 12,979'-13, 13,185'-13,
12274	12392	12	274	12	392	12,274'-12,392'	
12450	12569	12	450	12	569	12,450'-12,569'	
12627	12745	12	627	12	745	12,627'-12,745'	
12803	12921	12	803	12	921	12,803'-12,921'	
12979	13097	12	979	13	097	12,979'-13,097'	
13185	13274	13	185	13	274	13,185'-13,274'	
13332	13450	13	332	13	450	13,332'-13,450'	
13508	13626	13	508	13	626	13,508'-13,626'	
13684	13802	13	684	13	802	13,684'-13,802'	
13860	13979	13	860	13	979	13,860'-13,979'	
14037	14155	14	037	14	155	14,037'-14,155'	
14203	14331	14	203	14	331	14,203'-14,331'	
14389	14507	14	389	14	507	14,389'-14,507'	
14565	14683	14	565	14	683	14,565'-14,683'	
14741	14860	14	741	14	860	14,741'-14,860'	
14922	15036	14	922	15	036	14,922'-15,036'	
15094	15212	15	094	15	212	15,094'-15,212'	
15273	15388	15	273	15	388	15,273'-15,388'	
15446	15565	15	446	15	565	15,446'-15,565'	
15623	15745	15	623	15	745	15,623'-15,745'	
15799	15917	15	799	15	917	15,799'-15,917'	
15975	16093	15	975	16	093	15,975'-16,093'	
16151	16270	16	151	16	270	16,151'-16,270'	
16328	16446	16	328	16	446	16,328'-16,446'	
16504	16622	16	504	16	622	16,504'-16,622'	
16680	16798	16	680	16	798	16,680'-16,798'	
16856	16975	16	856	16	975	16,856'-16,975'	
17033	17151	17	033	17	151	17,033'-17,151'	
17209	17327	17	209	17	327	17,209'-17,327'	
17385	17503	17	385	17	503	17,385'-17,503'	
17561	17679	17	561	17	679	17,561'-17,679'	
17737	17856	17	737	17	856	17,737'-17,856'	
17914	18032	17	914	18	032	17,914'-18,032'	

18090	18208	18	090	18	208	18,090'-18,208'
18266	18380	18	266	18	380	18,266'-18,380'
18442	18561	18	442	18	561	18,442'-18,561'
18619	18737	18	619	18	737	18,619'-18,737'
18795	18913	18	795	18	913	18,795'-18,913'
18971	19089	18	971	19	086	18,971'-19,086'
19147	19266	19	147	19	266	19,147'-19,266'
19324	19442	19	324	19	442	19,324'-19,442'
19496	19618	19	496	19	618	19,496'-19,618'

13,332'-13,13,508'-13,13,684'-13,13,860'-13,14,037'-14,14,203'-14,14,389'-14,14,565'-14,14,741'-14,14,922'-15,15,094'-15,15,273'-15,15,446'-15,

15,623'-15,15,799'-15,15,975'-16,16,151'-16,16,328'-16,16,504'-16,16,680'-16,16,856'-16,17,033'-17,17,209'-17,17,385'-17,17,561'-17,17,737'-17,

17,914'-18,18,090'-18,18,266'-18,18,442'-18,18,619'-18,18,795'-18,18,971'-19,19,147'-19,19,324'-19,19,496'-19,618'

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 124625

ACKNOWLEDGMENTS

Operator: KAISER-FRANCIS OIL CO PO Box 21468 Tulsa, OK 741211468	OGRID: 12361
	Action Number: 124625
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 124625

CONDITIONS

Operator: KAISER-FRANCIS OIL CO PO Box 21468 Tulsa, OK 741211468	OGRID: 12361
	Action Number: 124625
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
crystal.walker	None	9/17/2025