

Santa Fe Main Office
Phone: (505) 476-3441
General Information
Phone: (505) 629-6116

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

Online Phone Directory Visit:
<https://www.emnrd.nm.gov/ocd/contact-us/>

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other		WELL API NO. 30-025-31694
2. Name of Operator OWL SWD Operating LLC		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
3. Address of Operator 20 Greenway Plaza, Suite 500 Houston, TX 77046		6. State Oil & Gas Lease No.
4. Well Location Unit Letter <u>G</u> : <u>1980</u> feet from the <u>North</u> line and <u>1980</u> feet from the <u>EAST</u> line Section <u>32</u> Township <u>22S</u> Range <u>32E</u> NMPM County <u>Lea County</u>		7. Lease Name or Unit Agreement Name Lotus #2 SWD
		8. Well Number <u>2</u>
		9. OGRID Number 308339
		10. Pool name or Wildcat SWD-Delaware
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

MOB in on 7/12/25. Pump kill mud to kill well. ND Wellhead NU BOP. Release Packer. TOOH with injection tubing. MIRU WL and run CBL. RDMO WL. CBL sent to BLM and OCD. Set CIBP at 5700'. Spot 31 sacks of class c cement on top of CIBP per instructions from OCD rep Robert Trujillo. POOH w/ work string. Pressure tested. Good test. Tagged first plug at 5415 ft. Pumped 45 sacks of class C cement at 4633 feet. MIRU WL. RIH at 2200'. Perforate casing. Squeezed 20 sacks of class C cement between production and intermediate casing and spotted 15 sacks of class C cement inside production casing. To bring cement up 150 feet. MIRU WL. RIH at 900'. Perforate casing. Squeezed 60 sacks of class C cement to bring TOC up to 650 feet. Pressure tested bradenhead to 300 psi. Held pressure. Established circulation out casing valve. MIRU WL. RIH at 250'. Perforate casing. Squeezed 160 sacks of class C cement. Circulated cement to surface Robert Trujillo present to witness cement to surface. 7/22/2025 Cut off wellhead. Install P&A marker to comply with regulations. Record GPS coordinate for P&A marker on tower report. Photograph P&A marker in place. RDMO.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Shelly Cowden TITLE Sr. Regulatory Manager DATE 08/07/2025

Type or print name Shelly Cowden E-mail address: Shelly.Cowden@pilotwater.com PHONE: 505-692-0354

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):


Well Name: Lotus #2 SWD
API: 30-025-31694
County: Lea, NM

26" Hole
Conductor Casing @ 60'
20" #94 H-40
Circulate CMT to Surface

17-1/2" Hole
Surface Casing @ 858'
13-3/8" #54.5 J-55
Circulate CMT to Surface

11" Hole
Intermediate Casing @ 4418'
8-5/8" #32 HC-80
TOC @ 800'

7-7/8" Hole
Production Casing @ 9250'
5-1/2" #15.5 & #17 N-80
TOC @ 3826'





Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 503247

CONDITIONS

Operator: OWL SWD OPERATING, LLC 20 Greenway Plaza Houston, TX 77046	OGRID: 308339
	Action Number: 503247
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	Clean Location in accordance with 19.15.25.10 NMAC.	9/18/2025
gcordero	Submit C-103Q within one year of plugging.	9/18/2025