eceined by Och; Appropriate District 4:43	State of fiew file		Form 2-103 of 10
<u>District I</u> – (575) 393-6161 1625 N. French Dr., Hobbs, NM 88240	Energy, Minerals and Natural Resources		Revised July 18, 2013 WELL API NO.
<u>District II</u> – (575) 748-1283	OIL CONSERVATION	DIVISION	30-045-34755
811 S. First St., Artesia, NM 88210 <u>District III</u> – (505) 334-6178	1220 South St. Francis Dr.		5. Indicate Type of Lease
1000 Rio Brazos Rd., Aztec, NM 87410 District IV – (505) 476-3460	Santa Fe, NM 87		STATE FEE 6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM 87505	Santa 1 6, 1 m 2 0 / 2 0 0		o. State on & Gas Bease No.
SUNDRY NOT	ICES AND REPORTS ON WELLS		7. Lease Name or Unit Agreement Name
	ISALS TO DRILL OR TO DEEPEN OR PLU CATION FOR PERMIT" (FORM C-101) FO		NE HOGBACK UNIT 8. Well Number #074H
1. Type of Well: Oil Well	Gas Well Other		a company
2. Name of Operator CHUZA OIL COMPANY			9. OGRID Number 279508
3. Address of Operator 4516 Lovers' Lane #104, Dallas	TX 75225		10. Pool name or Wildcat [32870] HORSESHOE GALLUP
4. Well Location			
	rom the N line and 330 feet from the		
Section 10	Township 30N 11. Elevation (Show whether DR,	Range 16W	NMPM San Juan
	11. Elevation (Snow whether DR,	, KKD, K1, GK, eic.	.)
12. Check	Appropriate Box to Indicate N	lature of Notice,	Report or Other Data
	ITENTION TO:		SSEQUENT REPORT OF:
PERFORM REMEDIAL WORK	PLUG AND ABANDON	REMEDIAL WOR	
TEMPORARILY ABANDON PULL OR ALTER CASING	CHANGE PLANS ☐ MULTIPLE COMPL ☐	COMMENCE DR CASING/CEMEN	
DOWNHOLE COMMINGLE		0,101110,02111211	
CLOSED-LOOP SYSTEM		071150	
OTHER: 13 Describe proposed or comp	hleted operations (Clearly state all t	OTHER:	ad give pertinent dates, including estimated date
			empletions: Attach wellbore diagram of
proposed completion or rec	completion.		
NMOCD plans to plug this v	well in accordance with the attached	procedure and any	agreed modifications thereto.
1 1 2		1	
Spud Date:	Rig Release Da	ate:	
I hereby certify that the information	above is true and complete to the bo	est of my knowledg	ge and belief.
SIGNATURE: Ethan Wakefield	TITLE: Authoriz	ed Representative	_ DATE 9/2/25
Type or print name: Ethan Wakefie For State Use Only	ld E-mail address: e.wakefie	eld@dwsrigs.com	PHONE: 405-343-7736
APPROVED BY:	TITLE		DATE
Conditions of Approval (if any):			



U.S. Department of the Interior BUREAU OF LAND MANAGEMENT Sundry Print Report 10

Well Name: NE HOGBACK UNIT Well Location: T30N / R16W / SEC 10 / County or Parish/State: SAN

SENE / 36.82969 / -108.50436 JUAN / NM

Well Number: 74H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM077281 Unit or CA Name: NE HOGBACK UNIT Unit or CA Number:

NMNM78403A

INCORPORATED

Notice of Intent

Sundry ID: 2871372

Type of Submission: Notice of Intent

Type of Action: Plug and Abandonment

Date Sundry Submitted: 09/03/2025 Time Sundry Submitted: 01:05

Date proposed operation will begin: 10/01/2025

Procedure Description: Orphan well to be plugged by NMOCD and BLM

Surface Disturbance

Is any additional surface disturbance proposed?: No

Oral Submission

Oral Notification Date: Aug 25, 2025 Oral Notification Time: 12:00 AM

Contacted By: Matthew Kade Contact's Email: mkade@blm.gov

Comments: Procedure created by BLM and updated by NMOCD. To be plugged by Drake Well

Service

NOI Attachments

Procedure Description

NEHBU 74H P A LD OCD 20250903130219.pdf

eceived by OCD: 9/17/2025 9:54:45 AM Well Name: NE HOGBACK UNIT Well Location: T30N / R16W / SEC 10 /

SENE / 36.82969 / -108.50436

County or Parish/State: SAN

JUAN / NM

Well Number: 74H Type of Well: OIL WELL **Allottee or Tribe Name:**

Lease Number: NMNM077281

Unit or CA Name: NE HOGBACK UNIT

Unit or CA Number: NMNM78403A

US Well Number: 3004534755

Operator: CHUZA OIL CO

INCORPORATED

Conditions of Approval

Specialist Review

SN_ID_30N16W10_NE_Hogback_Unit_74H_Geo_MHK_20250903131135.pdf

General_Requirement_PxA_20250903131050.pdf

BLM Point of Contact

BLM POC Title: Petroleum Engineer **BLM POC Name: MATTHEW H KADE**

BLM POC Phone: 5055647736 BLM POC Email Address: MKADE@BLM.GOV

Disposition Date: 09/03/2025 **Disposition:** Approved

Signature: Matthew Kade

Page 2 of 2

Plug and Abandonment Procedure **REVISED, L Diede 8-25-2025**August 25, 2025

 Well:
 NE Hogback Unit #74H
 API:
 30-045-34755

 Location:
 1215' FNL & 1960' FEL
 Field:
 Horseshoe Gallup

 Sec, T, R:
 Sec 10 30N-16W
 Elevation:
 GL: 5432'

County/State: San Juan, New Mexico **Lat/Long:** 36.8297081, -108.5043945

Note: All cement is to be Class G mixed at 15.8 ppg, yield 1.15 cu ft/sx. Cement volumes are based on inside capacities + 50' excess and outside capacities + 100% excess.

- 1. Hold Pre job meeting, comply with all NMOCD and BLM regulations and environmental regulations.
- 2. MIRU well servicing rig and cement equipment. Check casing, tubing, and BH pressures.
- 3. Remove existing piping from casing valve, RU blow lines from casing valves and blow down casing pressure. Kill well as necessary. Ensure that well is dead or on a vacuum.
- 4. ND WH, NH BOP, function test BOP.
- **5.** TOH and LD rods and tubing. PU workstring, TIH with bit and scraper, make sure that bit and scraper will go below **1500' MD. TOOH.**
- 6. RIH 5.5" Wireline-set CIBP and set at 1500'MD. (60 deg deviation.) POOH.
- 7. Roll hole with fresh water and pressure test casing to 500 psi. If casing does not test, then spot and tag plugs as appropriate. WOC to be determined upon pressure test.
- 8. MIRU logging truck. Run CBL log from **CIBP** to surface. Electronic copy of CBL to be sent to NMOCD and BLM representatives. An attempt of cement coverage outside of production casing may be requested for the subsequent plugs based on the CBL results.
- 9. Plug #1, 1500'MD 1269' MD (Gallup top: 1480' TVD/1745'MD) Mix and spot balanced plug of 25 sx of class G cement above the CIBP from 1500' MD to 1269' MD (1233' TVD) TOOH. WOC. TIH, tag Plug 1.
- 10. Plug #2, 365' Surface (Surface Shoe: 211', Mancos: 340') Mix and pump 40 sx class G cement balanced plug inside 5-1/2" casing.

- 11. RD cementing equipment. Cut off wellhead, fill annuli with cement, as necessary.

 Install SURFACE P&A marker. Record GPS coordinates for P&A marker and the final P&A report. Photograph the P&A marker and attach to the report.
- 12. RD and MO all rig and cement equipment. Assure that location is free off trash and contamination before moving off.
- 13. Provide all reports and attachments to BLM and NM OCD

Northeast Hogback Unit #74H API 30-045-34755 NWNE, Sec 10, T30N, R16W San Juan County, NM GL: 5432'

Spud Date: 11/29/2013

SURF CSG:

Hole size: 12-1/4"
Csg size: 9-5/8"
Wt: 40#
Grade: J-55
ID: 8.835

Depth: 211' (MD/TVD)


TOC: Surface

PROD CSG:

Hole size: 8-3/4" Csg size: 5.5" Wt: 17# Grade: N-80 ID: 4.892"

Depth: 5000' (MD)/1489' (TVD)

TOC: Surface



BLM FLUID MINERALS P&A Geologic Report

AFMSS ID: Date Completed: 08/22/2024

Well No.: NE Hogback Unit 74H (API 30-045-34755)		Location:	2270'	FNL	&	330'	FEL
Lease No.: NMNM 077281		SENE	Sec. 10		T30N	R16W	
Operator: Chuza Oil Company		County:	San Juan		State:	New Mexico	
Total Depth: 4953' MD	1489' TVD	Formation:	Gallup				
Elevation (GL): 5432'		Elevation (K	B):				

Geologic Formations	Est. Top (TVD)	Log Top	Remarks
Point Lookout Ss	Surface		Possible gas/water
Mancos Shale	315'		Oil & gas
Gallup	1520'		Oil & gas
Greenhorn			
Graneros Shale			
Dakota Ss			

Remarks:

P&A

- Current record title owner/operating rights holder on lease went through bankruptcy and is unresponsive, there are no previous record title owners/operating rights holders associated with this well. Well will be deemed orphaned.
- Gallup perfs 1787' 4884'
- No well log for subject well. Drew cross-section on PETRA and followed trends identified on nearby wells.

Reference Wells:

Chuza Oil Co Inc. NE Hogback Unit 50 (3004529330) SWNW, Sec 11, T30N, R16W

NE Hogback Unit 52 (3004530090) NESE, Sec 10, T30N, R16W

> <u>Prepared by: Matthew Kade</u> With help from Aleksandr Knapowski

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

DEFINITIONS

Action 506623

DEFINITIONS

Operator:	OGRID:
J.A. Drake Well Service Inc. (OPG Vendor)	333581
607 W. Pinon St	Action Number:
Farmington, NM 87401	506623
	Action Type:
	[UF-OMA] NOI Plug & Abandon Well (UF-OMA-C-103F)

DEFINITIONS

The OCD Mitigation Activity (OMA) forms are a subset of the OCD's forms exclusively designed for activities related to State of New Mexico's contracted evaluation, plugging, decommissioning, remediation, salvage and reclamation activities. Specifically, these forms are typically used where the OCD has acquired a hearing order allowing the OCD to perform mitigation activities on wells and associated facilities that no longer have an authorized or viable operator to perform the necessary work. These forms are not to be utilized for any other purpose.

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS

Action 506623

QUESTIONS

Operator:	OGRID:
J.A. Drake Well Service Inc. (OPG Vendor)	333581
607 W. Pinon St	Action Number:
Farmington, NM 87401	506623
	Action Type:
	[UF-OMA] NOI Plug & Abandon Well (UF-OMA-C-103F)

QUESTIONS

Prerequisites		
[OGRID] Well Operator	[279508] CHUZA OIL COMPANY	
[API] Well Name and Number	[30-045-34755] NE HOGBACK UNIT #074H	
Well Status	Reclamation Fund Approved	

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 506623

CONDITIONS

Operator:	OGRID:
J.A. Drake Well Service Inc. (OPG Vendor)	333581
607 W. Pinon St	Action Number:
Farmington, NM 87401	506623
	Action Type:
	[UF-OMA] NOI Plug & Abandon Well (UF-OMA-C-103F)

CONDITIONS

Created By		Condition Date
loren.diede	Notify NMOCD 24 hrs prior to starting P&A operations.	9/18/2025
loren.diede	Submit photo and GPS coordinates with the final P&A reports. The API# on the marker must be clearly legible.	9/18/2025