

Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: MESA 8105 11 FEDERAL Well Location: T26S / R32E / SEC 11 /

NWNE / 32.064212 / -103.642855

County or Parish/State: LEA /

NM

Well Number: 61H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM014492,

NMNM14492

**Unit or CA Name:** 

**Unit or CA Number:** 

**US Well Number:** 3002548716

Operator: BTA OIL PRODUCERS LLC

## **Subsequent Report**

**Sundry ID: 2851246** 

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 05/06/2025 Time Sundry Submitted: 09:05

**Date Operation Actually Began:** 04/20/2023

Actual Procedure: null

## **SR Attachments**

## **PActual Procedure**

DRILLING\_CASING\_SUNDRY\_MESA\_8105\_11\_FED\_61H\_revised\_20250506090432.pdf

Page 1 of 2

Received by OCD: 5/8/2025 1:32:41 PM Well Name: MESA 8105 11 FEDERAL Well Location: T26S / R32E / SEC 11 / Co

NWNE / 32.064212 / -103.642855

County or Parish/State: LEA?

NM

Well Number: 61H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM014492,

NMNM14492

**Unit or CA Name:** 

**Unit or CA Number:** 

**US Well Number:** 3002548716

Operator: BTA OIL PRODUCERS LLC

# **Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: KATY REDDELL Signed on: MAY 06, 2025 09:04 AM

Name: BTA OIL PRODUCERS LLC

Title: Regulatory Analyst

Street Address: 104 S Pecos

City: Midland State: TX

Phone: (432) 682-3753

Email address: Kreddell@btaoil.com

#### **Field**

**Representative Name:** 

**Street Address:** 

City: State: Zip:

Phone:

Email address:

## **BLM Point of Contact**

BLM POC Name: JONATHON W SHEPARD BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972 BLM POC Email Address: jshepard@blm.gov

**Disposition:** Accepted **Disposition Date:** 05/08/2025

Signature: Jonathon Shepard

Page 2 of 2

| WELL MANGE A FERT OLDS AT FERD CITY |                          | I I                                   |             | 1     | 1                  | T                     |
|-------------------------------------|--------------------------|---------------------------------------|-------------|-------|--------------------|-----------------------|
| WELL NAME: MESA 8105 11 FED 61H     |                          |                                       |             |       |                    |                       |
| API: 30-025-48716                   |                          |                                       |             |       |                    |                       |
| SPUD DATE: 4/20/2023                |                          |                                       |             |       |                    |                       |
| DATE TD REACHED: 6/14/2023          |                          |                                       |             |       |                    |                       |
| RIG RELEASE DATE: 6/15/2023         |                          |                                       |             |       |                    |                       |
| NOTES:                              |                          |                                       |             |       | m                  | m                     |
| CASING DATA                         | SURFACE                  | INT.                                  | INT.        | LINER | TAPERED PRODUCTION | TAPERED<br>PRODUCTION |
| DRILLED HOLE DATE                   | 4/20/2023                | 5/3/2023                              | 5/6/2023    |       | 5/7/2023           | 5/7/2023              |
| CASING SETTING DATE                 | 4/21/2023                | 5/6/2023                              | 5/6/2023    |       | 6/15/2023          | 6/15/2023             |
| HOLE SIZE                           | 14 3/4                   | 9 7/8                                 | 8 3/4       |       | 6 3/4              | 6 3/4                 |
| HOLE DEPTH                          | 845                      | 8,177                                 | 11,604      |       | 17,242             | 17,242                |
| CASING/LINER SIZE                   | 10 3/4                   | 7 5/8                                 | 7 5/8       |       | 5 1/2              | 5                     |
| CASING SETTING DEPTH                | 842                      | 7,575                                 | 11,594      |       | 11394              | 17,238                |
| LINER TOP - BOTTOM                  |                          | .,                                    | ,-,-        |       | 1                  | ,                     |
|                                     |                          |                                       | 29.7# P-110 |       | 20# P-110 ICY      |                       |
| CASING WEIGHT/ GRADE                | 40 5# I-55 STC           | 29.7# P-110 BTC                       | Cobra SP    |       | TXP-BTC            | 18# TXP-BTC P110      |
| NUMBER OF JOINTS                    | 20                       | 180                                   | 89          |       | 270                | 138                   |
| SINGLE STAGE CEMENT LEAD SACKS      | 395                      | 100                                   | 0)          |       | 675                | 130                   |
| SINGLE STAGE CEMENT LEAD SACKS      | 373                      |                                       |             |       | 50% B Poz+50%      |                       |
| CEMENT CLASS LEAD                   | 100% Class C             |                                       |             |       | Class H            |                       |
| SINGLE STAGE CEMENT TAIL SACKS      | 200                      |                                       |             |       | 635                |                       |
| SINGLE STAGE CEMENT TAIL SACKS      | 200                      |                                       |             |       | 50% B Poz+50%      |                       |
| CEMENT CLASS TAIL                   | 100% Class C             |                                       |             |       | Class H            |                       |
| DV TOOL                             |                          | 4605                                  |             |       |                    |                       |
| STAGE 1 LEAD CEMENT SKS             |                          | 445                                   |             |       |                    |                       |
| CEMENT CLASS LEAD                   |                          | 100%<br>ProLite+5PPS<br>Plexcrete STE |             |       |                    |                       |
| STAGE 1 TAIL CEMENT SKS             |                          | 180                                   |             |       |                    |                       |
| STAGE I TAIL CEMENT SKS             |                          | 50% B_Poz+50%                         |             |       |                    |                       |
| CEMENT CLASS STAGE 1 TAIL           |                          | Class H                               |             |       |                    |                       |
| STAGE 2 LEAD CEMENT SKS             |                          |                                       |             |       |                    |                       |
| CEMENT CLASS STAGE 2 LEAD           |                          |                                       |             |       |                    |                       |
| STAGE 2 TAIL CEMENT SKS             |                          |                                       |             |       |                    |                       |
| CEMENT CLASS STAGE 2 TAIL           |                          |                                       |             |       |                    |                       |
| CEMENT YIELD LEAD                   | 1.73                     | 3.38                                  |             |       | 1.5                |                       |
| CEMENT YIELD TAIL                   | 1.33                     | 1.27                                  |             |       | 1.28               |                       |
| STAGE 1 LEAD CEMENT YIELD TAIL      |                          |                                       |             |       |                    |                       |
| STAGE 1 TAIL CEMENT YIELD TAIL      |                          |                                       |             |       |                    |                       |
| STAGE 2 LEAD CEMENT YIELD TAIL      |                          |                                       |             |       |                    |                       |
| STAGE 2 TAIL CEMENT YIELD TAIL      |                          |                                       |             |       |                    |                       |
| TOC                                 | 0                        |                                       |             |       | 2678               |                       |
| TOC 2nd stage (if applicable)       |                          |                                       |             |       |                    |                       |
| SACKS TO SURFACE STAGE 1            |                          |                                       |             |       |                    |                       |
| SACKS TO SURFACE STAGE 2            |                          |                                       |             |       |                    |                       |
| TOC DETERMINATION                   | CIRCULATED<br>TO SURFACE |                                       |             |       | CALCULATION        |                       |
| TOTAL NUMBER OF SACKS TO SURFACE    | 213                      | 242                                   |             |       | 0                  |                       |
| PRESSURE TEST DATE AND LENGTH OF    | 4/21/2023 30             |                                       |             | İ     |                    |                       |
| TEST                                | min                      | 5/6/2023                              |             |       | 10/20/2023         | 10/20/2023            |
| PSI                                 | 1,500                    | 2500                                  |             | 1     | 9500               | 9500                  |
| PASSED Y/N                          | Y                        | Y Y                                   |             | 1     | Y                  | Y                     |
| 11100000 1/11                       |                          |                                       |             | 1     | 1 *                | 1 1                   |

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 460265

#### **CONDITIONS**

| Operator:              | OGRID:                         |
|------------------------|--------------------------------|
| BTA OIL PRODUCERS, LLC | 260297                         |
| 104 S Pecos            | Action Number:                 |
| Midland, TX 79701      | 460265                         |
|                        | Action Type:                   |
|                        | [C-103] Sub. Drilling (C-103N) |

#### CONDITIONS

| Created By    |                                      | Condition<br>Date |
|---------------|--------------------------------------|-------------------|
| crystal.walke | Report top of cement on next sundry. | 10/6/2025         |