

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT Sundry Print Report

Well Name: LUDWICK LS Well Location: T30N / R10W / SEC 31 / County or Parish/State: SAN

NWNE / 36.772082 / -107.924151 JUAN / NM

Well Number: 8C Type of Well: CONVENTIONAL GAS Allottee or Tribe Name:

WELL

Lease Number: NMSF078194 Unit or CA Name: **Unit or CA Number:**

US Well Number: 3004530141 Operator: HILCORP ENERGY

COMPANY

Subsequent Report

Sundry ID: 2827698

Type of Action: Workover Operations Type of Submission: Subsequent Report

Date Sundry Submitted: 12/16/2024 Time Sundry Submitted: 12:36

Date Operation Actually Began: 10/07/2024

Actual Procedure: Hilcorp Energy performed a tubing lowering job on the subject well. See attached reports.

SR Attachments

Actual Procedure

Ludwick_LS_8C_Lwr_Tbg_SR_20241216123556.pdf

Well Name: LUDWICK LS Well Location: T30N / R10W / SEC 31 / County or Parish/State: SAN JUAN / NM

NWNE / 36.772082 / -107.924151

Well Number: 8C Type of Well: CONVENTIONAL GAS Allottee or Tribe Name:

Lease Number: NMSF078194 Unit or CA Name: **Unit or CA Number:**

US Well Number: 3004530141 Operator: HILCORP ENERGY

COMPANY

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Signed on: DEC 16, 2024 12:36 PM Operator Electronic Signature: CHERYLENE WESTON

Name: HILCORP ENERGY COMPANY Title: Operations/Regulatory Tech - Sr Street Address: 1111 TRAVIS STREET

City: HOUSTON State: TX

Phone: (713) 289-2615

Email address: CWESTON@HILCORP.COM

Field

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: MATTHEW H KADE BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647736 BLM POC Email Address: MKADE@BLM.GOV

Disposition Date: 12/17/2024 Disposition: Accepted

Signature: Matthew Kade



Well Operations Summary L48

Well Name: LUDWICK LS 008C

API: 3004530141 Field: MV State: NEW MEXICO
Permit to Drill (PTD) #: Sundry #: Rig/Service: BWD 105

Jobs

Actual Start Date: 10/7/2024 End Date: 10/7/2024

 Report Number
 Report Start Date
 Report End Date

 1
 10/7/2024
 10/7/2024

Operatio

ACCEPT HEC #105 AT 06:00 ON 10/07/2024. CREW TRAVEL TO LOCATION. (EARLY)

MOB FROM THE STATE GAS COM A #1M TO THE LUDWICK LS #8C (15 MILE MOVE).

SPOT RIG AND EQUIPMENT. RIG UP RIG EQUIPMENT. BLEED DOWN WELL.

FTP: 100 PSI FCP: 100 PSI SIICP: 0 PSI SIBHP: 0 PSI BDW: 2 MIN

N/D WH. N/U BOP. R/U RIG FLOOR. FUNCTION TEST BOP. PT BOP (GOOD).

PULL TUBING HANGER. P/U TUBING.

TALLY AND P/U TUBING (DRIFTING). TAG FILL WITH 17 JTS. FILL AT 5066' (97' OF FILL). L/D 2 JTS.

LAND TUBING.

ADDED 15 JOINTS 2-3/8" J-55 WHITE BAND TUBING.

PBTD - 5163' FILL- 5066' **EOT - 5025.3'**

SEAT NIPPLE TOP - 5023.8'

KB - 14'

R/D FLOOR. NIPPLE DOWN BOP, NIPPLE UP WELLHEAD. PLUM SURFACE EQUIPMENT.

RIG DOWN RIG AND EQUIPMENT. PREP FOR RIG MOVE. MOVE OFF RIG. RIG RELEASED TO THE FULLER #2S AT 12:30 ON 10/7/2024. JOB COMPLETE. FINAL REPORT.

WellViewAdmin@hilcorp.com Page 1/1 Report Printed: 12/16/2024

Report Printed: 12/16/2024



Current Schematic - Version 3

API/UWI 3004530141		Surface Legal Location 031-030N-010W-B	Field Name MV	Route 0702	State/Province NEW MEXICO	Well Configuration Type Vertical KB-Tubing Hanger Distance (ft) 14.00	
Ground Elevation (ft) 6,061.00		Original KB/RT Elevation (ft) 6,075.00	Tubing Hanger Elevation (ft) 6,061.00	RKB to GL (ft) 14.00	KB-Casing Flange Distance (ft) 14.00		
ubing St ın Date		Set Depth (ftKB)	String Max Nominal OD (in)	String Min Nominal ID (in)	Weight/Length (lb/ft)	Original Spud Date	
14/2000	00:00	5,025.30	2 3/8	2.00	4.70	5/9/2000 00:00	
			Original	Hole [Vertical]			
MD (ft KB)	TVD (ftKB)	Vertical schematic (actual)					
14.1		nahlattiphedekelikidadkihallitikanlasidekihad				ent, Casing, 5/9/2000	
15.1		7 1/16in, Tubing Hange	r; / 1/16 in; 13.99 ftKB; 14.99 ftKB		10:00; 14.00-286.00; CEMENT CIRCULATE 1; SURFACE CASING, f in; 36.00 lb/ft; 14.00	D TO SURFACE 286.00ftKB; 9 5/8 in; 8.9	
286.1					Intermediate Casing	Cement, Casing, 00-2,020.00; 2000-05-12	
819.9					2; INTERMEDIATE CA	ASING, 2,020.00ftKB; 7 in 4.00 ftKB; 2,020.00 ftKB	
020.0		2 3/8in, Tubing; 2 3/8 TRANSFERRED ON MT# 775 14.99 f			17 10:00; CBL INDICA	20.00-5,290.00; 2000-05 ATED TOC AT 2290'. CBL	
.422.9						STEVE MASON & CHIP BLM. THEY PICKED TOC	
,430.1					4423-4608ftKB on 5/ (Perforated); 2000-05	· ·	
,715.9							
,800.9				888 888 888 888 888	1001 1005 EVP E	723 /2000 00 00	
,866.1	-			1900 1900 1900 1900 1900 1900 1900 1900	4801-4866ftKB on 5/ (Perforated); 2000-05 4716-5081ftKB on 5/	5-23 /23/2000 00:00	
,024.0		2 3/8in, SEATING NIPPLE; 2 - 55; STANDARD SEATING			(Perforated); 2000-05	5-23	
5,024.9	-	2 3/8in, Mule Shoe Collar; 2 J - 55; STANDARD MUL	: 3/8 in; 4.70 lb/ft; E SHOE COLLAR.;				
.025.3	-	5,024.80 f	tKB; 5,025.30 ftKB				
065.9	-				Production Casing Co 5/17/2000 10:00 (plu	ement, Casing, ug); 5,163.00-5,290.00;	
163.1		4 in, Fill, 5,066.0, 5,163.1; TA	G FILL W/ TBG AT 5066'. • (PBTD); 5,163.00		√2290'. CBL WAS LOO	BL INDICATED TOC AT DKED AT BY STEVE RRINGTON WITH BLM.	
,263.1 —		(1)	V = 15 // 5/1.55.00			0 2290'. SING, 5,263.00ftKB; 4 1/2 t; 14.00 ftKB; 5,263.00	
					ftKB		

Page 1/1

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 412904

CONDITIONS

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	412904
	Action Type:
	[C-103] Sub. Workover (C-103R)

CONDITIONS

Created By	Condition	Condition Date
andrew.fordyce	None	11/14/2025