

Submit 1 Copy To Appropriate District

Office

District I – (575) 393-6161

1625 N. French Dr., Hobbs, NM 88240

District II – (575) 748-1283

811 S. First St., Artesia, NM 88210

District III – (505) 334-6178

1000 Rio Brazos Rd., Aztec, NM 87410

District IV – (505) 476-3460

1220 S. St. Francis Dr., Santa Fe, NM

87505

State of New Mexico  
Energy, Minerals and Natural ResourcesForm C-103  
Revised July 18, 2013OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO.

**30-015-42734**

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil &amp; Gas Lease No.

7. Lease Name or Unit Agreement Name

**Cedar 11 State**

8. Well Number

**001H**

9. OGRID Number

**6137**

10. Pool name or Wildcat

**Avalon; Bone Spring, East**

## SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

**Devon Energy Production Company, LP**

3. Address of Operator

**333 West Sheridan Ave. Oklahoma City, Ok 73102**

4. Well Location

Unit Letter **L** : **1345** feet from the **S** line and **200** feet from the **W** lineSection **11** Township **21S** Range **27E** NMPM County **Eddy**

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

**3281' GR**

## 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

## NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐TEMPORARILY ABANDON ☐ CHANGE PLANS ☐PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐DOWNHOLE COMMINGLE ☐CLOSED-LOOP SYSTEM ☐OTHER: ☐

## SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐COMMENCE DRILLING OPNS. ☐ P AND A ☒CASING/CEMENT JOB ☐OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Please see attached the P&amp;A Subsequent Report

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Kelton Woodard TITLE Plugging Agent DATE 12/9/2025Type or print name Kelton Woodard (JMR Services, LLC) E-mail address: kwoodard@jmrservices.com PHONE: 432-618-1050**For State Use Only**

APPROVED BY: \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

Conditions of Approval (if any): \_\_\_\_\_

**P&A Subsequent Report  
Devon Energy Production Company  
Cedar 11 State – 001H  
30-015-42734**

**11/20/25 MIRU.**

**11/21/25 RIH with 5.5 CIBP and set @ 6985'.**

**11/22/25 Circulated 175bbl 10# MLF. Number of sacks 44. Plug (# 1) Spot (40 sxs) class (C) cement From (6986) to (6660). RIH and tagged TOC @ 6658'.**

**11/24/25 Plug (# 2) Spot (25 sxs) class (C) cement From (5410) to (5210). Plug (# 3) Spot (40 sxs) class (C) cement From (4488) to (4120). Plug (# 4) Spot (30 sxs) class (C) cement From (2934) to (2700).**

**11/25/25 RIH and perf'd @ (1115') Before I perforated I ran down and tagged previous plug @ 2660' Good tag), POOH. EIR 2 bbls/min @ 100 psi. Plug (# 5) Squeezed (150sxs) class (C) cement from (1115) to (610). RIH and perf'd @ (100' Before I shot perfs. I ran down to tag previous plug. Tagged @ 567" Good tag), pulled out of the hole. EIR 2 bbls/min @ 125 psi. Plug (# 6) Rigged up pump and circulated (80 sxs) class (C) cement from (100) to surface.**


**11/26/25 RDMO.**

**12/5/25 Cutoff wellhead. Install above ground P&A marker.**

Author:	Shyanne @ JMR		
Well Name	Cedar 11 State	Well No.	1H
Field/Pool	Avalon; Bone Spring	API #:	30-015-42734
County	Eddy	Location:	1345' FSL & 200' FWL
State	NM		Sec 11, T21S, R27E
Spud Date	5/29/2015	GL:	3281'

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface	13 3/8	H-40	48#	805'	17 1/2	825	0'
Intermediate	9 5/8	J-55	40#	2861'	12 1/4	1,055	0'
Production	5 1/2	L-80	17#	12291'	8 3/4	720/1170	2470'

Formation Tops	
Rustler	668'
SALT	1065'
Base of Salt	4169'
Bell Canyon	4399'
Delaware Sand	4434'
Cherry Canyon	5369'
Brushy Canyon	6719'



Plug (# 6) Rigged up pump and circulated (80 sxs) class (C) cement from (100) to surface.  
Perf'd @ 100'.

Tagged TOC @ 567'.

Plug (# 5) Squeezed (150sxs) class (C) cement from (1115) to (610).  
Perf'd @ 1115'.

Plug (# 4) Spot (30 sxs) class (C) cement From (2934) to (2700).

Plug (# 3) Spot (40 sxs) class (C) cement From (4488) to (4120).

Plug (# 2) Spot (25 sxs) class (C) cement From (5410) to (5210).

Tagged TOC @ 6658'.

Plug (# 1) Spot (40 sxs) class (C) cement From (6986) to (6660).  
Set CIBP @ 6985'.





























Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 533548

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 533548
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	Clean Location in accordance with 19.15.25.10 NMAC.	12/18/2025
gcordero	Submit C-103Q within one year of plugging.	12/18/2025