

Santa Fe Main Office  
Phone: (505) 476-3441  
General Information  
Phone: (505) 629-6116

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised July 18, 2013

Online Phone Directory Visit:  
<https://www.emnrd.nm.gov/ocd/contact-us/>

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. 30-015-37058
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. OG-4763
7. Lease Name or Unit Agreement Name Northwest Artesia Unit
8. Well Number 032
9. OGRID Number 372290
10. Pool name or Wildcat 3230- Artesia, Queen- Grayburg- SA
11. Elevation (Show whether DR, RKB, RT, GR, etc.)

**SUNDRY NOTICES AND REPORTS ON WELLS**  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well  Gas Well  Other

2. Name of Operator  
Riley Permain Operating Company, LLC

3. Address of Operator  
29 E Reno, Oklahoma City, OK 73104

4. Well Location  
Unit Letter M : 330 feet from the South line and 330 feet from the West line  
Section 32 Township 17S Range 28E NMPM County Eddy

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

<b>NOTICE OF INTENTION TO:</b>		<b>SUBSEQUENT REPORT OF:</b>	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Please see attached

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Spence Laird TITLE EHSR Manager DATE 11/4/25

Type or print name Spence Laird E-mail address: spence.laird@rileypermain.com PHONE: 405-543-1411  
**For State Use Only**

APPROVED BY: \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
Conditions of Approval (if any): \_\_\_\_\_

Riley Permain  
NW State #032  
API: 30-015-37058

**NW State #032 Subsequent Report**

10/27/2025

MIRU WSU, check pressure casing 200#, tubing 30#, trickle in water (10BBL) well went into vacuum, ND WH, NU BOP, unset tubing anchor. TOOH upon removing 1 joint, rods were found. TOOH with rods, TOOH with tubing (tally tubing) secure well SDFN.

10/28/2025

Load rig supplies travel to location, RU WL, RIH with JB/GR to 2,500. RIH set CBIP @ 2,430'to surface, TIH tag CBIP @ 2,430'. Pump 127 sxs of class C cement 13.2 yield 14.8# TOOH LD 40 SB 10 WOCON. Secure well SDFN.

10/29/2025

TIH tag plug @1,130' MUH to 481', pump issues wait for pump, RU pump M&R 48 sxs class C cement 1.32 yield, 14.8# TOOH. ND BOP top off well, RD WSU prep to move. Secure well SDFN.

10/31/2025

Cut off WH, install Dry hole marker.

Riley Permain  
NW State #032  
API: 30-015-37058

### **NW State #032 Subsequent Report**

10/27/2025

MIRU WSU, check pressure casing 200#, tubing 30#, trickle in water (10BBL) well went into vacuum, ND WH, NU BOP, unset tubing anchor. TOOH upon removing 1 joint, rods were found. TOOH with rods, TOOH with tubing (tally tubing) secure well SDFN.

10/28/2025

Load rig supplies travel to location, RU WL, RIH with JB/GR to 2,500. RIH set CBIP @ 2,430' to surface, TIH tag CBIP @ 2,430'. Pump 127 sxs of class C cement 13.2 yield 14.8# TOOH LD 40 SB 10 WOCON. Secure well SDFN.

10/29/2025

TIH tag plug @1,130' MUH to 481', pump issues wait for pump, RU pump M&R 48 sxs class C cement 1.32 yield, 14.8# TOOH. ND BOP top off well, RD WSU prep to move. Secure well SDFN.

10/31/2025

Cut off WH, install Dry hole marker.



### NW STATE #032

P&A'd

QUEEN-GRAYBURG-SAN ANDRES	API #:	30-015-37058
EDDY COUNTY, NM	SPUD DATE:	8/12/2009
	OCD DISTRICT:	ARTESIA
	LOCATION:	M-32-175-28E 330 FSL 330 FWL
	Lat:	32.7844048
	Long:	-104.205162

KB:  
GL: 3,648

12-1/4" to 431'

8-5/8", 23#, J-55 Surface Casing set @ 431'  
Cmt'd w/ 375 sx Cls C to surface

48 sx cmt from 481 to surface

RED FONT = AS P&A'd

Tag TOC @ 1130'

Degrees @ Depth

1/2 @ 445'
1/2 @ 936'
1 @ 1509'
3/4 @ 2009'
1 @ 2513'
1 1/2 @ 2993'
1 1/2 @ 3402'

CIBP @ 2430. 127 sx Class C cmt on top of CIBP

FORMATION	TOP
Queen	1203
Grayburg	1651
San Andres	1986

**SAN ANDRES PERFS**

2472-2741  
5000 gal 15% HCl  
Frac with 93k 16/30 + 33 16/30 LC with 18# X-link

7-7/8" to 3408'

5-1/2", 17#, J-55 Production Casing set @ 3408'  
Cmt'd w/ 350 35/65 Poz/C + 400 sx C to surface

PBTD ????  
TD 3,425

UPDATED ON:	11/4/2025
UPDATED BY:	Kris Kruse

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/oecd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 540187

**CONDITIONS**

Operator: RILEY PERMIAN OPERATING COMPANY, LLC 29 E Reno Avenue, Suite 500 Oklahoma City, OK 73104	OGRID: 372290
	Action Number: 540187
	Action Type: [C-103] Sub. Plugging (C-103P)

**CONDITIONS**

Created By	Condition	Condition Date
gcordero	Clean Location in accordance with 19.15.25.10 NMAC.	1/14/2026
gcordero	Submit C-103Q within one year of plugging.	1/14/2026