

Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.
30-015-10184
5. Indicate Type of Lease
STATE [checked] FEE []
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name
STATE
8. Well Number #006
9. OGRID Number
16696
10. Pool name or Wildcat
RED LAKE; QUEEN-GRAYBURG-SA (51300)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)
1. Type of Well: Oil Well [checked] Gas Well [] Other []
2. Name of Operator
OXY USA INC.
3. Address of Operator
5 GREENWAY PLAZA, SUITE 110, HOUSTON TX
4. Well Location
Unit Letter M : 330 feet from the SOUTH line and 920 feet from the WEST line
Section 36 Township 17S Range 27E NMPM County EDDY
11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3642'GL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:
PERFORM REMEDIAL WORK [] PLUG AND ABANDON []
TEMPORARILY ABANDON [] CHANGE PLANS []
PULL OR ALTER CASING [] MULTIPLE COMPL []
DOWNHOLE COMMINGLE []
CLOSED-LOOP SYSTEM []
OTHER: []
SUBSEQUENT REPORT OF:
REMEDIAL WORK [] ALTERING CASING []
COMMENCE DRILLING OPNS. [] P AND A [checked]
CASING/CEMENT JOB []
OTHER: []

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

This well is plugged. Job start: 8/11/25. Job complete: 8/15/25. Well cut and capped on 10/15/25. See the attached job summary details and plugged wellbore diagram for reference.

As a lessee of record, it has been requested OXY PA this well. - See the attached letter.

Spud Date: []

Rig Release Date: []

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Leslie T. Reeves TITLE REGULATORY MANAGER DATE 1/8/2026

Type or print name LESLIE REEVES E-mail address: LESLIE_REEVES@OXY.COM PHONE: 713-497-2492
For State Use Only

APPROVED BY: TITLE DATE

Conditions of Approval (if any):

STATE #006 9 (LLJ VENTURES) PLUGGED BY OXY
30-015-10184 PA JOB SUMMARY

8/11/25 MIRU. POOH WITH PUMP AND RODS. SOME RODS PARTED.

8/12/25 FISH PARTED RODS. CLEARED DOWN FISH. POOH WITH TUBING.

8/13/25 EST INJ RATE, CONFIRMED INFO WITH NMOCD. RIH TO 1327', SQUEEZED 200SX
CL CMT. WOC. RIH AND TAGGED TOC @ 1048'. POOH. RIH WITH CIBP, SET @ 1046'. PSI
TESTED TO 500psi F/ 30 MIN, GOOD TEST. RAN CBL F/ 1046' TO SURFACE.

8/14/25 CONFIRM CBL WITH NMOCD AND PLUGS GOING FORWARD. RIH, EOT @ 1046'.
PUMPED 70SX CL C CMT. WOC. RIH AND TAGGED TOC @ 601'. PULLED UP, EOT @ 420'.
PUMPED 30SX CL C CMT. WOC. RIH AND TAGGED TOC @ 243'.

8/15/25 CONFIRMED TAG WITH NMOCD. RIH, EOT @ 243'. PUMPED 400SX CL C CMT.
WOC. RIH AND TAGGED TOC @ 80'. PUMPED 90SX CL C CMT TO SURFACE. WOC.
VERIFIED CEMENT TO SURFACE. NDBOP AND RDMO.

10/15/25 WELL WAS CUT AND CAPPED.

API#: 30-015-10184
 Lease Name: State
 Well No: 6
 County: Eddy
 Location: Section 36, T17S, R27E, Unit M
 Section Lines: 330' FSL & 920' FWL
 RKB Elevation: -
 DF Elevation: 3,643
 Ground Elevation: 3,635
 Date Drilled: Mar-63



Plugged Wellbore

EOT @ 80'. Pumped 90sx Cl C Cmt to surface. WOC. Verified cement to surface.


EOT @ 243'. Pumped 400sx Cl C Cmt. WOC. Tagged TOC @ 80'.

EOT @ 420'. Pumped 30sx Cl C Cmt. WOC. Tagged TOC @ 243'.

EOT @ 1046'. Pumped 70sx Cl C Cmt. WOC. Tagged TOC @ 601'.
 Set CIBP @ 1046'. Ran CBL from 1046' to surf.

EOT @ 1327'. Sqzd 200sx Cl C Cmt. WOC. Tagged TOC @ 1048'.

Perforations (ft)	
1,282	to 1,327
(Queen)	



10 PPG Plug Mud from 1,100' to Surface

7" Top Job w/ 50 sx

Surface Casing

8 5/8 "	22#	-	-	@	1,000	
10 "	Hole	TOC @	NA			NA
		cmt'd w/	0			sks

8-5/8" Casing Not Cemented

Drilled with Cable Tools

Cut & Pulled 675' of 8-5/8" casing

Production Casing

7 "	20#	J55 STC @	1,341	
7 7/8 "	Hole	TOC @	Surface	Top Job
		cmt'd w/	210	sks

TD @ 1,342 TVD
 TD @ 1,342 TMD
 PBTD @ 1,340 TVD
 PBTD @ 1,340 TMD

STAFF #00616696 B











Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 541447

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 541447
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	1/21/2026