

Submit 1 Copy To Appropriate District
Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-38067
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Rhoid State
8. Well Number #1
9. OGRID Number 229137
10. Pool name or Wildcat E-K; Yates-Seven Rivers-Queen

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well Gas Well Other

2. Name of Operator
COG Operating, LLC

3. Address of Operator
600 W. Illinois Ave, Midland, TX 79701

4. Well Location
Unit Letter **D** : **330** feet from the **N** line and **330** feet from the **W** line
Section **24** Township **18S** Range **33E** NMPM County **Lea**

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
' GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Please see below for the Subsequent P&A Report.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Laura Koenig TITLE Regulatory Coordinator DATE 1/23/2025

Type or print name Laura Koenig E-mail address: laura.j.koenig@conocophillips.com PHONE: 432.688.9147
For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____
Conditions of Approval (if any): _____

**Subsequent P&A Report
COG Operating, LLC
Rhoid State #1
30-025-38067**

11/19-11/21/2025 Tagged cement at 5,150 drilled out cement and the existent CIBP tagged at 5,254' cleaned out to 5,425'

11/22/2025 Set a CIBP at 5,390 dump bailer 40' pf cement on top. Ran CBL from 5,290' to surface

11/23/25 Plug (# 1) Spot (15 sxs) class (C) cement From (4992') to (4892'). Plug (# 2) Spot (43 sxs) class (C) cement From (4360') to (3930').

11/24/25 Set CIBP at 3,494', couldn't test found hole in casing at 2,188'

11/25/25 Plug (# 3) Spot (67 sxs) class (C) cement From (3494') to (2804'). OCD approved to perf at 2,188'

11/26/25. Plug (# 4) squeeze (170sxs) class (c) cement from (2,188') to (1550').


12/01/25 Tested casing to 500 psi good. perf at 432' Squeeze Plug (# 5) pumped and circulated (167 sxs) class (C) cement from (432') to surface. RDMO.

12/29/25 Cutoff wellhead. Install above ground P&A marker.

Author:	Shyanne @ JMR		
Well Name:	Rhoid State	Well No.:	#1
Field/Pool:	Wildcat; Yates	API #:	30-025-38067
County:	Lea	Location:	330' FNL & 330' FWL
State:	NM		Sec 24, T18S, R33E
Spud Date:	1/25/2007	GL:	3903'

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface	13 3/8	J55	48#	382'	17 1/2	400	0'
Intermediate	8 5/8	J55	32#	3037'	12 1/4	1,400	0'
Production	5 1/2	J55	17#	9189'	7 7/8	1400	2250'

Formation Tops	
Rustler	1612'
T. Salt	1812'+/-
B. Salt	2928'
Yates	3088'
7 Rivers	3582'
T. Bowers	4030'
Queen	4310'
Delaware	6033'
T. Bone Spring	7302'



Plug (# 5) perf & sqz Pmp and circulated (167 sxs) class (C) cement from (432') to surface.

Plug (# 4) Perf&Squeezed (170sxs) class (c) cement from (2,188') to (1550').

Plug (# 3) Spot (67 sxs) class (C) cement From (3494') to (2804').

CIBP at 3,494'

Perf's @ 3544' to 3552'.

Plug (# 2) Spot (43 sxs) class (C) cement From (4360') to (3930').

Plug (# 1) Spot (15 sxs) class (C) cement From (4992') to (4,892').

CIBP + 35' of cement @ 5290'

Perfs @ 5334' to 5350'
 CIBP + 35' of cement 5,383'
 Perfs @ 5406' to 5424'
 CIBP + 5,600'
 Perfs @ 5626' to 5661'
 CIBP + 35' of cement 7,470'
 Perfs @ 7514' to 7526'
 CIBP @ 8690'.
 Perf's @ 8716' to 8738'.
 CIBP @ 8800'.
 Perf's @ 8826' to 8836'.













Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 545776

CONDITIONS

Operator: COG OPERATING LLC 600 W Illinois Ave Midland, TX 79701	OGRID: 229137
	Action Number: 545776
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	Clean Location in accordance with 19.15.25.10 NMAC.	1/27/2026
gcordero	Submit C-103Q within one year of plugging.	1/27/2026