

Well Name: CROCKETT	Well Location: T26N / R12W / SEC 25 / NWNW / 36.463697 / -108.069167	County or Parish/State: SAN JUAN / NM
Well Number: 2	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM94069	Unit or CA Name:	Unit or CA Number:
US Well Number: 300453059300S1	Operator: REDWOLF PRODUCTION INCORPORATED	

Subsequent Report

Sundry ID: 2895084

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 02/09/2026

Time Sundry Submitted: 04:43

Date Operation Actually Began: 01/14/2026

Actual Procedure: Redwolf Production plugged & abandoned the well from 01/14/2026 - 01/15/2026 per the attached procedure.

SR Attachments

Actual Procedure

Crockett_2_BLM_OCD_plug_comms_20260209164112.pdf

Crockett_2_marker_gps_photos_20260209164023.pdf

Crockett_2_SR_PA_formation_tops_20260209163930.pdf

Crockett_2_SR_PA_completed_wellbore_schematic_20260209163924.pdf

Crockett_2_SR_PA_completed_work_20260209163918.pdf

Well Name: CROCKETT

Well Location: T26N / R12W / SEC 25 / NWNW / 36.463697 / -108.069167

County or Parish/State: SAN JUAN / NM

Well Number: 2

Type of Well: CONVENTIONAL GAS WELL

Allottee or Tribe Name:

Lease Number: NMNM94069

Unit or CA Name:

Unit or CA Number:

US Well Number: 300453059300S1

Operator: REDWOLF PRODUCTION INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TYRA FEIL

Signed on: FEB 09, 2026 04:41 PM

Name: REDWOLF PRODUCTION INCORPORATED

Title: Authorized Representative

Street Address: PO BOX 420

City: FARMINGTON

State: NM

Phone: (505) 325-1821

Email address: TYRAFEIL@DUGANPRODUCTION.COM

Field

Representative Name: Aliph Reena

Street Address: PO Box 420

City: Farmington

State: NM

Zip: 87499-0420

Phone: (505)360-9192

Email address: Aliph.Reena@duganproduction.com

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 02/11/2026


Signature: Kenneth Rennick

Redwolf Production plugged and abandoned the **Crockett 2 from 1/14/2026 to 1/15/2026** well per the following procedure:

- MI & RU Aztec Well Service Rig 450. Spot in and RU cement equipment.
- Check pressures: Tubing 5 psi, Casing 5 psi, BH 0 psi.
- Pull and LD rods, and production tubing.
- PU & tally 2-3/8" work string. Run 4½" string mill to scrape casing to 1306'.
- RIH & set 4½" cement retainer to 1244'. **Pictured Cliffs perforations @ 1284'-1308'**.
- Load and circulate hole clean with 25 bbls of water.
- Attempt to pressure test casing to 650 psi, test failed: had a small of leak of 30 psi/min.
- Establish injection rate: 1.5 bbls/min at 250 psi.
- Check pressures: Tubing 0 psi, Casing 0 psi, BH 0 psi.
- Run CBL from 1244' to surface. Sent copy of CBL to NMOCD. Copy of communications attached.
- **Plug I, Pictured Cliffs-Fruitland-Kirtland-Surface Casing-Surface:** Sting in retainer at 1244' squeeze 20 sks, 23 cu ft Class G cement below the retainer to cover the Pictured Cliffs top until 1284'. Sting out. Spot plug I inside 4-1/2" casing above CICR @ 1244' to surface w/113 sks (129.95 cu ft) Class G neat cement to cover the Pictured Cliffs, Fruitland- Kirtland tops, surface casing shoe & surface casing. No displacement. WOC 4hrs. MI & RU welder. Cut wellhead off. Tagged TOC at 0' inside, 42' annulus. **Plug I, Spot Inside 4-1/2" casing, cement retainer at 1244', 133 sks, 152.95 cu ft, Pictured Cliffs-Fruitland- Kirtland-Surface Casing shoe to Surface, 0'-1284'.**
- Fill cellar and install DHM with 29 sks, 33.35 cu ft, Class G neat cement.
- RD Aztec Well Service Rig 450. Clean location, move.
- Joe Maestas with BLM witnessed the job.
- Photos of P & A marker and GPS coordinates attached per NMOCD COA.
- **Well P & A'ed on 1/15/2026.**

Completed P & A Wellbore Schematic

Crockett 2
30-045-30593
Waw Fruitland Sand PC
990' FNL & 840' FWL
D-S25-T26N-R12W
San Juan County, NM



7" 20#, J-55 casing @ 138': Hole size - 8-3/4"

Cemented with 50 sx of Class B cement containing 2% CaCl and 1/4#/sk cello flake. Circulated 4.5 bbls of cement to surface.

4-1/2" 10.5#, J-55 casing @ 1389'. Hole size: 6-1/4"

Cement w/ 80 sx Class B, sodium metasilicate and 1/4# cello flake/sk. Tailed w/ 100 sx Class B cement containing 1/4# celloflake /sx. Circulated 13 bbls of cement to surface.

Set 4-1/2" CR @ 1244'. Squeeze 20 sks, 23 Cu.ft cement to cover the Pictured Cliffs top below the retainer.

Plug I, Spot Inside 4-1/2" casing, cement retainer at 1244', 133 sks, 152.95 cu ft, Pictured Cliffs-Fruitland- Kirtland-Surface Casing shoe to Surface, 0'-1284'.

Pictured Cliffs Perforated @ 1284' – 1308'

PBTD @ 1343', TD 1389'

Crockett 2
30-045-30593
Waw Fruitland Sand PC
990' FNL & 840' FWL
D-S25-T26N-R12W
San Juan County, NM

Formation Tops (Referenced for the P & A)

- **Surface Casing - 138'**
- **Kirtland - 380'**
- **Fruitland - 760'**
- **Pictured Cliffs - 1284'**
- **Perforations - 1284'-1308'**

Tyra Feil

From: Diede, Loren, EMNRD <Loren.Diede@emnrd.nm.gov>
Sent: Thursday, January 15, 2026 1:22 PM
To: Rennick, Kenneth G; Omar Ramirez; Maestas, Joseph I; Aliph Reena; Fordyce, Andrew, EMNRD; Smith, Clarence, EMNRD; Halliburton, Darin L; Garcia, John, EMNRD; Durham, John, EMNRD; Vermersch, Thomas, EMNRD; Lucero, Virgil S
Cc: Alex Robles; Indalecio Roldan; Tyra Feil
Subject: Re: [EXTERNAL] CBL and Revised proposal - Dugan Production - Crockett #2

NMOCD agrees as well.

Loren

Thank you,
Loren Diede
Senior Petroleum Specialist
Engineering Special Projects
Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, New Mexico 87505
505-394-3582 OCD cell



From: Rennick, Kenneth G <krennick@blm.gov>
Sent: Thursday, January 15, 2026 1:21 PM
To: Omar Ramirez <oramirez@aztecwell.com>; Maestas, Joseph I <jimaestas@blm.gov>; Aliph.Reena@duganproduction.com <Aliph.Reena@duganproduction.com>; Fordyce, Andrew, EMNRD <Andrew.Fordyce@emnrd.nm.gov>; Smith, Clarence, EMNRD <Clarence.Smith@emnrd.nm.gov>; Halliburton, Darin L <dhallibu@blm.gov>; Garcia, John, EMNRD <JohnA.Garcia@emnrd.nm.gov>; Durham, John, EMNRD <john.durham@emnrd.nm.gov>; Diede, Loren, EMNRD <Loren.Diede@emnrd.nm.gov>; Vermersch, Thomas, EMNRD <Thomas.Vermersch@emnrd.nm.gov>; Lucero, Virgil S <vlucero@blm.gov>
Cc: Alex Robles <arobles@aztecwell.com>; MILO <indalecio.rolدان@duganproduction.com>; Tyra.Feil@duganproduction.com <Tyra.Feil@duganproduction.com>
Subject: Re: [EXTERNAL] CBL and Revised proposal - Dugan Production - Crockett #2

BLM finds original procedure and top off appropriate.

Kenneth (Kenny) Rennick

Petroleum Engineer

Bureau of Land Management
Farmington Field Office
6251 College Blvd
Farmington, NM 87402

Email: krennick@blm.gov
Mobile & Text: 505.497.0019

From: Omar Ramirez <oramirez@aztecwell.com>
Sent: Thursday, January 15, 2026 1:18 PM
To: Maestas, Joseph I <jimaestas@blm.gov>; Aliph.Reena@duganproduction.com <Aliph.Reena@duganproduction.com>; Andrew Fordyce <andrew.fordyce@emnrd.nm.gov>; Clarence Smith <clarence.smith@emnrd.nm.gov>; Halliburton, Darin L <dhallibu@blm.gov>; Garcia, John, EMNRD <johna.garcia@emnrd.nm.gov>; john durham <john.durham@emnrd.nm.gov>; Rennick, Kenneth G <krennick@blm.gov>; Loren Diede <loren.diede@emnrd.nm.gov>; Thomas Vermersch <thomas.vermersch@emnrd.nm.gov>; Lucero, Virgil S <vlucero@blm.gov>
Cc: Alex Robles <aarobles@aztecwell.com>; MILO <indalecio.rolan@duganproduction.com>; Tyra.Feil@duganproduction.com <Tyra.Feil@duganproduction.com>
Subject: [EXTERNAL] CBL and Revised proposal - Dugan Production - Crockett #2

This email has been received from outside of DOI - Use caution before clicking on links, opening attachments, or responding.

Dugan Production Corp.
Crockett #2
API #30-045-30593

- From the CBL TOC appears to be at approximately 55'... We request to follow original procedure & top-off w/1" poly line after cut-off.

Omar Ramirez
Rig Manager – San Juan Basin
Aztec Well Servicing Co.
P.O. Box 100
Aztec, New Mexico 87410
Cell:505-486-1828
505-402-6753
Office: 505-334-6191
Oramirez@aztecwell.com



CAUTION: This email originated from outside your organization. Exercise caution.









Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 552692

CONDITIONS

Operator: DUGAN PRODUCTION CORP PO Box 420 Farmington, NM 87499	OGRID: 6515
	Action Number: 552692
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	2/11/2026