

<b>Well Name:</b> CROCKETT	<b>Well Location:</b> T26N / R12W / SEC 25 / NWSE / 36.457269 / -108.058993	<b>County or Parish/State:</b> SAN JUAN / NM
<b>Well Number:</b> 3	<b>Type of Well:</b> CONVENTIONAL GAS WELL	<b>Allottee or Tribe Name:</b>
<b>Lease Number:</b> NMNM94069	<b>Unit or CA Name:</b>	<b>Unit or CA Number:</b>
<b>US Well Number:</b> 300453059400S2	<b>Operator:</b> REDWOLF PRODUCTION INCORPORATED	

**Subsequent Report**

**Sundry ID:** 2895083

**Type of Submission:** Subsequent Report

**Type of Action:** Plug and Abandonment

**Date Sundry Submitted:** 02/09/2026

**Time Sundry Submitted:** 04:35

**Date Operation Actually Began:** 01/16/2026

**Actual Procedure:** Redwolf Production plugged and abandoned the well from 01/16/2026 - 01/19/2026 per the attached procedure.

**SR Attachments**

**Actual Procedure**

- Crockett\_3\_marker\_gps\_photos\_20260209163421.pdf
- Crockett\_3\_BLM\_OCD\_plug\_comms\_20260209163404.pdf
- Crockett\_3\_SR\_PA\_formation\_tops\_20260209163349.pdf
- Crockett\_3\_SR\_PA\_completed\_wellbore\_schematic\_20260209163338.pdf
- Crockett\_3\_SR\_PA\_completed\_work\_20260209163327.pdf

Well Name: CROCKETT

Well Location: T26N / R12W / SEC 25 / NWSE / 36.457269 / -108.058993

County or Parish/State: SAN JUAN / NM

Well Number: 3

Type of Well: CONVENTIONAL GAS WELL

Allottee or Tribe Name:

Lease Number: NMNM94069

Unit or CA Name:

Unit or CA Number:

US Well Number: 300453059400S2

Operator: REDWOLF PRODUCTION INCORPORATED

### Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TYRA FEIL

Signed on: FEB 09, 2026 04:34 PM

Name: REDWOLF PRODUCTION INCORPORATED

Title: Authorized Representative

Street Address: PO BOX 420

City: FARMINGTON

State: NM

Phone: (505) 325-1821

Email address: TYRAFEIL@DUGANPRODUCTION.COM

### Field

Representative Name: Aliph Reena

Street Address: PO Box 420

City: Farmington

State: NM

Zip: 87499-0420

Phone: (505)360-9192

Email address: Aliph.Reena@duganproduction.com

### BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 02/11/2026


Signature: Kenneth Rennick

Redwolf Production plugged and abandoned the **Crockett 3** from **1/16/2026 to 1/19/2026** per the following procedure:

- MI&RU Aztec Well Service Rig 450. Spot in and RU cement equipment.
- Check pressures: Tubing 0 psi, Casing 0 psi, BH 0 psi.
- Pull and LD rods, and production tubing.
- PU & tally 2-3/8" work string. Run 4½" string mill to scrape casing to 1220' tagged previously set CIBP at 1226'.
- RIH & attempt to set 4½" cement retainer at 1170' unsuccessfully. Set at 1145' **Pictured Cliffs perforations @ 1200'-1256'**.
- Load and circulate hole clean with 25 bbls of water.
- Attempt to pressure test casing to 650 psi, test failed: had a small of leak of 40 psi/min.
- Establish injection rate: 1.5 bbls/min at 600 psi.
- Check pressures: Tubing 0 psi, Casing 0 psi, BH 0 psi.
- Run CBL from 1145' to surface. Sent copy of CBL to NMOCD. Copy of communications attached.
- **Plug I, Pictured Cliffs-Fruitland-Kirtland-Surface Casing-Surface:** Sting in retainer at 1145' and squeeze 17 sks, 19.55 cu ft Class G cement below the retainer to cover the Pictured Cliffs top until 1232'. Sting out. Spot Plug I inside 4½" casing above CICR @ 1145' to surface w/102 sks (117.3 cu ft) Class G cement with 2% CaCl<sub>2</sub> to cover the Pictured Cliffs, Fruitland- Kirtland tops, surface casing shoe & surface casing. No displacement. WOC 4 hrs. MI & RU welder, tagged TOC at 0' inside, 39' annulus. **Plug I, Spot Inside 4½" casing, CIBP at 1226' cement retainer at 1145', 119 sks, 136.85 cu ft, Pictured Cliffs-Fruitland- Kirtland-Surface Casing shoe to Surface, 0'-1200'.**
- Fill cellar and install dry hole marker with 34 sks, 39.1 cu ft, Class G neat cement.
- RD Aztec Well Service Rig 450. Clean location, move.
- Clay Yazzie with BLM witnessed the job.
- Photos of P & A marker and GPS coordinates attached per NMOCD COA.
- **Well P&A'd on 1/19/2026.**

**Completed P & A Wellbore Schematic**

Crockett 3  
30-045-30594  
Waw Fruitland Sand PC  
955' FSL & 1440' FEL  
J-S25-T26N-R12W  
San Juan County, NM



**7" 20#, J-55 casing @ 139': Hole size - 8-3/4"**

Cemented with 55 sx (65 cu ft) of Class B cement containing 3% CaCl and 1/4#/sk cello flake. Circulated 4.5 bbls of cement to surface.

**4-1/2" 10.5#, J-55 casing @ 1374'. Hole size: 7-7/8"**

Cement w/ 125 sx Class B, containing 2% sodium metasilicate and 1/4# cello flake/sk. followed w/ 100 sx Class B cement containing 1/4# celloflake /sx. Circulated 25 bbls of cement to surface.

**Set 4-1/2" CR @ 1145'. Squeeze 17 sks, 19.55 Cu.ft cement to cover the Pictured Cliffs top below the retainer.**

**Plug I, Spot Inside 4-1/2" casing, CIBP at 1226' cement retainer at 1145', 119 sks, 136.85 cu ft, Pictured Cliffs-Fruitland-Kirtland-Surface Casing shoe to Surface, 0'-1200'.**

CIBP at 1226', Tagged.

Pictured Cliffs Perforated @ 1232' - 1256'

**Crockett 3**  
30-045-30594  
Waw Fruitland Sand PC  
955' FSL & 1440' FEL  
J-S25-T26N-R12W  
San Juan County, NM

**Formation Tops (Referenced for the P & A)**

- **Surface Casing - 138'**
- **Kirtland - 344'**
- **Fruitland - 725'**
- **Pictured Cliffs - 1232'**
- **Perforations - 1200'-1256'**

**Tyra Feil**

---

**From:** Aliph Reena  
**Sent:** Monday, January 19, 2026 2:20 PM  
**To:** Indalecio Roldan; Tyra Feil  
**Subject:** Fw: CBL and Revised proposal - Dugan Production - Crockett #3



**Aliph Reena**  
Engineering Supervisor  
Dugan Production Corp

---

 O: [505-325-1821](tel:505-325-1821) | D: [505-360-9192](tel:505-360-9192)

 [aliph.reena@duganproduction.com](mailto:aliph.reena@duganproduction.com)

 [DuganProduction.com](http://DuganProduction.com)

 1280 Troy King Rd. | Farmington, NM  
*Mailing: PO Box 420 | Farmington, NM 87499-0420*

---

**From:** Omar Ramirez <oramirez@aztecwell.com>  
**Sent:** Monday, January 19, 2026 12:44 PM  
**To:** Yazzie, Clayton T <cyazzie@blm.gov>; mdecker@blm.gov <mdecker@blm.gov>; Aliph Reena <Aliph.Reena@duganproduction.com>; Andrew Fordyce <andrew.fordyce@emnrd.nm.gov>; Clarence Smith <clarence.smith@emnrd.nm.gov>; Darrin Halliburton <dhallibu@blm.gov>; Garcia, John, EMNRD <johna.garcia@emnrd.nm.gov>; john durham <john.durham@emnrd.nm.gov>; krennick@blm.gov <krennick@blm.gov>; Loren Diede <loren.diede@emnrd.nm.gov>; Thomas Vermersch <thomas.vermersch@emnrd.nm.gov>; vlucero@blm.gov <vlucero@blm.gov>  
**Cc:** Colin Begay <cbegay@aztecwell.com>  
**Subject:** CBL and Revised proposal - Dugan Production - Crockett #3

---

**Dugan Production Corp.**  
**Crockett #3**  
**API #30-045-30594**

- After doing some investigation, it was discovered that an extra set of perms had been made from 1200'-1220'... We attempted to set CICR @1270' & failed. Proceeded to move CICR to 1145'
- From the CBL TOC appears to be at approximately 45'... We request to follow original procedure & top-off w/1" poly line after cut-off.

Omar Ramirez  
Rig Manager – San Juan Basin  
Aztec Well Servicing Co.  
P.O. Box 100  
Aztec, New Mexico 87410  
Cell:505-486-1828  
505-402-6753  
Office: 505-334-6191  
[Oramirez@aztecwell.com](mailto:Oramirez@aztecwell.com)



CAUTION: This email originated from outside your organization. Exercise caution.





DUGAN PRODUCTION CORP.  
CROCKETT #3  
API #30-045-30594  
LSE # NM94069  
NW/4 SE/4, UNIT 1, SEC 25, T26N, R12W  
955' FSL, 1440' FEL  
LAT. 36.4572601 LONG. -108.0589676  
SAN JUAN COUNTY, NM  
FOR EMERGENCY CALL (505) 325-1823





Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/oecd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 552693

**CONDITIONS**

Operator: DUGAN PRODUCTION CORP PO Box 420 Farmington, NM 87499	OGRID: 6515
	Action Number: 552693
	Action Type: [C-103] Sub. Plugging (C-103P)

**CONDITIONS**

Created By	Condition	Condition Date
loren.diede	None	2/11/2026