

Well Name: ZACHRY	Well Location: T29N / R10W / SEC 35 / SWNW / 36.68477 / -107.86061	County or Parish/State: SAN JUAN / NM
Well Number: 50	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMSF080724A	Unit or CA Name: ZACHRY - CHACRA	Unit or CA Number: NMNM110438, NMNM110440
US Well Number: 3004525597	Operator: HILCORP ENERGY COMPANY	

Subsequent Report

Sundry ID: 2795823

Type of Submission: Subsequent Report

Type of Action: Workover Operations

Date Sundry Submitted: 06/18/2024

Time Sundry Submitted: 08:04

Date Operation Actually Began: 06/06/2024

Actual Procedure: Commingle Operations: 6/7/24-PJSM, SITP-0, FCP-15#, SIBHP-0, BDW, RU Premier NDT, TOOH scanning tbg. RIH 3-7/8" junk mill to 3770'. KI air/mist, unload well. Tag fill @ 5166'. RU pwr swvl, air/mist. CO bridge to 5220', circ clean. SDFN, 6/10/24-PJSM, SITP-0, SICP-50#, SIBHP-0, BDW, RIH to 5214' (86' fill). PU pwr swvl, KI air/mist, CO paraffin bridges to 5300'. Tag cmt. DO cmt to 5366'. DO CIBP @ 5366'. Circ well clean. RIH to 5833'. Unload well, bleed off air. POH above liner top @ 5002'. SISW, SDFN, 6/11/24-PJSM, SITP-0, SICP-110#, SIBHP-0, BDW, RIH to 5821' (193' fill). PU pwr swvl, KI air/mist, CO to 5925'. CO plug parts/fill to 6014' PBTD. Circ well clean. POH above liner top @ 5002'. SISW, SDFN, 6/12/24-PJSM, SITP-0, SICP-100#, SIBHP-0, BDW, RIH to 5900' (114' fill). PU pwr swvl, KI air/mist, CO to 6014' PBTD. Circ well clean. POH, LD mill. SISW, 6/13/24-PJSM, SITP-n/a, SICP-110#, SIBHP-0, BDW, TIH W/ prod tbg. Tag hard @ 5910'. Unable to get deeper. TOOH w/tbg. Inspect mud anchor/bull plug. No marks. Frac sand found inside mud anchor. RIH 3-7/8" bit/mill, tag fill @ 5910'. PU pwr swvl. MIRU HEC cabinet unit. KI air/mist, est circ. Work tight spot, CO fill to 6014' (PBTD), Circ clean. Pump sweeps. TOOH above TOL @ 5003'. SISW, SDFN, 6/14/24-PJSM, SITP-0, SICP-100#, SIBHP-0, BDW, TIH, tag fill @ 5934'. TOOH w/all tbg. LD 3-7/8" mill. TIH w/prod tbg. Land 156 jts 2-3/8", 4.7#, J-55 tbg @ 5850'. LD swvl. RD floor, ND BOP. NU WH. X/O to rod handling tools. RIH new pump. Test pump (good). RIH w/rods. Space out. RU stuffing box, seat pump. Load/PT tbg to 500 PSI (good). Long stroke pump, good. RU horses head. Hang off rods. Pump action good. RD. Rig released. Turn well over to production.

Well Name: ZACHRY

Well Location: T29N / R10W / SEC 35 / SWNW / 36.68477 / -107.86061

County or Parish/State: SAN JUAN / NM

Well Number: 50

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMSF080724A

Unit or CA Name: ZACHRY - CHACRA

Unit or CA Number: NMNM110438, NMNM110440

US Well Number: 3004525597

Operator: HILCORP ENERGY COMPANY

SR Attachments

Actual Procedure

Zachry_50_Commingle_WBD_20240618075849.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: CHERYLENE WESTON

Signed on: JUN 18, 2024 07:58 AM

Name: HILCORP ENERGY COMPANY

Title: Operations/Regulatory Tech - Sr

Street Address: 1111 TRAVIS STREET

City: HOUSTON

State: TX

Phone: (713) 289-2615

Email address: CWESTON@HILCORP.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 06/18/2024

Signature: Kenneth Rennick




Current Schematic - Version 3

Well Name: ZACHRY #50

API / UWI 3004525597	Surface Legal Location 035-029N-010W-E	Field Name BLANCO MV (PRO #0078	Route 0806	State/Province NEW MEXICO	Well Configuration Type Vertical
Ground Elevation (ft) 5,633.00	Original KB/RT Elevation (ft) 5,645.00	Tubing Hanger Elevation (ft)	RKB to GL (ft) 12.00	KB-Casing Flange Distance (ft)	KB-Tubing Hanger Distance (ft)

Original Hole [Vertical]



Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 435002

CONDITIONS

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID: 372171
	Action Number: 435002
	Action Type: [C-103] Sub. (Re)Completion Sundry (C-103T)

CONDITIONS

Created By	Condition	Condition Date
andrew.fordyce	None	2/12/2026