

Well Name: SOUTH SEAS	Well Location: T22N / R7W / SEC 6 / LOT 1 / 36.172966 / -107.610442	County or Parish/State: SANDOVAL / NM
Well Number: 1	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM89023	Unit or CA Name:	Unit or CA Number:
US Well Number: 300432089700S1	Operator: DUGAN PRODUCTION CORPORATION	

Subsequent Report

Sundry ID: 2895702

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 02/12/2026

Time Sundry Submitted: 10:27

Date Operation Actually Began: 01/23/2026

Actual Procedure: Dugan Production plugged and abandoned the well from 01/23/2026 - 01/27/2026 per the attached procedure.

SR Attachments

Actual Procedure

South_Seas_1_marker_gps_photos_20260212102503.pdf

South_Seas_1_BLM_OCD_plug_comms_20260212102450.pdf

South_Seas_1_SR_PA_formation_tops_20260212102432.pdf

South_Seas_1_SR_PA_completed_wellbore_schematic_20260212102427.pdf

South_Seas_1_SR_PA_completed_work_20260212102420.pdf

Well Name: SOUTH SEAS

Well Location: T22N / R7W / SEC 6 / LOT 1 / 36.172966 / -107.610442

County or Parish/State: SANDOVAL / NM

Well Number: 1

Type of Well: CONVENTIONAL GAS WELL

Allottee or Tribe Name:

Lease Number: NMNM89023

Unit or CA Name:

Unit or CA Number:

US Well Number: 300432089700S1

Operator: DUGAN PRODUCTION CORPORATION

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TYRA FEIL

Signed on: FEB 12, 2026 10:27 AM

Name: DUGAN PRODUCTION CORPORATION

Title: Authorized Representative

Street Address: PO BOX 420

City: FARMINGTON

State: NM

Phone: (505) 325-1821

Email address: TYRAFEIL@DUGANPRODUCTION.COM

Field

Representative Name: Aliph Reena

Street Address: PO Box 420

City: Farmington

State: NM

Zip: 87499-0420

Phone: (505)360-9192

Email address: Aliph.Reena@duganproduction.com

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 02/12/2026


Signature: Kenneth Rennick

Dugan Production plugged and abandoned the **South Seas from 1/23/2026 to 1/27/2026** per the following procedure:

- MI & RU Aztec Well Service Rig 481. Spot in and RU cement equipment.
- Check pressures: Tubing 20 psi, Casing 80 psi, BH 0 psi.
- Pull and LD production tubing.
- PU & tally 1½" work string. Run 2-7/8" string mill to scrape casing to 1600'.
- Check pressures: Tubing 0 psi, Casing 0 psi, BH 0 psi.
- MI WL, RIH w/wireline set 2-7/8" CICR & set at 1590'. **Chacra perforations @ 1629'-1731'**.
- TIH w/2-7/8" tubing and stinger. Sting in cement retainer. Squeeze 27sks, 31.05 *Chacra Top-Chacra perforations. Displaced with 3.1 bbls of water.
- RIH w/wireline set 2-7/8" CIBP, set at 1588'.
- Run CBL from 1588' to surface (re-run CBL from 500' to surface). Sent copy of CBL to NMOCD. Copy of communications attached.
- Load and circulate hole with 10 bbls of water.
- Pressure test casing to 740 psi for 30 mins. Test failed.
- **Plug I, Chacra-Pictured Cliffs-Fruitland tops:** Spot Plug I inside 2-7/8" casing above CIBP @ 1588' w/27 sks (31.05 cu ft) Class G neat cement to cover the Chacra-Pictured Cliffs, Fruitland tops. Total cement 54 sks, 61.2 cu ft. Displaced with 1.3 bbl of water. WOC overnight. Tagged TOC at 620'. Good tag. **Plug I, Inside 2-7/8" casing, cement retainer at 1590', CIBP at 1588', 54 sks, 61.2 cu ft, Chacra-Pictured Cliffs-Fruitland, 620'-1629'.**
- **Plug II, Kirtland-Ojo Alamo-Surface Casing-Surface:** Spot Plug II inside 2-7/8" casing @ 620' to surface w/20 sks (23 cu ft) Class G neat cement to cover the Kirtland, Ojo Alamo tops, surface casing shoe & surface casing. No displacement, WOC 4 hrs. MI welder, cut wellhead off. Tagged TOC at 33' inside, 28' annulus. **Plug II, Inside 2-7/8" casing, 20 sks, 23 cu ft, Kirtland-Ojo Alamo-Surface Casing shoe to Surface, 0'-620'.**
- Fill cellar and install dry hole marker with 20 sks, 23 cu ft, Class G neat cement.
- RD Aztec Well Service Rig 481. Clean location, move.
- Fred Brandenburg witnessed the job.
- Photos of P&A marker and GPS coordinates attached per NMOCD COA.
- **Well P&A'd on 1/27/2026.**

Completed P & A Wellbore Schematic

South Seas #1
30-043-20897
Rusty Chacra
1100' FNL & 1135' FEL
A-S06-T22N-R07W
Sandoval County, NM



7" 20#, J-55 casing @ 135': Hole size - 9-1/8"
Cemented with 50 sks, (59 cu ft) Class B cement.

Plug II, Inside 2-7/8" 20 sks, 23 cu ft, Kirtland-Ojo Alamo-Surface Casing shoe to Surface, 0'-620'.

Set 2-7/8" CR @ 1590'. Squeeze 27 sks, 31.05 Cu ft cement to cover the Chacra top below the retainer.

Set CIBP at 1588'

Plug I, Inside 2-7/8" casing, cement retainer at 1590', CIBP at 1588', 54 sks, 61.2 cu ft, Chacra-Pictured Cliffs-Fruitland, 620'-1629'.

2-7/8" 6.5#, EUE casing @ 1828'. Hole size: 6-1/4"
Cement w/ 150 sks 2% Lodense w/ 1/4# celloflake. Tail with 125 sks Class B neat w/ 1/4# celloflake. (450 cu ft. slurry) Circ 3 bbls cement.

Chacra Perforated @ 1629' - 1731'

PBTD @ 1784', TD 1840'

South Seas #1
30-043-20897
Rusty Chacra
1100' FNL & 1135' FEL
A-S06-T22N-R07W
Sandoval County, NM

Formation Tops (Referenced for the P & A)

- **Surface Casing - 135'**
- **Ojo Alamo - 120'**
- **Kirtland - 212'**
- **Fruitland - 932'**
- **Pictured Cliffs - 1235'**
- **Lewis - 1437'**
- **Chacra - 1624'**
- **Perforations - 1629'-1731'**

Tyra Feil

From: Diede, Loren, EMNRD <Loren.Diede@emnrd.nm.gov>
Sent: Tuesday, January 27, 2026 6:57 AM
To: Rennick, Kenneth G; Aliph Reena; Lucero, Virgil S; Brandenburg, Frederick C; Garcia, John, EMNRD
Cc: Brian McCann; Tyra Feil; Alex Robles; Indalecio Roldan
Subject: Re: [EXTERNAL] Re: South Seas #1 CBL

NMOCD concurs with BLM.

Loren

Thank you,
Loren Diede
Senior Petroleum Specialist
Engineering Special Projects
Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, New Mexico 87505
505-394-3582 OCD cell



From: Rennick, Kenneth G <krennick@blm.gov>
Sent: Tuesday, January 27, 2026 6:32 AM
To: Aliph Reena <Aliph.Reena@duganproduction.com>; Diede, Loren, EMNRD <Loren.Diede@emnrd.nm.gov>; Lucero, Virgil S <vlucero@blm.gov>; Brandenburg, Frederick C <fbrandenburg@blm.gov>; Garcia, John, EMNRD <JohnA.Garcia@emnrd.nm.gov>
Cc: Brian McCann <bmccann@aztecwell.com>; Tyra Feil <Tyra.Feil@duganproduction.com>; Alex Robles <arobles@aztecwell.com>; Indalecio Roldan <Indalecio.Roldan@duganproduction.com>
Subject: Re: [EXTERNAL] Re: South Seas #1 CBL

To confirm, the BLM finds an inside plug appropriate.

Kenneth (Kenny) Rennick

Petroleum Engineer

Bureau of Land Management
Farmington Field Office

6251 College Blvd
Farmington, NM 87402

Email: krennick@blm.gov
Mobile & Text: 505.497.0019

From: Aliph Reena <Aliph.Reena@duganproduction.com>
Sent: Monday, January 26, 2026 3:08 PM
To: Diede, Loren, EMNRD <loren.diede@emnrd.nm.gov>; Rennick, Kenneth G <krennick@blm.gov>; Lucero, Virgil S <vlucero@blm.gov>; Brandenburg, Frederick C <fbrandenburg@blm.gov>; Garcia, John, EMNRD <johna.garcia@emnrd.nm.gov>
Cc: Brian McCann <bmcann@aztecwell.com>; Tyra Feil <Tyra.Feil@duganproduction.com>; Alex Robles <arobles@aztecwell.com>; Indalecio Roldan <Indalecio.Roldan@duganproduction.com>
Subject: [EXTERNAL] Re: South Seas #1 CBL

This email has been received from outside of DOI - Use caution before clicking on links, opening attachments, or responding.


Re: Re-Run of CBL Section 0-500' due to lack of detail on CBL/VDL on that section

Dugan Production Corp.
South Seas # 2
API: 30-043-20897

Please see the attached re-run for the CBL for Dugan Production's South Seas # 2. From the re-run the TOC appear to be at 40' from the surface.
We request all inside plugs and **no changes** from the originally approved procedure.

Please let us know if the request is acceptable to BLM & NMOCD and we will proceed accordingly.

Regards,
Aliph Reena
505-360-9192



Aliph Reena
Engineering Supervisor
Dugan Production Corp









Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oecd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 553716

CONDITIONS

Operator: DUGAN PRODUCTION CORP PO Box 420 Farmington, NM 87499	OGRID: 6515
	Action Number: 553716
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	2/17/2026