



U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Sundry Print Report

02/12/2026

Well Name: COBBER 21 FED	Well Location: T26S / R34E / SEC 21 / SESE / 32.02187 / -103.46841	County or Parish/State: LEA / NM
Well Number: 1H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM112941	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002542311	Operator: DEVON ENERGY PRODUCTION COMPANY LP	

Subsequent Report

Sundry ID: 2893127

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 01/28/2026

Time Sundry Submitted: 06:16


Date Operation Actually Began: 10/14/2025

Actual Procedure: null

SR Attachments

Actual Procedure

Plugging_Record_Devon_Cobbler_21_Federal_001H_3160_5_20260128061652.pdf



Well Name: COBBER 21 FED	Well Location: T26S / R34E / SEC 21 / SESE / 32.02187 / -103.46841	County or Parish/State: LEA / NM
Well Number: 1H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM112941	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002542311	Operator: DEVON ENERGY PRODUCTION COMPANY LP	

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JEFF YOUNG **Signed on:** JAN 28, 2026 06:16 AM

Name: DEVON ENERGY PRODUCTION COMPANY LP

Title: Production Data Analyst

Street Address: 333 W SHERIDAN AVE

City: OKLAHOMA CITY **State:** OK

Phone: (405) 228-2480

Email address: JEFF.YOUNG@DVN.COM

Field

Representative Name:

Street Address:

City: **State:** **Zip:**

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JAMES A AMOS

BLM POC Title: Acting Assistant Field Manager

BLM POC Phone: 5752345927

BLM POC Email Address: JAMOS@BLM.GOV

Disposition: Accepted

Disposition Date: 02/12/2026

Signature: James A Amos

Form 3160-5
(June 2019)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB
No. 1004-0137 Expires:
December 31, 2024

SUNDRY NOTICES AND REPORTS ON WELLS
*Do not use this form for proposals to drill or to re-enter an
abandoned well. Use Form 3160-3 (APD) for such proposals.*

5. Lease Serial No. NMNM112941
6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 2		7. If Unit of CA/Agreement, Name and/or No.
1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		8. Well Name and No. Cobbler 21 Federal 1H
2. Name of Operator Devon Energy Production Company, L.P.		9. API Well No. 30-025-42311
3a. Address 333 Sheridan Ave, Oklahoma City, OK 73102	3b. Phone No. (include area code) (405)-228-2480	10. Field and Pool or Exploratory Area Bradley; Bone Spring
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) P-21-26S-34E 65 FSL 660 FEL		11. Country or Parish, State Lea, New Mexico

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

Please see the P&A Subsequent Report below.

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed) Kelton Woodard (JMR Services, LLC)	Title Plugging Agent
Signature <i>Kelton Woodard</i>	Date 1/27/2026

THE SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**P&A Subsequent Report
Devon Energy Production Company, L.P.
Cobbler 21 Federal 1H
30-025-42311**

10/14/25 MIRU.

10/15/25 Check Pressures on Well: Tubing 180 psi, Casing 400 psi, Surface 0 psi.

10/16/25 Check Pressures on Well: Tubing 350 psi, Casing 480 psi, Surface 0 psi. Wait on orders from Devon. They decided to order 12# kill mud. Will be on location in the morning.

10/20/25 Check Pressures on Well: Tubing 550 psi, Casing 75 psi, Surface 0 psi.

10/21/25 Check Pressures on Well: Tubing 550 psi, Casing 50 psi, Surface 0 psi. Tagged @ 8917'.

10/22/25 Check Pressures on Well: Tubing 0 psi, Casing 0 psi, Surface 0 psi.

10/23/25 Check Pressures on Well: Tubing 0 psi, Casing 0 psi, Surface 0 psi.

10/24/25 Tagged CIBP @ 9180'. Circulated 267bbl 10# MLF. Number of sacks 68. Plug (# 1) Spot (20 sxs) class (H) cement From (9180) to (9130).

10/27/25 Check Pressures on Well: Tubing 0 psi, Casing 0 psi, Surface 0 psi. Tagged TOC @ 9018'. Plug (# 2) Spot (25 sxs) class (C) cement From (7999) to (7890).

10/28/25 Load well and integrity test Packer to 600. Held for 15 min. Good test! psi. Perf'd @ 6390'.

10/29/25 Check Pressures on Well: Tubing 0 psi, Casing 0 psi, Surface 0 psi. Spoke with (Zota Stevens with BLM) approved to : Spot 25 sk plug @ 6390"-6240". Plug (# 3) Spot (25 sxs) class (C) cement From (6390) to (6250). RIH and perf'd @ 5387'. EIR 2 bbls/min @ 1400 psi. Plug (# 4) Squeezed (50sxs) class (C) cement from (5387) to (5237).

10/30/25 Check Pressures on Well: Tubing 0 psi, Casing 0 psi, Surface 0 psi. RIH and tagged TOC @ 5183'. RIH and perf'd @ 5092'. State Orders: RIH AND PERFORATE @ 5042" RIH and perf'd @ 5042'. EIR 2 bbls/min @ 600 psi. Plug (# 5) Squeezed (50sxs) class (C) cement from (5042) to (4942). RIH and perf'd @ 3510'. Tagged @ 4810'.

10/31/25 Check Pressures on Well: Tubing 0 psi, Casing 0 psi, Surface 0 psi. Spoke with (Zota Stevens) approved to : Spot 30 sk WOC and Tag. Plug (# 6) Spot (30 sxs) class (C) cement From (3510') to (3380).


11/03/25 RIH and perf'd @ 1150'. Tagged @ 3262'. EIR 2 bbls/min @ 700 psi. Plug (# 7) Squeezed (85sxs) class (C) cement from (1150') to (900'). RIH and tagged TOC @ 838'. RIH and perf'd @ 100'. EIR 2 bbls/min @ 500 psi.

11/04/25 Plug (# 8) Rigged up pump and circulated (50 sxs) class (C) cement from (100) to surface. RDMO.

12/12/25 Cutoff wellhead. Install above ground P&A marker.

Author:	Shyanne @ JMR	
Well Name	Cobbler 21 Federal	Well No. 1H
Field	Bradley; Bone Spring	API#: 30-025-42311
County	Lea	Location Sec 21, T26S, R34E
State	NM	65' FSL & 660' FEL
Spud Date	4/23/2015	GL 3286'

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	13 3/8	J-55	54.5#	1004'	17 1/2	865	0'
Inter Csg	9 5/8	HCK-55	40#	5337'	12 1/4	1,605	0'
Prod Csg	7	P-110	29#	9133'	8 3/4	1,525	1280'
Liner	4 1/2	P-110	17#	14400'	8 3/4	300	5620'



Plug (# 8) Rigged up pump and circulated (50 sxs) class (C) cement from (100) to surface.
Perf'd @ 100'

Tagged TOC @ 838'

1004

Plug (# 7) Squeezed (85sxs) class (C) cement from (1150') to (900').
Perf'd @ 1150'

Tagged @ 3262'.

Plug (# 6) Spot (30 sxs) class (C) cement From (3510') to (3380).

Plug (# 5) Squeezed (50sxs) class (C) cement from (5042) to (4942).
State orders to perf'd @ 5042'.
Perf'd @ 5092'.

Tagged TOC @ 5183'.

5337

Plug (# 4) Squeezed (50sxs) class (C) cement from (5387) to (5237).
Perf'd @ 5387'.

Plug (# 3) Spot (25 sxs) class (C) cement From (6390) to (6250).
Perf'd @ 6390'.

Plug (# 2) Spot (25 sxs) class (C) cement From (7999) to (7890).

Tagged TOC @ 9018'.

Plug (# 1) Spot (20 sxs) class (H) cement From (9180) to (9130).
Tagged CIBP @ 9180'

Formation Tops	
Fresh Water	200'
Rustler	960'
Top of Salt	1100'
Castile	3460'
Base of Salt	5042'
Delaware	5296'
Bell Canyon	5332'
Cherry Canyon	6340'
Brushy Canyon	7945'
Bone Spring	9546'
Up. Leonard	9561'
Up. Leonard base	9861'
1st Bne Spring	10586'























Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oecd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 553519

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 553519
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	2/13/2026