

U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Well Name: LITTLE STINKER

Well Location: T30N / R12W / SEC 11 /
LOT 9 / 36.824971 / -108.060876

County or Parish/State: SAN
JUAN / NM

Well Number: 3

Type of Well: CONVENTIONAL GAS
WELL

Allottee or Tribe Name:

Lease Number: NMSF081239

Unit or CA Name: BASIN DAKOTA,
BLANCO MESAVERDE, FRCL - E/2

Unit or CA Number:
NMNM102938, NMNM104857,
NMNM104870

US Well Number: 3004532305

Operator: HILCORP ENERGY
COMPANY

Subsequent Report

Sundry ID: 2895856

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 02/13/2026

Time Sundry Submitted: 05:53

Date Operation Actually Began: 02/03/2026

Actual Procedure: Hilcorp Energy Company has plugged and abandoned the subject well on 2/12/2026 per the attached daily reports.

SR Attachments

Actual Procedure

LITTLE_STINKER_3_SR_P_A_BLM_Submitted_20260213055315.pdf

Well Name: LITTLE STINKER

Well Location: T30N / R12W / SEC 11 /
LOT 9 / 36.824971 / -108.060876

County or Parish/State: SAN
JUAN / NM

Well Number: 3

Type of Well: CONVENTIONAL GAS
WELL

Allottee or Tribe Name:

Lease Number: NMSF081239

Unit or CA Name: BASIN DAKOTA,
BLANCO MESAVERDE, FRCL - E/2

Unit or CA Number:
NMNM102938, NMNM104857,
NMNM104870

US Well Number: 3004532305

Operator: HILCORP ENERGY
COMPANY

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: PRISCILLA SHORTY

Signed on: FEB 13, 2026 05:53 AM

Name: HILCORP ENERGY COMPANY

Title: Regulatory Technician

Street Address: 382 ROAD 3100

City: AZTEC

State: NM

Phone: (505) 324-5188

Email address: PSHORTY@HILCORP.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 02/13/2026

Signature: Kenneth Rennick

LITTLE STINKER 3**30.045.32305****PLUG AND ABANDONMENT**

2/3/2026 - RIG MOVE P&A EQUIP. LOTO. SPOT EQUIP. RU RIG & PUMPING. CK PSI; TBG-140#, CSG-100#, BH-0# BDW 5 MINS. RU ROD EQUIP. LD 77 3/4" RODS, 7 SINKER BARS, 1 ROD PUMP. FT BOP. ND WH. NU BOP. RU RF & TBG EQUIP. SIW. SDFN.

2/4/2026 - CK PSI; TBG-0#, CSG-80#, BH-0#. BDW 5 MINS. RU WSI. MONTHLY BOP TEST. BOP TEST OK. RD WSI. PULL TBG HANGER. LD 68 JTS 2 3/8" J55. SWAP FLOATS. TALLY, RABBIT & PUP. RIH W/ 4.75" JM. TAG CIBP @ 2403'. RU PWR SWL & CIRC EQUIP. EST CIRC. (MILL ON TOP CIBP FOR AN HR) C/O & PUSH CIBP TO 2501'. CIRC WELL CLEAN. RD PWS. TOO H ABOVE TOP PERF @ 1849'. SIW, SDFN.

2/5/2026 - CK PSI: TBG-0#, CSG-80#, BH-0#. BDW 5 MNS. TIH TAG CIBP @ 2532'. RU PWR. EST CIRC. D/O CIBP. PU 5 JTS. NO TAG. RD PSWL. TALLY, RABBIT & PUP. TAG CIBP @ 4465'. BEGIN D/O CIBP. BEGIN MILLING CIBP. D/O CIBP. PUP W/ SWL TO 4580'. RD PWR SWL. PUP CHASE PLUG TO 6626'. CIRC WELL CLEAN. RD CIRC EQUIP. TOO H TO TOP PERF @ 1849'. SIW, SDFN.

2/6/2026 - CK PSI: TBG-0#, CSG-80#, BH-0#. BDW 5 MNS. TIH W/ TS TO CIBP @ 6626'. RU SL. RIH & TAG FLUID @ EST 5900'. RD SL. **PLUG #1 (BP) FROM 6626' - 6368' (258') (5.5") M&P 30 SKS CLASS G, 15.8PPG, 1.15YIELD, 6.1BLSRY, 3.5MIX, 18DIS, 1%CAL.** LD TOC. TOO H. SIW. WOC. **TIH TAG TOC @ 6190'. BLM REP APPROVED TAG.** LD TBG TO PLUG #2. RU SL RIH & TAG TOF @ EST 3500'. RD SL. **PLUG #2 (BP) FROM 5795' - 5597' (198') (5.5") M&P 23 SKS CLASS G, 15.8PPG, 1.15YIELD, 4.7BLSRY, 2.7MIX, 8.9DIS.** LD TOC TOO H TO TOP PERF. SIW, WOC. SDFN. **(BLM REP MONTY GOMEZ)**

2/9/2026 - CK PSI; TBG-0#, CSG-50#, BH-0#. BDW 5 MINS. **TIH TAG TOC @ 5684' BLM REP APPROVED TAG.** LD TBG TO PLUG #3. TOO H. LD TS. **HEC RIG SUPERVISOR RECEIVED APPROVAL FROM BLM AND NMOCD TO SET CR @ 4465' TO ISOLATE THE MESAVERDE PERFS.** TIH W/ 5.5" CR. S&R CR @ 4464'. LOAD CSG FROM 4464' - 2130' W/ 60 BLS FW. **PLUG #3 (BP) FROM 4778' - 4361'. (314') (5.5") M&P 52 SKS CLASS G, 12ABOVE / 40BELOW, 15.8PPG, 1.15YIELD, 10.6BLSRY, 6.1MIX, 8.8DIS, 1%CAL.** LD TOC. TOO H, LD STINGER. SIW. WOC. **TIH TAG TOC @ 4400'. BLM REP APPROVED TAG.** LD TBG TO PLUG #4. RD SL. RIH & TAG TOF @ 2600'. RD SL. **PLUG #4 (BP) FROM 4039' - 3620'. (419') (5.5") M&P 55 SKS CLASS G, 15.8PPG, 1.15YIELD, 11.2BLSRY, 6.5MIX, 4.4DIS,** LD TOC. TOO H, SIW. SDFN, WOC. **(BLM REP MONTY GOMEZ)**

2/10/2026 -CK PSI; TBG-0#, CSG-50#, BH-0#. BDW 1 MIN. **TIH TAG TOC @ 3715'. BLM DISAPPROVED TAG. ORDERS TO SPOT 18 SKS & WOC.** RU SL RIH & TAG TOF @ 2600'. **PLUG #4A (BP) FROM 3715' - 3560' (155') (5.5") M&P 18 SKS OF CLASS G, 15.8PPG, 1.15YIELD, 3.6BLSRY, 2.14MIX, 4.4DIS. 2% CAL.** LD TOC. TOO H. SIW. WOC. **TIH TAG TOC @ 3685'. BLM DISAPPROVED TAG. ORDERS TO SPOT 25 SKS & WOC.** RU SL RIH & TAG

LITTLE STINKER 3**30.045.32305****PLUG AND ABANDONMENT**

TOF @ EST 2300'. PLUG #4B (BP) FROM 3685' - 3470' (215') (5.5") M&P 25 SKS OF CLASS G, 15.8PPG, 1.15YIELD, 5.1BLSRY, 2.9MIX, 4.DIS. 2% CAL. LD TOC. TOO. SIW. WOC. TIH TAG TOC @ 3538'. BLM APPROVED TAG. LD TBG TO PLUG #5. RU SL TAG TOF @ EST 2300'. RD SL. PLUG #5 (BP) FROM 3226' - 2848' (387') (5.5") M&P 45 SKS OF CLASS G, 15.8PPG, 1.15YIELD, 9.2BLSRY, 5.3MIX, 2.5DIS. 2% CAL. LD TOC. TOO. SIW. SDFN. WOC. HEC RIG SUPERVISOR RECEIVED APPROVAL FROM BLM AND NMOCD TO SET CR @ 1780' TO ISOLATE THE FRUITLAND PERFS. (BLM REP MONTY GOMEZ)

2/11/2026 - CK PSI; TBG-0#, CSG-50#, BH-0#. BDW 1 MIN. TIH TAG TOC @ 2915' BLM APPROVED TAG. LD TBG TO PLUG #6. TOO LD TS. TIH W/ 5.5" CR. S&R CR @ 1780'. CIRC WELL W/ 60 BBLS FW. PSI TEST CSG TO 560# FOR 30 MINS. TEST OK. PLUG #6 FROM (1677'-2142') (5.5")(453') M&P 54 SKS CLASS G. 42SKS BELOW / 12SKS ABOVE. 15.8PPG, 1.15YIELD, 11.0BLSRY, 6.4MIX, 6DIS. 2%CAL. LD TOC. TOO LD STINGER. TIH W/ TS TO 1500'. SIW. TIH TAG TOC @ 1657'. BLM APPROVED TAG. LD TBG TO PLUG #7. PLUG #7 FROM (850'-0') (5.5") M&P 122 SKS CLASS G. 15.8PPG, 1.15YIELD, 24.9BLSRY, 14.5MIX, CIRC CMT TO SURF. LD ALL TBG. RD RF & TBG EQUIP. ND BOP. NU WH. DIG OUT WH. MONITOR WH PSI & BUBBLE TEST BH. TEST OK. WAIT TIL AM TO CUT & REMOVE WH. WAIT ON ORDERS IN THE AM. SIW, SDFN. (BLM REP MONTY GOMEZ)

2/12/2026 - CK PSI; TBG-0#, CSG-0#, BH-0#. BDW 0 MIN. MONITOR WH PSI. BUBBLE TEST BH. TEST OK. CUT & REMOVE WH. FIND TOC @ 43' INSIDE 5.5" / @ SURF IN ANNULUS. WELD & INSTALL DHM @ 36.82494 N / 108.06081 W. TOP OFF CELLAR W/ 25 SKS/ CLASS G, 15.8 PPG, 1.15YIELD. RD P&A PKG. DRAIN EQUIP. CLEAN & SECURE LOC. MOL. (BLM REP MONTY GOMEZ)

WELL WAS PLUGGED AND ABANDONED ON 2/12/2026.




Current Schematic - Version 3

Well Name: **LITTLE STINKER #3**

API / UWI 3004532305	Surface Legal Location T30N-R12W-S11	Field Name San Juan Area 02	Route 0208	State/Province NEW MEXICO	Well Configuration Type Vertical
Ground Elevation (ft) 5,807.00	Original KB/RT Elevation (ft) 5,819.00	Tubing Hanger Elevation (ft)	RKB to GL (ft) 12.00	KB-Casing Flange Distance (ft)	KB-Tubing Hanger Distance (ft)
Tubing Strings					
Run Date 8/20/2024 09:00	Set Depth (ftKB) 2,180.00	String Max Nominal OD (in) 2 3/8	String Min Nominal ID (in) 2.00	Weight/Length (lb/ft) 4.70	Original Spud Date 10/4/2004 00:00

Original Hole, LITTLE STINKER #3 [Vertical]





Crop



Priscilla Shorty

From: Diede, Loren, EMNRD <Loren.Diede@emnrd.nm.gov>
Sent: Wednesday, February 11, 2026 7:23 AM
To: Rennick, Kenneth G; Oscar Sanchez - (C); Gomez, Monty J; Joe Zimmerman; Trevor Townsley
Cc: Farmington Regulatory Techs; Priscilla Shorty
Subject: Re: [EXTERNAL] LITTLE STINKER #3 API 30.045.32305 CR REQUEST

CAUTION: External sender. DO NOT open links or attachments from UNKNOWN senders.

NMOCD concurs with BLM

Thank you,
Loren Diede
Senior Petroleum Specialist
Engineering Special Projects
Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, New Mexico 87505
505-394-3582 OCD cell



From: Rennick, Kenneth G <krennick@blm.gov>
Sent: Tuesday, February 10, 2026 6:21 PM
To: Oscar Sanchez - (C) <oscar.sanchez@hilcorp.com>; Gomez, Monty J <mgomez@blm.gov>; Diede, Loren, EMNRD <Loren.Diede@emnrd.nm.gov>; Joe Zimmerman <Joseph.Zimmerman@hilcorp.com>; Trevor Townsley <Trevor.Townsley@hilcorp.com>
Cc: Farmington Regulatory Techs <FarmingtonRegulatoryTechs@hilcorp.com>; Priscilla Shorty <pshorty@hilcorp.com>
Subject: Re: [EXTERNAL] LITTLE STINKER #3 API 30.045.32305 CR REQUEST

The BLM finds the procedure appropriate.

Kenneth (Kenny) Rennick

Petroleum Engineer

Bureau of Land Management
Farmington Field Office

6251 College Blvd
Farmington, NM 87402

Email: krennick@blm.gov
Mobile & Text: 505.497.0019

From: Oscar Sanchez - (C) <oscar.sanchez@hilcorp.com>
Sent: Tuesday, February 10, 2026 5:26 PM
To: Gomez, Monty J <mgomez@blm.gov>; Diede, Loren, EMNRD <Loren.Diede@emnrd.nm.gov>; Rennick, Kenneth G <krennick@blm.gov>; Joe Zimmerman <Joseph.Zimmerman@hilcorp.com>; Trevor Townsley <Trevor.Townsley@hilcorp.com>
Cc: Farmington Regulatory Techs <FarmingtonRegulatoryTechs@hilcorp.com>; Priscilla Shorty <pshorty@hilcorp.com>
Subject: RE: [EXTERNAL] LITTLE STINKER #3 API 30.045.32305 CR REQUEST

Hello!!.. Per well LITTLE STINKER #3 API 30.045.32305. Requesting to set CR @ 1780' to isolate FRUITLAND PERFS (1849' – 2130')(281') PLUG REQUEST; PLUG #6 CR @ 1780'. FROM 1677' TOC - 2142' (12' BELOW PERFS). M&P 54 SKS CLASS G. 42SKS BELOW / 12SKS ABOVE. WOC & TAG. LMK if there are any questions or concerns. Thanks!!

From: Gomez, Monty J <mgomez@blm.gov>
Sent: Monday, February 9, 2026 8:39 AM
To: Oscar Sanchez - (C) <oscar.sanchez@hilcorp.com>; Diede, Loren, EMNRD <Loren.Diede@emnrd.nm.gov>; Rennick, Kenneth G <krennick@blm.gov>; Joe Zimmerman <Joseph.Zimmerman@hilcorp.com>; Trevor Townsley <Trevor.Townsley@hilcorp.com>
Cc: Farmington Regulatory Techs <FarmingtonRegulatoryTechs@hilcorp.com>; Priscilla Shorty <pshorty@hilcorp.com>
Subject: Re: [EXTERNAL] LITTLE STINKER #3 API 30.045.32305 CR REQUEST

CAUTION: External sender. DO NOT open links or attachments from UNKNOWN senders.

BLM approves

Get [Outlook for iOS](#)

From: Oscar Sanchez - (C) <oscar.sanchez@hilcorp.com>
Sent: Monday, February 9, 2026 8:37:03 AM
To: Diede, Loren, EMNRD <Loren.Diede@emnrd.nm.gov>; Rennick, Kenneth G <krennick@blm.gov>; Joe Zimmerman <Joseph.Zimmerman@hilcorp.com>; Trevor Townsley <Trevor.Townsley@hilcorp.com>
Cc: Farmington Regulatory Techs <FarmingtonRegulatoryTechs@hilcorp.com>; Priscilla Shorty <pshorty@hilcorp.com>; Gomez, Monty J <mgomez@blm.gov>
Subject: RE: [EXTERNAL] LITTLE STINKER #3 API 30.045.32305 CR REQUEST

Hello!!.. Per well LITTLE STINKER #3 API 30.045.32305. Requesting to set CR @ 4465' to isolate MESA VERDE PERFS (4514' – 4778')(313') PLUG REQUEST; PLUG #3 CR @ 4465'. M&P 52 SKS CLASS G. 40SKS BELOW / 12SKS ABOVE. WOC & TAG. This request would help hold a collum of fluid between 4465' – 2130'. LMK if there are any questions or concerns. Thanks!!

From: Diede, Loren, EMNRD <Loren.Diede@emnrd.nm.gov>
Sent: Monday, February 9, 2026 7:06 AM

To: Rennick, Kenneth G <krennick@blm.gov>; Oscar Sanchez - (C) <oscar.sanchez@hilcorp.com>; Joe Zimmerman <Joseph.Zimmerman@hilcorp.com>
Cc: Farmington Regulatory Techs <FarmingtonRegulatoryTechs@hilcorp.com>; Priscilla Shorty <pshorty@hilcorp.com>
Subject: Re: [EXTERNAL] LITTLE STINKER #3 API 30.045.32305

CAUTION: External sender. DO NOT open links or attachments from UNKNOWN senders.

NMOCD agrees with BLM.

Loren

Thank you,
Loren Diede
Senior Petroleum Specialist
Engineering Special Projects
Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, New Mexico 87505
505-394-3582 OCD cell



From: Rennick, Kenneth G <krennick@blm.gov>
Sent: Friday, February 6, 2026 10:45 AM
To: Oscar Sanchez - (C) <oscar.sanchez@hilcorp.com>; Joe Zimmerman <Joseph.Zimmerman@hilcorp.com>; Diede, Loren, EMNRD <Loren.Diede@emnrn.nm.gov>
Cc: Farmington Regulatory Techs <FarmingtonRegulatoryTechs@hilcorp.com>; Priscilla Shorty <pshorty@hilcorp.com>
Subject: Re: [EXTERNAL] LITTLE STINKER #3 API 30.045.32305

The BLM finds proceeding with work is appropriate.

Kenneth (Kenny) Rennick

Petroleum Engineer

Bureau of Land Management
Farmington Field Office
6251 College Blvd
Farmington, NM 87402

Email: krennick@blm.gov
Mobile & Text: 505.497.0019

From: Oscar Sanchez - (C) <oscar.sanchez@hilcorp.com>
Sent: Friday, February 6, 2026 10:43 AM
To: Rennick, Kenneth G <krennick@blm.gov>; Joe Zimmerman <Joseph.Zimmerman@hilcorp.com>; Diede, Loren, EMNRD <loren.diede@emnrd.nm.gov>
Cc: Farmington Regulatory Techs <FarmingtonRegulatoryTechs@hilcorp.com>; Priscilla Shorty <pshorty@hilcorp.com>
Subject: [EXTERNAL] LITTLE STINKER #3 API 30.045.32305

This email has been received from outside of DOI - Use caution before clicking on links, opening attachments, or responding.

Hello!!.. Per COA on well LITTLE STINKER #3 API 30.045.32305. The CIBP @ 4465' was verified & was drilled out Yesterday & chased down to CIBP @ 6626'. Request to proceed w/ P&A. LMK if there are any questions or concerns. Thanks!!

Oscar Sanchez

Wellsite Supervisor
505-608-9185
Oscar.Sanchez@Hilcorp.com

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 553620

CONDITIONS

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID: 372171
	Action Number: 553620
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	2/19/2026