

Well Name: SILVER FED COM	Well Location: T20S / R33E / SEC 9 / SWSW / 32.580834 / -103.674817	County or Parish/State: LEA / NM
Well Number: 401H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM51844	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002548803	Well Status: Producing Oil Well	Operator: MATADOR PRODUCTION COMPANY

Subsequent Report

Sundry ID: 2773673

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 02/06/2024

Time Sundry Submitted: 12:11

Date Operation Actually Began: 08/29/2023

Actual Procedure: Attached please find the Final Casing and Cement actuals for Int2 and Production. Spud date: 2/10/2023 TD date: 9/16/2023 Rig Released: 9/19/2023

SR Attachments

PActual Procedure

Silver_Fed_401H_Final_Casing_and_Cementing_Actuals_20240206121114.pdf

Well Name: SILVER FED COM

Well Location: T20S / R33E / SEC 9 / SWSW / 32.580834 / -103.674817

County or Parish/State: LEA / NM

Well Number: 401H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM51844

Unit or CA Name:

Unit or CA Number:

US Well Number: 3002548803

Well Status: Producing Oil Well

Operator: MATADOR PRODUCTION COMPANY

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: EILEEN KOSAKOWSKI

Signed on: FEB 06, 2024 12:24 PM

Name: MATADOR PRODUCTION COMPANY

Title: Regulatory Analyst

Street Address: 5400 LBJ FREEWAY, STE 1500

City: DALLAS

State: TX

Phone: (972) 371-5200

Email address: EILEEN.KOSAKOWSKI@MATADORRESOURCES.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972

BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted

Disposition Date: 02/09/2024

Signature: Jonathon Shepard

Form 3160-5
(June 2019)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 2021

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on page 2		5. Lease Serial No.
1. Type of Well <input type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		6. If Indian, Allottee or Tribe Name
2. Name of Operator		7. If Unit of CA/Agreement, Name and/or No.
3a. Address	3b. Phone No. (include area code)	8. Well Name and No.
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description)		9. API Well No.
		10. Field and Pool or Exploratory Area
		11. Country or Parish, State

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)	
	Title
Signature	Date

THE SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by		
	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c) and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well

0. SHL: SWSW / 85 FSL / 686 FWL / TWSP: 20S / RANGE: 33E / SECTION: 9 / LAT: 32.580834 / LONG: -103.674817 (TVD: 0 feet, MD: 0 feet)

PPP: SWSW / 100 FSL / 330 FWL / TWSP: 20S / RANGE: 33E / SECTION: 9 / LAT: 32.580684 / LONG: -103.675795 (TVD: 8940 feet, MD: 8984 feet)

PPP: SWSW / 0 FNL / 349 FWL / TWSP: 20S / RANGE: 33E / SECTION: 4 / LAT: 32.594917 / LONG: -103.675747 (TVD: 9191 feet, MD: 14163 feet)

PPP: NWNW / 1319 FNL / 344 FWL / TWSP: 20S / RANGE: 33E / SECTION: 9 / LAT: 32.591292 / LONG: -103.675758 (TVD: 9203 feet, MD: 12843 feet)

PPP: SWNW / 2639 FNL / 339 FWL / TWSP: 20S / RANGE: 33E / SECTION: 9 / LAT: 32.587664 / LONG: -103.675772 (TVD: 9214 feet, MD: 11524 feet)

BHL: NWNW / 100 FNL / 660 FWL / TWSP: 20S / RANGE: 33E / SECTION: 4 / LAT: 32.60934 / LONG: -103.675699 (TVD: 9145 feet, MD: 19516 feet)

CONFIDENTIAL

Surface Casing Sundry

Silver Fed Com #401H																										
*estimated due to batch drilling/will have actuals at time of setting next string																										
DATE	STRING	FLUID TYPE (list)	WT LB/FT (decimal)	GRADE	CONN	HOLE SZ (fraction)	CSG SZ (fraction)	HOLE DEPTH (feet)	DEPTH SET (feet)	WAIT ON CMT (decimal hours)	PRESS HELD (psi)	DURATION HELD (decimal hours)	STAGE	STAGE TOOL DEPTH (ftm)	LD SX	LD YIELD	TL SX	TL YIELD	TTL SX	TTL Bbls	CLASS (list)	TOP OF CMT (feet)	METHOD USED (list)	BBLs TO SURF (if circulated)	SX TO SURF (if circulated)	LENGTH 1" RAN (if topped out)
2/12/2023	SURF	WBM	75.00	J-55	Buttress	20"	16"	1346	1346	*4000	*1500	*0.5	1		1250	1.68	305	1.33	1555	446.2422	C	0	Circ	195	823	0

Intermediate Casing Sundry

Silver Fed Com #401H																										
*estimated due to batch drilling/will have actuals at time of setting next string																										
DATE	STRING	FLUID TYPE (list)	WT LB/FT (decimal)	GRADE	CONN	HOLE SZ (fraction)	CSG SZ (fraction)	HOLE DEPTH (feet)	DEPTH SET (feet)	WAIT ON CMT (decimal hours)	PRESS HELD (psi)	DURATION HELD (decimal hours)	STAGE	STAGE TOOL DEPTH (ftm)	LD SX	LD YIELD	TL SX	TL YIELD	TTL SX	TTL Bbls	CLASS (list)	TOP OF CMT (feet)	METHOD USED (list)	BBLs TO SURF (if circulated)	SX TO SURF (if circulated)	LENGTH 1" RAN (if topped out)
2/12/2023	SURF	WBM	75.00	J-55	Buttress	20"	16"	1346	1346	4051.0	1500	0.5	1		1250	1.68	305	1.33	1555	446.2422	C	0	Circ	195	823	0
8/2/2023	INT 1	WBM	45.50	L-80	Buttress	13-1/2"	10-3/4"	3015	2995	*650	*1500	*0.5	1		950	1.89	450	1.35	1400	427.9608	C	0	Circ	149	443	0

Intermediate Casing Sundry

Silver Fed Com #401H																										
*estimated due to batch drilling/will have actuals at time of setting next string																										
DATE	STRING	FLUID TYPE (list)	WT LB/FT (decimal)	GRADE	CONN	HOLE SZ (fraction)	CSG SZ (fraction)	HOLE DEPTH (feet)	DEPTH SET (feet)	WAIT ON CMT (decimal hours)	PRESS HELD (psi)	DURATION HELD (decimal hours)	STAGE	STAGE TOOL DEPTH (ftm)	LD SX	LD YIELD	TL SX	TL YIELD	TTL SX	TTL Bbls	CLASS (list)	TOP OF CMT (feet)	METHOD USED (list)	BBLs TO SURF (if circulated)	SX TO SURF (if circulated)	LENGTH 1" RAN (if topped out)
2/12/2023	SURF	WBM	75.00	J-55	Buttress	20"	16"	1346	1346	4051.0	1500	0.5	1		1250	1.68	305	1.33	1555	446.2422	C	0	Circ	195	823	0
8/2/2023	INT 1	WBM	45.50	L-80	Buttress	13-1/2"	10-3/4"	3015	2995	575.0	1500	0.5	1		950	1.89	450	1.35	1400	427.9608	C	0	Circ	149	443	0
8/29/2023	INT 2	WBM	32.00	P-110	Buttress	9-7/8"	8-5/8"	5471	5441	30.5	1500	0.5	1	3053	745	1.89	130	1.34	875	281.7898	C	3053	Calc	0	-	0
													2									3010	Temp Log	0		
														Squeeze	380	1.48	134	1.34	514	132.1389	H	0	Circ	32	134	

Production Casing Sundry

Silver Fed Com #401H																										
*estimated due to batch drilling/will have actuals at time of setting next string																										
DATE	STRING	FLUID TYPE (list)	WT LB/FT (decimal)	GRADE	CONN	HOLE SZ (fraction)	CSG SZ (fraction)	HOLE DEPTH (feet)	DEPTH SET (feet)	WAIT ON CMT (decimal hours)	PRESS HELD (psi)	DURATION HELD (decimal hours)	STAGE	STAGE TOOL DEPTH (ftm)	LD SX	LD YIELD	TL SX	TL YIELD	TTL SX	TTL Bbls	CLASS (list)	TOP OF CMT (feet)	METHOD USED (list)	BBLs TO SURF (if circulated)	SX TO SURF (if circulated)	LENGTH 1" RAN (if topped out)
2/12/2023	SURF	WBM	75.00	J-55	Buttress	20"	16"	1346	1346	4051.0	1500	0.5	1		1250	1.68	305	1.33	1555	446.2422	C	0	Circ	195	823	0
8/2/2023	INT 1	WBM	45.50	L-80	Buttress	13-1/2"	10-3/4"	3015	2995	575.0	1500	0.5	1		950	1.89	450	1.35	1400	427.9608	C	0	Circ	149	443	0
8/29/2023	INT 2	WBM	32.00	P-110	Buttress	9-7/8"	8-5/8"	5471	5441	30.5	1500	0.5	1	3053	745	1.89	130	1.34	875	281.7898	C	3053	Calc	0	-	0
													2									3010	Temp Log	0		
														Squeeze	380	1.48	134	1.34	514	132.1389	H	0	Circ	32	134	
9/17/2023	PROD	Oil-Based Mud	20.00	P-110	TLW	7-7/8"	5-1/2"	19369	19352	*1500	*1500		1		645	2.41	1685	1.24	2330	648.9492	C	0	Circ	35	82	

2/10/2023 Spud Well																			
8/31/2023 KOP: 8651' MD / 8647' TVD																			
9/16/2023 TD: 19,369' MD / 9214' TVD																			
Top of Prod Casing Float Collar (feet): 19,347'																			
9/19/2023 Released Rig																			

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 313222

CONDITIONS

Operator: MATADOR PRODUCTION COMPANY One Lincoln Centre Dallas, TX 75240	OGRID: 228937
	Action Number: 313222
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
clifford.shepherd	None	3/5/2026