

Sante Fe Main Office Phone: (505) 476-3441  General Information Phone: (505) 629-6116  Online Phone Directory <a href="https://www.emnrd.nm.gov/ocd/contact-us">https://www.emnrd.nm.gov/ocd/contact-us</a>	<b>State of New Mexico</b> <b>Energy, Minerals and Natural Resources</b> <b>Oil Conservation Division</b> <b>1220 S. St Francis Dr.</b> <b>Santa Fe, NM 87505</b>	Form C-103 August 1, 2011  Permit 413324  WELL API NUMBER 30-015-57451  5. Indicate Type of Lease Private  6. State Oil & Gas Lease No.
--	---	--

**SUNDRY NOTICES AND REPORTS ON WELLS**  
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Gas	8. Well Number 701H
2. Name of Operator MARATHON OIL PERMIAN LLC	9. OGRID Number 372098
3. Address of Operator 600 W Illinois Ave, Midland, TX 79701	10. Pool name or Wildcat

4. Well Location  
 Unit Letter M : 988 feet from the S line and feet 327 from the W line  
 Section 29 Township 22S Range 27E NMPM County Eddy

11. Elevation (Show whether DR, KB, BT, GR, etc.)  
 3167 GR

Pit or Below-grade Tank Application  or Closure   
 Pit Type \_\_\_\_\_ Depth to Groundwater \_\_\_\_\_ Distance from nearest fresh water well \_\_\_\_\_ Distance from nearest surface water \_\_\_\_\_  
 Pit Liner Thickness: \_\_\_\_\_ mil Below-Grade Tank: Volume \_\_\_\_\_ bbls; Construction Material \_\_\_\_\_

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTER CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE OF PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
Other: _____		Other: <u>Drilling/Cement</u> <input checked="" type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

See Attached  
 1/16/2026 Spudded well.

**Casing and Cement Program**

Date	String	Fluid Type	Hole Size	Csg Size	Weight lb/ft	Grade	Est TOC	Dpth Set	Sacks	Yield	Class	1" Dpth	Pres Held	Pres Drop	Open Hole
01/16/26	Surf	FreshWater	17.5	13.375	54.5	J-55	0	264	360	1.32	C		1500		
03/03/26	Liner1	Brine	8.75	7.625	29.7	L80ICY	0	8144	370	2.69	NEOCEM C		1500		
02/23/26	Int1	Brine	12.25	9.625	40	L-80IC	0	1810	420	2.04	C		1500		
03/24/26	Prod	Brine	6.75	5.5	20	P110	0	18962	585	2.35	NEOCEM C		1500		
02/23/26	Int1	Brine	12.25	9.625	40	L-80IC	1024	1810	215	1.33	HALCEM C		1500		
03/03/26	Liner1	Brine	8.75	7.625	29.7	L80ICY	7095	8144	105	1.33	HALCEM C		1500		
03/24/26	Prod	Brine	6.75	5.5	20	P110	4281	18962	845	1.37	HALCEM C		1500		

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit  or an (attached) alternative OCD-approved plan .

SIGNATURE	<u>Electronically Signed</u>	TITLE	<u>Regulatory Supervisor</u>	DATE	<u>4/2/2026</u>
Type or print name	<u>Robyn M Russell</u>	E-mail address	<u>Robyn.M.Russell@conocophillips.com</u>	Telephone No.	<u>432-685-4385</u>

**For State Use Only:**

APPROVED BY:	<u>Keith Dziokonski</u>	TITLE	<u>Senior Petroleum Specialist</u>	DATE	<u>4/10/2026 11:50:01 AM</u>
--------------	-------------------------	-------	------------------------------------	------	------------------------------

1/16/26 Spud well @ 1am HRS CST.  
SURFACE  
1/16/26 TD 17.5" surface hole @ 274'.  
Set 13.375" 54.5# J-55 BTC csg @ 264'.  
Tail cmt w/360 sks, Class C, 1.32 ft<sup>3</sup>/sk YIELD.14.8 ppg.  
Displace w/ 29 BW.  
Circ 162 sks cement to surface.  
WOC 8 hrs.  
PT casing 1500psi for 30 min, Good test.  
Suspend ops1/16/26

2/22/26 Resumed ops.  
Intermediate 1  
2/23/26 TD 12.25" vertical @ 1830'.  
Set 9.625" 40# L-80-IC BTC csg @ 1810'.  
Lead cmt w/420 sks, Class C, 2.04 ft<sup>3</sup>/sk YIELD.12.8 ppg.  
Tail cmt w/215 sks, Class HALCEM C, 1.33 ft<sup>3</sup>/sk YIELD.14.8 ppg.  
Displace w/ 128 BW.  
Circ 259 sks cement to surface.  
WOC 8 hrs.  
PT casing 1500psi for 30 min, Good test.  
RDMO 2/23/26

3/1/26 Resumed ops.  
Intermediate 2  
3/3/26 TD 8.75" vertical @ 8156'.  
Set 7.625" 29.7# L80-ICY W513 Liner @ 1600'-8144'.  
Lead cmt w/370 sks, Class NEOCEM C, 2.69 ft<sup>3</sup>/sk YIELD.11 ppg.  
Tail cmt w/105 sks, Class HALCEM C, 1.33 ft<sup>3</sup>/sk YIELD.14.8 ppg.  
Displace w/ 313 BW.  
Circ 47 sks cement off top of liner @ 1600' to surface.  
WOC 8 hrs.  
PT casing 1500psi for 30 min, Good test.  
Suspend ops3/4/26

3/16/26 Resumed ops.  
Production  
3/24/26 TD 6.75" lateral @ 18987'.  
Set 5.5" 20# P-110-ICY W441 csg @ 18962'.  
Lead cmt w/585 sks, Class NEOCEM C, 2.35 ft<sup>3</sup>/sk YIELD.11.5 ppg.  
Tail cmt w/845 sks, Class HALCEM C, 1.37 ft<sup>3</sup>/sk YIELD.13.2 ppg.  
Displace w/ 419 BW.  
Circ 24 sks cement to surface.  
WOC 8 hrs.  
Will PT production casing before starting completion activities.  
Rig released 3/26/26

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

COMMENTS

Action 413324

**COMMENTS**

Operator: MARATHON OIL PERMIAN LLC 600 W Illinois Ave Midland, TX 79701	OGRID: 372098
	Action Number: 413324
	Action Type: [Drilling] EP Drilling / Cement

**Comments**

Created By	Comment	Comment Date
keith.dziokonski	• Report Pressure test for Production Casing on next Sundry	4/10/2026