



# Well Completion Print

U.S. Department of the Interior  
BUREAU OF LAND MANAGEMENT

07/08/2025

<b>Operator Name</b> OXY USA INCORPORATED	<b>Well Name</b> SAKER 6-7 FEDERAL	<b>Well Number</b> 36H	<b>US Well Number</b> 3002548937
<b>SHL</b> Lot 3 Sec 6 24S 35E	<b>County</b> LEA	<b>State</b> NM	<b>Lease Number(s)</b> NMNM14164
<b>Well Type</b> OIL WELL	<b>Well Status</b> Producing Oil Well	<b>Agreement Name</b>	<b>Agreement Number(s)</b>
<b>Allottee/Tribe Name</b>	<b>Well Pad Name</b> SAKER 6- 7 FEDERAL COM	<b>Well Pad Number</b> 23H, 24H, 91H, 92H, 11H, 12H, 1H, 2H, 3H, 34H, 31H, 35H, 36H	<b>APD ID</b> 10400059967

## Section 1 - General

**Well Completion Report Id:** 91577

**Submission Date:** 04-23-2024

**BLM Office:** Carlsbad Field Office

**User:** LESLIE REEVES

**Title:** Advisor Regulatory

**Federal/Indian:** FEDERAL

**Lease Number:** NMNM14164

**Lease Acres:**

**Agreement in place?:** NO

**Federal or Indian Agreement:**

**Agreement Number:**

**Agreement Name:**

**Additional Information**

**Keep this Well Completion Report confidential?:** NO

**APD Operator:** OXY USA  
INCORPORATED

<b>Operator Name</b> OXY USA INCORPORATED	<b>Well Name</b> SAKER 6-7 FEDERAL	<b>Well Number</b> 36H	<b>US Well Number</b> 3002548937
<b>SHL</b> Lot 3 Sec 6 24S 35E	<b>County</b> LEA	<b>State</b> NM	<b>Lease Number(s)</b> NMNM14164
<b>Well Type</b> OIL WELL	<b>Well Status</b> Producing Oil Well	<b>Agreement Name</b>	<b>Agreement Number(s)</b>
<b>Allottee/Tribe Name</b>	<b>Well Pad Name</b> SAKER 6-7 FEDERAL COM	<b>Well Pad Number</b> 23H, 24H, 91H, 92H, 11H, 12H, 1H, 2H, 3H, 34H, 31H, 35H, 36H	<b>APD ID</b> 10400059967

### Section 2 - Well

**Field/Pool or Exploratory:** Pool Name: Wolfcamp Field Name: ANTELOPE RIDGE

**Well Type:** OIL WELL

**Spud Date:** 06-01-2023

**Date Total Measured Depth Reached:** 11-17-2023

**Drill & Abandon or Ready To Produce:** READY TO PRODUCE

**Well Class:** HORIZONTAL

### Section 3 - Geologic

Formation Name	Lithology	Describe Lithology	Elevation	TVD	MD	Mineral Resources	Describe Mineral
RUSTLER	ANHYDRITE, DOLOMITE, SHALE		2748	727	727	USEABLE WATER	
SALADO	ANHYDRITE, DOLOMITE, HALITE, SHALE		2337	1139	1139	OTHER	SALT
CASTILE	ANHYDRITE		-607	4082	4084	OTHER	SALT
DELAWARE	LIMESTONE, SANDSTONE, SILTSTONE		-1830	5306	5308	NATURAL GAS, OIL, OTHER	BRINE
BELL CANYON	SANDSTONE, SILTSTONE		-1867	5342	5345	NATURAL GAS, OIL, OTHER	BRINE
CHERRY CANYON	SANDSTONE, SILTSTONE		-2714	6190	6193	NATURAL GAS, OIL, OTHER	BRINE
BRUSHY CANYON	SANDSTONE, SILTSTONE		-4095	7571	7575	NONE	
BONE SPRING	LIMESTONE, SANDSTONE, SILTSTONE		-5321	8797	8805	NATURAL GAS, OIL	

<b>Operator Name</b> OXY USA INCORPORATED	<b>Well Name</b> SAKER 6-7 FEDERAL	<b>Well Number</b> 36H	<b>US Well Number</b> 3002548937
<b>SHL</b> Lot 3 Sec 6 24S 35E	<b>County</b> LEA	<b>State</b> NM	<b>Lease Number(s)</b> NMNM14164
<b>Well Type</b> OIL WELL	<b>Well Status</b> Producing Oil Well	<b>Agreement Name</b>	<b>Agreement Number(s)</b>
<b>Allottee/Tribe Name</b>	<b>Well Pad Name</b> SAKER 6- 7 FEDERAL COM	<b>Well Pad Number</b> 23H, 24H, 91H, 92H, 11H, 12H, 1H, 2H, 3H, 34H, 31H, 35H, 36H	<b>APD ID</b> 10400059967

### Section 3 - Geologic

Formation Name	Lithology	Describe Lithology	Elevation	TVD	MD	Mineral Resources	Describe Mineral
BONE SPRING 1ST	LIMESTONE, SANDSTONE, SILTSTONE		-6457	9933	9941	NATURAL GAS, OIL	
BONE SPRING 2ND	LIMESTONE, SANDSTONE, SILTSTONE		-6908	10383	10392	NATURAL GAS, OIL	
BONE SPRING 3RD	LIMESTONE, SANDSTONE, SILTSTONE		-7891	11367	11379	NATURAL GAS, OIL	
WOLFCAMP	SANDSTONE, SILTSTONE		-8158	11634	11705	NATURAL GAS, OIL	

### Completion and Completed

#### Completion Data

Wellbore Code	Completion Code	Interval Number	Case Number	Lease Number	Well Completion Type	Describe Well Completion Type	Completion Status	Date Completed	Date First Produced	Formation	Interval Top (MD)	Interval Bottom (MD)	Interval Perforated?	Perforation Size	Number of Holes	Status of Interval
00	S1	1	NMNM14164	NMNM14164	NEW		POW	12-17-2023	12-23-2023	WOLFCA MP	11825	21760	Y	.42	1278	OPEN

<b>Operator Name</b> OXY USA INCORPORATED	<b>Well Name</b> SAKER 6-7 FEDERAL	<b>Well Number</b> 36H	<b>US Well Number</b> 3002548937
<b>SHL</b> Lot 3 Sec 6 24S 35E	<b>County</b> LEA	<b>State</b> NM	<b>Lease Number(s)</b> NMNM14164
<b>Well Type</b> OIL WELL	<b>Well Status</b> Producing Oil Well	<b>Agreement Name</b>	<b>Agreement Number(s)</b>
<b>Allottee/Tribe Name</b>	<b>Well Pad Name</b> SAKER 6- 7 FEDERAL COM	<b>Well Pad Number</b> 23H, 24H, 91H, 92H, 11H, 12H, 1H, 2H, 3H, 34H, 31H, 35H, 36H	<b>APD ID</b> 10400059967

**Treatment Data**

Wellbore Code	Completion Code	Interval Number	Interval Treated?	Treatment Type	Tottle Fluid (bbbls)	Total Proppant (lbs)	Treatment Remarks
00	S1	1	Y	FRAC	513200	26932482	Frac in 40 stages w/ 505703BLS Produced Water + 7,497BBLS Brackish Water (> 1,000 mg/l TDS and 10,000 mg/l TDS) w/ 26,932,482 LBS sand.

**Production Data**

Wellbore Code	Completion Code	Interval Number	API Oil Gravity	Gas Gravity	Production Method	Describe Production	Disposition of Gas	Describe Disposition
00	S1	1			FLows FROM WELL		SOLD	

**Test Data**

Wellbore Code	Completion Code	Interval Number	Test Date	Hours Tested	24-Hour Rate Oil (bbbls)	24-Hour Rate Gas (MCF)	24-Hour Rate Water(BWPD)	Gas-Oil Ratio (SCF/Bbl)	Choke Size	Tubing Pressure	Tubing Pressure Shut-In (psi)	Casing Pressure (psi)
---------------	-----------------	-----------------	-----------	--------------	--------------------------	------------------------	--------------------------	-------------------------	------------	-----------------	-------------------------------	-----------------------

<b>Operator Name</b> OXY USA INCORPORATED	<b>Well Name</b> SAKER 6-7 FEDERAL	<b>Well Number</b> 36H	<b>US Well Number</b> 3002548937
<b>SHL Lot</b> 3 Sec 6 24S 35E	<b>County</b> LEA	<b>State</b> NM	<b>Lease Number(s)</b> NMNM14164
<b>Well Type</b> OIL WELL	<b>Well Status</b> Producing Oil Well	<b>Agreement Name</b>	<b>Agreement Number(s)</b>
<b>Allottee/Tribe Name</b>	<b>Well Pad Name</b> SAKER 6- 7 FEDERAL COM	<b>Well Pad Number</b> 23H, 24H, 91H, 92H, 11H, 12H, 1H, 2H, 3H, 34H, 31H, 35H, 36H	<b>APD ID</b> 10400059967

**Test Data**

Wellbore Code	Completion Code	Interval Number	Test Date	Hours Tested	24-Hour Rate Oil (bbls)	24-Hour Rate Gas (MCF)	24-Hour Rate Water(BWPD)	Gas-Oil Ratio (SCF/Bbl)	Choke Size	Tubing Pressure	Tubing Pressure Shut-In (psi)	Casing Pressure (psi)
00	S1	1	01/21/20 24	24	1837	904	3286	492				444

**Well Location**

**Survey Type:** RECTANGULAR      **Survey Number:**

**Datum:** NAD83      **Vertical Datum:** NAVD88      **Reference Datum:** GL

State	Meridian	County	Latitude	Longitude	Elevation (MSL)	MID (ft)	TVD (ft)	Lease Type	Lease Number	Plug TVD (ft)	Plug MID (ft)	Plug Type	NS-Foot	NS-Indicator	EW-Foot	EW-Indicator	Township	Range	Section	Aliquot/Lot/Tract
SHL	NEW MEXICO	NEW MEXICO PRINCIPAL	LEA	32.253264	-103.40863	3450	N/A	N/A	FEDERAL	NMNM14164			200	FNL	2030	FWL	24S	35E	6	Lot 3
KOP Wellbore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	LEA	32.253593	-103.40834	-7771	11230	11221	FEDERAL	NMNM14164			80	FNL	2119	FWL	24S	35E	6	Lot 3

<b>Operator Name</b> OXY USA INCORPORATED	<b>Well Name</b> SAKER 6-7 FEDERAL	<b>Well Number</b> 36H	<b>US Well Number</b> 3002548937
<b>SHL</b> Lot 3 Sec 6 24S 35E	<b>County</b> LEA	<b>State</b> NM	<b>Lease Number(s)</b> NMNM14164
<b>Well Type</b> OIL WELL	<b>Well Status</b> Producing Oil Well	<b>Agreement Name</b>	<b>Agreement Number(s)</b>
<b>Allottee/Tribe Name</b>	<b>Well Pad Name</b> SAKER 6-7 FEDERAL COM	<b>Well Pad Number</b> 23H, 24H, 91H, 92H, 11H, 12H, 1H, 2H, 3H, 34H, 31H, 35H, 36H	<b>APD ID</b> 10400059967

	State	Meridian	County	Latitude	Longitude	Elevation (MSL)	MD (ft)	TVD (ft)	Lease Type	Lease Number	Plug TVD (ft)	Plug MD (ft)	Plug Type	NS-Foot	NS-Indicator	EW-Foot	EW-Indicator	Township	Range	Section	Aliquot/Lot/Tract
PPP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	LEA	32.252783	-103.408291	-8263	11825	11713	FEDERAL	NMNM14164				375	FNL	2135	FWL	24S	35E	6	Lot 3
EXIT Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	LEA	32.225647	-103.40875	-8788	21760	12238	FEDERAL	NMNM14164				314	FSL	1988	FWL	24S	35E	7	SESW
BHL Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	LEA	32.225275	-103.408758	-8802	21896	12252	FEDERAL	NMNM14164	12250	21855		179	FSL	1986	FWL	24S	35E	7	SESW

**Casing, Liner and Tubing**

<b>Operator Name</b> OXY USA INCORPORATED	<b>Well Name</b> SAKER 6-7 FEDERAL	<b>Well Number</b> 36H	<b>US Well Number</b> 3002548937
<b>SHL</b> Lot 3 Sec 6 24S 35E	<b>County</b> LEA	<b>State</b> NM	<b>Lease Number(s)</b> NMNM14164
<b>Well Type</b> OIL WELL	<b>Well Status</b> Producing Oil Well	<b>Agreement Name</b>	<b>Agreement Number(s)</b>
<b>Allottee/Tribe Name</b>	<b>Well Pad Name</b> SAKER 6-7 FEDERAL COM	<b>Well Pad Number</b> 23H, 24H, 91H, 92H, 11H, 12H, 1H, 2H, 3H, 34H, 31H, 35H, 36H	<b>APD ID</b> 10400059967

### Casing and Liner

Wellbore Code	Casing String Type	Hole Size	Top Setting Depth (MD)	Bottom Setting Depth (MD)	Casing Size	Wt(lbs/ft)	Casing Grade	Describe Other Casing Grade	Joint	Other Joint	Amount Pulled (ft)
00	SURFACE	17.5	0	1046	13.375	54.5	J-55		BUTT		
00	INTERMEDIATE	9.875	0	11133	OTHER	39.3	P-110		OTHER	WEDGE 463	
00	LINER	6.75	10797	22881	5.5	20	P-110		OTHER	WEDGE 461	

### Cementing

Wellbore Code	Casing String Type	Stage Tool Depth	Cement Lead Type	Cement Lead Qty (sks)	Cement Lead Yield (cu.ft/sks)	Cement Lead Top (MD)	Cement Tail Type	Cement Tail Qty (sks)	Cement Tail Yield (cu.ft/sks)	Cement Tail Top (MD)	Total (Lead + Tail) Cement Slurry Volume
00	SURFACE		Class C Cement	1605	1.33	0					380.2
00	INTERMEDIATE	2	Class H	752	2.59	0	CL H	524	1.35	0	2602.5
00	INTERMEDIATE	2	Class C	929	1.79	0	CL C	335	1.98	0	2602.5
00	INTERMEDIATE	0	CL C TOP JOB	370	1.35	0					2602.5
00	LINER		Class H Cement	740	1.38	10797					181.9

<b>Operator Name</b> OXY USA INCORPORATED	<b>Well Name</b> SAKER 6-7 FEDERAL	<b>Well Number</b> 36H	<b>US Well Number</b> 3002548937
<b>SHL</b> Lot 3 Sec 6 24S 35E	<b>County</b> LEA	<b>State</b> NM	<b>Lease Number(s)</b> NMNM14164
<b>Well Type</b> OIL WELL	<b>Well Status</b> Producing Oil Well	<b>Agreement Name</b>	<b>Agreement Number(s)</b>
<b>Allottee/Tribe Name</b>	<b>Well Pad Name</b> SAKER 6-7 FEDERAL COM	<b>Well Pad Number</b> 23H, 24H, 91H, 92H, 11H, 12H, 1H, 2H, 3H, 34H, 31H, 35H, 36H	<b>APD ID</b> 10400059967

**Tubing**

Wellbore Code	Tubing Size	Describe Other	Tubing Setting Depth (MD/ft)	Packer Depth (MD/ft)	Tubing Weight	Tubing Grade	Describe Other	Tubing Coupling	Describe Other
00	3.5		11463	11463					

**Logs**

Wellbore Code	Log Upload	Was Well Cored?	Was DST Run?	Directional Survey?	Geologic Report	Wellbore Diagram
00	YES	NO	NO	YES	NO	YES



<b>Operator Name</b> OXY USA INCORPORATED	<b>Well Name</b> SAKER 6-7 FEDERAL	<b>Well Number</b> 36H	<b>US Well Number</b> 3002548937
<b>SHL</b> Lot 3 Sec 6 24S 35E	<b>County</b> LEA	<b>State</b> NM	<b>Lease Number(s)</b> NMNM14164
<b>Well Type</b> OIL WELL	<b>Well Status</b> Producing Oil Well	<b>Agreement Name</b>	<b>Agreement Number(s)</b>
<b>Allottee/Tribe Name</b>	<b>Well Pad Name</b> SAKER 6- 7 FEDERAL COM	<b>Well Pad Number</b> 23H, 24H, 91H, 92H, 11H, 12H, 1H, 2H, 3H, 34H, 31H, 35H, 36H	<b>APD ID</b> 10400059967

I11919WEL00NM\_SAKER\_6\_7\_FED\_COM\_36H\_AS\_DRILLED\_20240423123308.pdf

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

ACKNOWLEDGMENTS

Action 482801

**ACKNOWLEDGMENTS**

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 482801
	Action Type: [C-105] Well (Re)Completion (C-105)

**ACKNOWLEDGMENTS**

<input checked="" type="checkbox"/>	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
<input checked="" type="checkbox"/>	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.
<input checked="" type="checkbox"/>	I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.
<input type="checkbox"/>	I hereby certify that no additives containing PFAS chemicals were added to the fluid used in the completion or recompletion of this well.

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 482801

**CONDITIONS**

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 482801
	Action Type: [C-105] Well (Re)Completion (C-105)

**CONDITIONS**

Created By	Condition	Condition Date
plmartinez	None	4/10/2026