

| | | |
|--|---|--|
| Well Name: MIDNIGHT HOUR 11 FED COM | Well Location: T26S / R30E / SEC 11 / SENE / 32.057634 / -103.847524 | County or Parish/State: EDDY / NM |
| Well Number: 725H | Type of Well: OIL WELL | Allottee or Tribe Name: |
| Lease Number: NMNM93207 | Unit or CA Name: | Unit or CA Number: NMNM105774392 |
| US Well Number: 300154954200S1 | Operator: EOG RESOURCES INCORPORATED | |

Subsequent Report

Sundry ID: 2834204

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 01/28/2025

Time Sundry Submitted: 12:36

Date Operation Actually Began: 07/12/2022

Actual Procedure: REJECTED FOR INTM CSG DEPTH 689 FEET, TOC & PSI INFO - A C103A WILL BE SUBMITTED ON A DIFFERNT SUNDRY - THIS IS TO CORRECT PSI & TOC - ONLY - 2022 7/12/2022 20" Conductor Hole @ 120' MD 8-24-2022 12 1/4" HOLE 8-24-2022 Surface Hole @ 1,150' MD, 1,148' TVD Casing shoe @ 1,135' MD, 1,135' TVD Ran 9-5/8" 40#, J55 STC Cement w/ 745 sx Class C (1.60 yld, 13.8 ppg), followed by 150 sx Class C (1.33 yld, 14.8 ppg) Test casing to 1500 psi for 30 min,OK Circ (118 bbls) 414 sx cement to surface BOP TESTED TO BLM STANDARDS 9-3-2022 8 3/4" HOLE 9-3-2022 Intermediate Hole @ 11,534' MD, 10,514' TVD Casing shoe @ 10,519' MD, 10,499' TVD Ran 7-5/8", 29.7#, HCP110, MO-FXL Stage 1: Cement w/ 325 sx Class C (1.23 yld, 15.6 ppg), followed by 100 sx Class C) (1.13 yld, 16.2 ppg) Test casing to 2,300 psi for 30 min ,OK Did not circ cement to surface, TOC @ 8,539' - Calc Stage 2: Bradenhead squeeze w/ 1,000 sx Class C (1.51 yld, 14.8 ppg) Stage 3: Top out w/ 600 sx Class H (1.33 yld, 14.8 ppg), Circ (1.5 bbls) 6 sx of cement to surface, 9-26-2022 6 3/4" HOLE 9-26-2022 Production Hole @ 18,728' MD, 11,373' TVD Casing shoe @ 18,713' MD, 11,373' TVD Ran 5-1/2", 20.0#, EY HCP110, RDT-BTX, (MJ @ 515', 10,014' & 18,047') Cement w/ 885 sx Class H (1.26 yld, 14.5 ppg), No casing test , TOC @ 9,333' - Calc Waiting on CBL RR 9-27-2022 Production casing will be tested prior to fracing and reported on the completion sundry.

Well Name: MIDNIGHT HOUR 11 FED COM

Well Location: T26S / R30E / SEC 11 / SENE / 32.057634 / -103.847524

County or Parish/State: EDDY / NM

Well Number: 725H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM93207

Unit or CA Name:

Unit or CA Number: NMNM105774392

US Well Number: 300154954200S1

Operator: EOG RESOURCES INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: EMILY FOLLIS

Signed on: JAN 28, 2025 12:36 PM

Name: EOG RESOURCES INCORPORATED

Title: Sr. Regulatory Administrator

Street Address: 5509 Champions Drive

City: Midland State: TX

Phone: (432) 848-9163

Email address: emily_follis@eogresources.com

Field

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972

BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted

Disposition Date: 01/29/2025

Signature: Jonathon Shepard

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 427088

CONDITIONS

| | |
|---|---|
| Operator: EOG RESOURCES INC 5509 Champions Drive Midland, TX 79706 | OGRID: 7377 |
| | Action Number: 427088 |
| | Action Type: [C-103N] Sub. Drilling (C-103N) |

CONDITIONS

| Created By | Condition | Condition Date |
|------------|-----------|----------------|
| plmartinez | None | 4/14/2026 |