

Santa Fe Main Office  
Phone: (505) 476-3441  
General Information  
Phone: (505) 629-6116

State of New Mexico  
Energy, Minerals and Natural Resources

Online Phone Directory Visit:  
<https://www.emnrd.nm.gov/ocd/contact-us/>

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. <b>30-015-02108</b>
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		7. Lease Name or Unit Agreement Name <b>Resler Yates State</b>
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		8. Well Number <b>#076</b>
2. Name of Operator <b>Sandlott Energy (Jackie Brewer DBA)</b>		9. OGRID Number <b>154329</b>
3. Address of Operator <b>P.O. Box 711 Lovington, NM 88260</b>		10. Pool name or Wildcat <b>(3230)</b> <b>Artesia; Queen-Grayburg-San Andre s</b>
4. Well Location Unit Letter <u>N</u> : <u>1140</u> feet from the <u>South</u> line and <u>2170</u> feet from the <u>West</u> line Section <u>29</u> Township <u>18S</u> Range <u>28E</u> NMPM <u>Eddy</u> County		
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

<b>NOTICE OF INTENTION TO:</b>		<b>SUBSEQUENT REPORT OF:</b>	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Please see attached procedure & wellbore schematics

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE Regulatory Specialist DATE 4/10/26

Type or print name John Harrison E-mail address: john.harrison@mewbourne.com PHONE: 575-393-5905  
**For State Use Only**

APPROVED BY: \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
Conditions of Approval (if any): \_\_\_\_\_





### MOC P&A Summary

**Well Name: RESLER YATES STATE 076 P&A (SANDLOTT**

**API#:3001502108**

**ENERGY) SLO**

**Job Category:** P&A

**Start Date:** 12/18/2025

**Contact Name:** Cody Trevino

**Company:** SDS Petroleum Consultants

**Contact Name:** Joel Aranda

**Company:** GSM Consulting

**12/18/2025**

**Operations Summary**

MIRU Axis P&A rig & equipment. Back dragged location & dug out WH. Unseated pump. POOH w/49 - 3/4" rods, 24 - 5/8" rods & pump. ND WH & NU BOP. POOH & LD 60 jts 2 3/8" tbg, SN, 4' perf sub & 1 jt 2 3/8" tbg. SWI & SDFD. Notified NMOCD.

**12/19/2025**

**Operations Summary**

SICP 0#. MIRU WL. RIH w/Gamma ray casing collar locator to 1935' without tag. Found end of 9' csg @872'. POOH w/Gamma ray tools. RD WL. RIH w/59 jts 2 3/8" 4.7# L80 BB workstring & 4' 2-3/8 perf tag sub to 1926'. Pump Balanced Plug of 100 sks Class C cmt. Displaced cmt w/6.7 BFW to 1700'. POOH w/tbg. WOC 6 hours. SWI & SDFW. Notified Loren Diede & Labrado Castillo w/NMOCD.

**12/22/2025**

**Operations Summary**

SICP 0#. RIH w/tbg & tagged TOC @1615'. POOH w/tbg. MIRU WL. RIH w/gauge ring to TOC @1615' POOH & RIH w/3 finger caliper to 1615'. Logged from TOC to surface. Found open hole from 1615' to 872' w/avg ID of 9" & 9" csg from 872 to surface w/avg ID of 8.3". RD WL. RIH w/49 jts 2 3/8" 4.7# L80 BB workstring & 17' 2-3/8" tag subs to 1613'. Pumped balanced plug of 100 sks Class C cmt w/2% calcium. Displaced cmt w/5.2 BFW to 1331'. POOH w/tbg. WOC. SWI & SDFD. Notified Loren Diede & Labrado Castillo w/NMOCD.

**12/23/2025**

**Operations Summary**

SICP 0#. RIH w/tbg & tagged TOC @ 1313'. Pumped balanced plug of 160 sks Class C cmt w/2% calcium. Displaced cmt w/3.2 BFW to 819'. POOH w/tbg. WOC 4 hrs. RIH w/tbg & tagged TOC @ 782'. Spoke w/Loren Diede w/NMOCD recieved verbal approval to run CBL. MIRU WL tools. RIH w/CBL & logged from 782' to surface. Found no cmt behind 9". RDMO WL. Loaded csg w/1 BFW & tested to 500#, lost 100# in 5 mins. SWI & SDFH.

**12/29/2025**

**Operations Summary**

SICP 0#. MIRU WL. RIH & perf csg @ 760'. POOH w/WL. RIH w/tbg to 780'. Spotted 50 sacks class C cmt. Displaced 2.3 BFW down tbg. POOH w/tbg & WOC. SWI & SDFD due to weather. Notified Loren Diede w/NMOCD.

**12/30/2025**

**Operations Summary**

SITP 0#. RIH w/tbg & tagged TOC @ 596'. POOH w/tbg & perfed csg @ 590'. RIH w/tbg. Spotted 50 sacks class C cmt. Displaced 1.7 BFW down tbg. POOH w/tbg & WOC. RIH w/tbg & tagged TOC @ 430'. SWI & SDFD. Notified Loren Diede w/ NMOCD.

**12/31/2025**


**Operations Summary**

SITP 0#. RIH w/ tbg to 230'. Circulated 85 sacks class C cmt to surface. POOH w/tbg. ND BOP. Top filled csg w/cmt. WOC. Wellbore still full w/cmt. RDMO P&A rig & equipment. Well P&A'd effective 12/31/2025.

# Resler Yates State #076 – As Plugged

1140' FSL & 2170' FWL, Sec. 29 – T18S – R28E - Eddy Co, NM

API 30-015-02108



Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 576333

**CONDITIONS**

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88240	OGRID: 14744
	Action Number: 576333
	Action Type: [C-103P] Sub. Plugging (C-103P)

**CONDITIONS**

Created By	Condition	Condition Date
loren.diede	None	4/16/2026