

U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Well Name: SAPP	Well Location: T24N / R8W / SEC 29 / NWNE / 36.290039 / -107.703659	County or Parish/State: SAN JUAN / NM
Well Number: 90	Type of Well: OTHER	Allottee or Tribe Name:
Lease Number: NMSF078868	Unit or CA Name:	Unit or CA Number:
US Well Number: 300452919200S1	Operator: DUGAN PRODUCTION CORPORATION	

Subsequent Report

Sundry ID: 2905837

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 04/13/2026

Time Sundry Submitted: 10:25

Date Operation Actually Began: 03/31/2026

Actual Procedure: Dugan Production plugged and abandoned the well from 03/31/2026 - 04/02/2026 per the attached procedure.

SR Attachments

Actual Procedure

- Sapp_90_SR_PA_marker_gps_20260413102316.pdf
- Sapp_90_BLM_OCD_plug_comms_20260413101731.pdf
- Sapp_90_SR_PA_formation_tops_20260413101717.pdf
- Sapp_90_SR_PA_completed_wellbore_schematic_20260413101710.pdf
- Sapp_90_SR_PA_completed_work_20260413101651.pdf

Well Name: SAPP

Well Location: T24N / R8W / SEC 29 / NWNE / 36.290039 / -107.703659

County or Parish/State: SAN JUAN / NM

Well Number: 90

Type of Well: OTHER

Allottee or Tribe Name:

Lease Number: NMSF078868

Unit or CA Name:

Unit or CA Number:

US Well Number: 300452919200S1

Operator: DUGAN PRODUCTION CORPORATION

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TYRA FEIL

Signed on: APR 13, 2026 10:24 AM

Name: DUGAN PRODUCTION CORPORATION

Title: Authorized Representative

Street Address: PO BOX 420

City: FARMINGTON

State: NM

Phone: (505) 325-1821

Email address: TYRAFEIL@DUGANPRODUCTION.COM

Field

Representative Name: Aliph Reena

Street Address: PO Box 420

City: Farmington

State: NM

Zip: 87499-0420

Phone: (505)360-9192

Email address: Aliph.Reena@duganproduction.com

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 04/13/2026

Signature: Kenneth Rennick


Dugan Production plugged and abandoned the **Sapp 90 from 3/31/26 to 4/02/26** per the following procedure:

- MI&RU Aztec Well Service Rig 481. Spot in and RU cement equipment.
- Check pressures: Tubing 0 psi, Casing 250 psi, BH 0 psi.
- Pull and LD rods, and production tubing.
- PU & tally 2-3/8" work string. Run 4½" string mill to scrape casing to 1590'.
- RIH & set 4½" cement retainer to 1538'. **Fruitland perforations @ 1614'-1624'.**
- Load and circulate hole clean with 30 bbls of water.
- Establish good injection rate under CICR.
- Run CBL from 1538' to surface. Sent copy of CBL to NMOCD. Copy of communications attached.
- Check pressures: Tubing 0 psi, Casing 0 psi, BH 0 psi.
- **Pressure test casing to 600 psi for 30 minutes, good test.**
- Attempt to get injection rate under CICR, no rate.
- **Plug I, Fruitland Perforations-Pictured Cliffs-Fruitland-Kirtland-Ojo Alamo:** Spot Plug I inside 4½" casing above CICR @ 1538' to 748' w/62 sks (71.3 cu ft) Class G neat cement to cover the Fruitland perforations-Pictured Cliffs, Fruitland Kirtland-Ojo Alamo tops. Displaced with 2.8 bbls of water. TOC at 748'. **Plug I, Inside 4½" casing, cement retainer at 1538', 62 sks, 71.3 cu ft, Fruitland perforations-Pictured Cliffs-Fruitland-Kirtland-Ojo Alamo tops, 748'-1538'.**
- **Plug II, surface casing-surface:** MI WL. RIH and shoot squeeze holes at 120', establish good circulation to surface through BH, swap to cement. Squeeze Plug II inside/outside 4½" casing from 185' to surface w/44 sks (50.6 cu ft) Class G neat cement to cover the surface casing shoe & surface casing. No displacement. MI welder, cut wellhead off, tagged TOC at 1.6' inside, 0' annulus. **Plug II, Inside/Outside 4½", perforations at 120', EOT at 185', 44 sks, 50.6 cu ft, surface casing shoe to surface, 0'-185'.**
- Fill cellar and install dry hole marker with 25 sks, 28.75 cu ft, Class G neat cement.
- RD Aztec Well Service Rig 481. Clean location, move.
- Monty Gomez with BLM witnessed the job.
- Photos of P&A marker and GPS coordinates attached per NMOCD COA.
- **Well P&A'd on 4/02/2026.**

Completed P & A Wellbore Schematic

Sapp 90

30-045-29192
Basin Fruitland Coal
890' FNL & 2410' FEL
B-S29-T24N-R08W
San Juan County, NM



7" 23#, K-55 casing @ 122': Hole size - 9-1/8"

Cemented with 50 sx Class B cement (59 cu ft) Circulated 2 bbls cement.

Plug II, Inside/outside 4-1/2", Perforations at 120', EOT at 185', 44 sks, 50.6 cu ft, Surface Casing shoe to Surface, 0'-185'.

Plug I, Inside 4-1/2" casing, cement retainer at 1538', 62 sks, 71.3 cu ft, Fruitland Perforations-Pictured Cliffs-Fruitland-Kirtland-Ojo Alamo tops, 748'-1538'.

4-1/2" 10.5# J-55 casing @ 1714'. Hole size: 6-1/4"

Cement w/ 120 sx 2% Lodense w/ 1/4# celloflake. Tailed w/ 60 sx Class B neat w/ 1/4# celloflake. (313 cu ft. slurry) Circulate 8 bbls cement.

Fruitland Coal Perforated @ 1614' - 1624'

PBTD @ 1674', TD 1720'

Sapp 90

30-045-29192

Basin Fruitland Coal
890' FNL & 2410' FEL
B-S29-T24N-R08W
San Juan County, NM

Formation Tops (Referenced for the P & A)

- Surface Casing - 122'
- Ojo Alamo - 898'
- Kirtland - 1113'
- Fruitland - 1292'
- Pictured Cliffs - 1625'
- Perforations - 1614'-1624'

Tyra Feil

From: Garcia, John, EMNRD <JohnA.Garcia@emnrd.nm.gov>
Sent: Wednesday, April 1, 2026 12:58 PM
To: Rennick, Kenneth G; Brian McCann; Aliph Reena
Cc: Tyra Feil; Alex Robles; Indalecio Roldan; Diede, Loren, EMNRD; Lucero, Virgil S; Gomez, Monty J
Subject: RE: [EXTERNAL] Sapp 90 CBL

The OCD agrees with BLM

Thank you,
John Garcia
Petroleum Specialist Supervisor
Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, New Mexico 87505



From: Rennick, Kenneth G <krennick@blm.gov>
Sent: Wednesday, April 1, 2026 12:55 PM
To: Brian McCann <bmccann@aztecwell.com>; Aliph Reena <aliph.reena@duganproduction.com>
Cc: Tyra Feil <tyra.feil@duganproduction.com>; Alex Robles <arobles@aztecwell.com>; Indalecio Roldan <indalecio.rolدان@duganproduction.com>; Diede, Loren, EMNRD <Loren.Diede@emnrd.nm.gov>; Lucero, Virgil S <vlucero@blm.gov>; Garcia, John, EMNRD <JohnA.Garcia@emnrd.nm.gov>; Gomez, Monty J <mgomez@blm.gov>
Subject: Re: [EXTERNAL] Sapp 90 CBL

The BLM finds the procedure appropriate.

Kenneth (Kenny) Rennick

Petroleum Engineer

Bureau of Land Management
Farmington Field Office
6251 College Blvd
Farmington, NM 87402

Email: krennick@blm.gov
Mobile & Text: 505.497.0019

From: Brian McCann <bmccann@aztecwell.com>
Sent: Wednesday, April 1, 2026 12:44 PM
To: Aliph Reena <aliph.reena@duganproduction.com>
Cc: Tyra Feil <tyra.feil@duganproduction.com>; Alex Robles <arobles@aztecwell.com>; Indalecio Roldan <indalecio.roldan@duganproduction.com>; Diede, Loren, EMNRD <loren.diede@emnrd.nm.gov>; Rennick, Kenneth G <krennick@blm.gov>; Lucero, Virgil S <vlucero@blm.gov>; Garcia, John, EMNRD <johna.garcia@emnrd.nm.gov>; Gomez, Monty J <mgomez@blm.gov>
Subject: [EXTERNAL] Sapp 90 CBL

This email has been received from outside of DOI - Use caution before clicking on links, opening attachments, or responding.

CBL for Sapp 90 is attached. Request following change.
Surface plug will perf @ 120', pump inside/outside plug
CAUTION: This email originated from outside your organization. Exercise caution.











Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 575093

CONDITIONS

Operator: DUGAN PRODUCTION CORP PO Box 420 Farmington, NM 87499	OGRID: 6515
	Action Number: 575093
	Action Type: [C-103P] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	4/16/2026