

Well Name: DINGER	Well Location: T24N / R10W / SEC 28 / NWSE / 36.2824111 / -107.8974845	County or Parish/State: SAN JUAN / NM
Well Number: 90	Type of Well: OTHER	Allottee or Tribe Name:
Lease Number: NMNM21741	Unit or CA Name:	Unit or CA Number:
US Well Number: 300453402000S1	Operator: DUGAN PRODUCTION CORPORATION	

Subsequent Report

Sundry ID: 2905816

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 04/13/2026

Time Sundry Submitted: 09:43

Date Operation Actually Began: 03/27/2026

Actual Procedure: Dugan Production plugged and abandoned the well from 03/27/2026 to 03/30/2026 per the attached procedure.

SR Attachments

Actual Procedure

Dinger_90_marker_gps_photos_20260413094145.pdf

Dinger_90_plug_comms_20260413094130.pdf

Dinger_90_SR_PA_formation_tops_20260413094114.pdf

Dinger_90_SR_PA_completed_wellbore_schematic_20260413094108.pdf

Dinger_90_SR_PA_completed_work_20260413094102.pdf

Well Name: DINGER

Well Location: T24N / R10W / SEC 28 / NWSE / 36.2824111 / -107.8974845

County or Parish/State: SAN JUAN / NM

Well Number: 90

Type of Well: OTHER

Allottee or Tribe Name:

Lease Number: NMNM21741

Unit or CA Name:

Unit or CA Number:

US Well Number: 300453402000S1

Operator: DUGAN PRODUCTION CORPORATION

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TYRA FEIL

Signed on: APR 13, 2026 09:42 AM

Name: DUGAN PRODUCTION CORPORATION

Title: Authorized Representative

Street Address: PO BOX 420

City: FARMINGTON

State: NM

Phone: (505) 325-1821

Email address: TYRAFEIL@DUGANPRODUCTION.COM

Field

Representative Name: Aliph Reena

Street Address: PO Box 420

City: Farmington

State: NM

Zip: 87499-0420

Phone: (505)360-9192

Email address: Aliph.Reena@duganproduction.com

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 04/13/2026

Signature: Kenneth Rennick


Dugan Production plugged and abandoned the **Dinger 90 from 3/27/26 to 3/30/26** per the following procedure:

- MI&RU Aztec Well Service Rig 450. Spot in and RU cement equipment.
- Check pressures: Tubing 35 psi, Casing 35 psi, BH 0 psi.
- LD down production rods and tubing.
- PU & tally 2-3/8" work string. Run 5½" string mill to scrape casing to 1117'.
- RIH with 5½" cement retainer, set at 1055'. **Fruitland Coal perforations @ 1094'-1112'.**
- Load and circulate hole clean with 30 bbls of water.
- **Pressure test casing to 650 psi for 30 minutes. Good test.**
- Establish injection rate: 1.5 bbl/min @ 100 psi.
- Run CBL from 1055' to surface. Sent copy of CBL to NMOCD. Copy of communications attached.
- Check pressures: Tubing 0 psi, Casing 0 psi, BH 0 psi.
- **Plug I, Fruitland perfs-Pictured Cliffs-Fruitland-Kirtland-Ojo Alamo tops-surface csg shoe-surface:** Sting in the cement retainer at 1055'. Squeeze 20 sks, 23 cu ft Class G cement to cover the Fruitland perforations below the retainer till top perforation at 1094'. Sting out. Spot Plug I inside 5½" casing above cement retainer @ 1055' w/132 sks (151.8 cu ft) Class G cement with 1% CaCl₂ to cover the Fruitland perfs. Pictured Cliffs-Fruitland-Kirtland-Ojo Alamo tops-surface csg shoe-surface. Total 152 sks, 174.8 cu ft. No displacement. WOC 4 hrs. MI&RU welder, cut wellhead off. Tagged TOC at 6' inside, 11' annulus. **Plug I, Inside 5½" casing, cement retainer at 1055', 152 sks, 174.8 cu ft, Fruitland perforations-Pictured Cliffs-Fruitland-Kirtland-Ojo Alamo tops-surface csg shoe-surface, 0'-1094'.**
- Fill cellar and install dry hole marker with 32 sks, 36.8 cu ft, Class G neat cement.
- RD Aztec Well Service Rig 450.
- Fred Brandenburg with BLM witnessed the job.
- Photos of P&A marker and GPS coordinates attached per NMOCD COA.
- **Well P&A'd on 3/30/2026.**

Completed P & A Wellbore Schematic

Dinger 90

30-045-34020
Basin Fruitland Coal
1900' FSL & 1635' FEL
J-S28-T24N-R10W
San Juan County, NM



8-5/8" 24#, J-55 casing @ 131': Hole size - 12-1/4"
Cemented w/ 95 sks, type 5 cement w/2% CaCl₂ w/ 1/4# celloflake/sx.
(115 cu ft total slurry) Circulated 5 bbls cement

5 1/2" 15.5# J-55 casing @ 1322'. Hole size: 7"
Cement w/ 75 sx type 5 with 2% lodense, w/ 2# phenoseal & 1/4#
celloflake/sx. Tail w/50 sx, type 5 cement w/2# Phenoseal and w/ 1/4#
celloflake/sx. Circulate 10 bbl cement

**Set 5 1/2" CR @ 1055'. Squeeze 20 sks, 23 Cu. ft cement to cover
the Fruitland Perforations below the retainer.**

**Plug I, Inside 5 1/2" casing, Cement Retainer at 1055', 152 sks,
174.8 Cu ft, Fruitland Perforations-Pictured Cliffs-Fruitland-
Kirtland-Ojo Alamo tops- Surface csg shoe -Surface, 0'-1094'.**

Fruitland Coal Perforated @ 1094' - 1112' w/ 4 spf

PBTD @ 1275', TD 1330'

Dinger 90
30-045-34020
Basin Fruitland Coal
1900' FSL & 1635' FEL
J-S28-T24N-R10W
San Juan County, NM

Elevation: 6612' GL

Formation Tops (Referenced for the P & A)

- **Surface Casing - 131'**
- **Ojo Alamo - 256'**
- **Kirtland - 354'**
- **Fruitland - 806'**
- **Perforations - 1094'- 1112'**
- **Pictured Cliffs - 1115'**

Tyra Feil

From: Rennick, Kenneth G <krennick@blm.gov>
Sent: Friday, March 27, 2026 3:29 PM
To: Omar Ramirez; Brandenburg, Frederick C; Alex Robles; Aliph Reena; Andrew Fordyce; Clarence Smith; Halliburton, Darin L; Garcia, John, EMNRD; john durham; Loren Diede; Thomas Vermersch; Lucero, Virgil S
Cc: Indalecio Roldan; Tyra Feil
Subject: Re: [EXTERNAL] CBL and Revised proposal - Dugan Production - Dinger #90

The BLM finds the procedure appropriate.

Kenneth (Kenny) Rennick

Petroleum Engineer

Bureau of Land Management
Farmington Field Office
6251 College Blvd
Farmington, NM 87402

Email: krennick@blm.gov
Mobile & Text: 505.497.0019

From: Omar Ramirez <oramirez@aztecwell.com>
Sent: Friday, March 27, 2026 3:23 PM
To: Brandenburg, Frederick C <fbrandenburg@blm.gov>; Alex Robles <arobles@aztecwell.com>; Aliph.Reena@duganproduction.com <Aliph.Reena@duganproduction.com>; Andrew Fordyce <andrew.fordyce@emnrd.nm.gov>; Clarence Smith <clarence.smith@emnrd.nm.gov>; Halliburton, Darin L <dhallibu@blm.gov>; Garcia, John, EMNRD <johna.garcia@emnrd.nm.gov>; john durham <john.durham@emnrd.nm.gov>; Rennick, Kenneth G <krennick@blm.gov>; Loren Diede <loren.diede@emnrd.nm.gov>; Thomas Vermersch <thomas.vermersch@emnrd.nm.gov>; Lucero, Virgil S <vlucero@blm.gov>
Cc: MILO <indalecio.rolدان@duganproduction.com>; Tyra.Feil@duganproduction.com <Tyra.Feil@duganproduction.com>
Subject: [EXTERNAL] CBL and Revised proposal - Dugan Production - Dinger #90

This email has been received from outside of DOI - Use caution before clicking on links, opening attachments, or responding.

Dugan Production Corp.
Dinger #90
API #30-045-34020

After reviewing the CBL, TOC appears to be at 15'.

- No changes are requested to the original procedure... Will fill up w/1" polyline after cut-off.

Please let us know if it is acceptable to NMOCD & BLM, and we will proceed accordingly.

Omar Ramirez
Rig Manager – San Juan Basin
Aztec Well Servicing Co.
P.O. Box 100
Aztec, New Mexico 87410
Cell:505-486-1828
505-402-6753
Office: 505-334-6191
Oramirez@aztecwell.com



CAUTION: This email originated from outside your organization. Exercise caution.











Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 575085

CONDITIONS

Operator: DUGAN PRODUCTION CORP PO Box 420 Farmington, NM 87499	OGRID: 6515
	Action Number: 575085
	Action Type: [C-103P] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	4/16/2026