

Santa Fe Main Office
Phone: (505) 476-3441
General Information
Phone: (505) 629-6116

State of New Mexico
Energy, Minerals and Natural Resources

Online Phone Directory Visit:
<https://www.emnrd.nm.gov/ocd/contact-us/>

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-02148
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.

<p align="center">SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)</p>		7. Lease Name or Unit Agreement Name Resler Yates State
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other Injection		8. Well Number #355
2. Name of Operator Sandlott Energy (Jackie Brewer DBA)		9. OGRID Number 154329
3. Address of Operator P.O. Box 711 Lovington, NM 88260		10. Pool name or Wildcat (3230) Artesia; Queen-Grayburg-San Andres
4. Well Location Unit Letter <u>A</u> : <u>330</u> feet from the <u>North</u> line and <u>990</u> feet from the <u>East</u> line Section <u>32</u> Township <u>18S</u> Range <u>28E</u> NMPM <u>Eddy</u> County		
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Please see attached procedure & wellbore schematics

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE Regulatory Specialist DATE 4/10/26

Type or print name John Harrison E-mail address: john.harrison@mewbourne.com PHONE: 575-393-5905
For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____
Conditions of Approval (if any): _____

WGS84 32.71036,
±8ft -104.19251

ft 3552
±10ft



°T NE17
±25



16Apr26 13:18 Ad-hoc Resler Yates State 355 Marker
Hagerman Cutoff Rd, Artesia NM 88210, US © 16-Apr-26 13:18:48



MOC P&A Summary

Well Name: RESLER YATES STATE 355 P&A (SANDLOTT

API#:3001502148

ENERGY) SLO

Job Category: P&A

Start Date: 2/19/2026

Contact Name: Joel Aranda


Company: GSM Consulting

<p>2/19/2026</p> <p>Operations Summary MIRU P&A rig & equipment. Back drug location & dug out WH. Attempted to pull slips out of WH. Pulled up to 40K w/no stretch. Cut out tbg slips. Tbg has no movement w/1" of travel pulling 40K. MIRU WL. Attempt to RIH w/CCL & tagged @ surface. MIRU HO unit. Pumped 1 BFW & pressured up to 1600#. RDMO HO unit. RIH w/WL & tagged @ 160'. POOH w/WL. RIH w/paraffin knife & 3/4" rods to 260'. POOH w/rods & knife (found scale on paraffin knife). RIH w/CCL. Found pkr @ 1832'. Tagged in 4 1/2" csg @ 1960'. POOH w/WL. RIH w/stuck pipe log & log from pkr to surface (found cmt behind tbg from 130' up to surface). SWI & SDFD. Notified Loren Diede & Librado Castillo w/NMOCD.</p>
<p>2/20/2026</p> <p>Operations Summary SDFD to WO new procedure</p>
<p>2/23/2026</p> <p>Operations Summary SITP 0#. SICIP 0#. ND BOP & NU WH. Installed B1 flange & stripper head on 2 3/8" tbg. RIH w/64 jts 1" tbg & tagged @ 1957'. Circulated well clean. Spotted 10 sks class C cmt followed by 1.1 BFW displacement. POOH w/1" tbg. WOC. SWI & SDFD. Notify Loren Diede & Librado Castillo w/NMOCD.</p>
<p>2/24/2026</p> <p>Operations Summary SICIP 0#. RIH w/1" tbg & tagged TOC @ 1732'. POOH w/tbg. RIH w/WL & perfed 2 3/8" tbg w/Hi-Intensity charges @ 1606'. POOH w/WL. Attempted to establish injection rate down tbg & pressured up to 2000# & held. RIH w/1" tbg to 1654'. Spotted 2.2 sks class C cmt followed by 1 BFW displacement. POOH w/1" tbg & WOC. RIH w/1" tbg & tagged TOC @ 1480'. POOH w/tbg. RIH w/WL & perfed 2 3/8" tbg @ 1020'. POOH w/WL. Established injection rate 2.5 BPM @ 100#. Pumped 50 sks class C cmt followed by 3.4 BFW displacement to 900'. WOC. SWI & SDFD. Notified Loren Diede & Librado Castillo w/NMOCD.</p>
<p>2/25/2026</p> <p>Operations Summary SICIP 0#. RIH w/tbg & tagged TOC @ 720'. POOH w/tbg. RIH w/WL & perfed 2 3/8" tbg @ 715'. Established injection rate of 1 BPM @ 1000#. Pumped 50 sks class C neat cmt followed by 2.1 BFW displacement. SWI w/600# squeeze pressure. WOC. RIH w/tbg & tagged TOC @ 646'. POOH w/tbg. RIH w/WL & perf 2 3/8" tbg @ 630'. POOH w/WL. Attempted to establish injection rate down tbg. Pressured up to 2000# & held. RIH w/1" tbg to 642'. Spotted 8.8 sks class C neat cmt followed by .4 BFW displacement. POOH w/tbg to 90' & circulated clean. Continued POOH w/tbg & WOC. SWI & SDFD. Notified Loren Diede & Librado Castillo w/NMOCD.</p>
<p>2/26/2026</p> <p>Operations Summary SICIP. RIH w/1" tbg & tag TOC @ 162'. POOH w/tbg. RIH w/WL & perf 2 3/8" tbg @ 150'. POOH w/WL. Established injection rate of 2 BPM @ 100#. Pumped 162 sks class C neat cmt. SWI. Confirmed 2 3/8" tbg still full w/cmt. RDMO P&A rig @ equipment. Well P&A'd effective 2/26/26.</p>

Resler Yates State #355 – As Plugged

330' FNL & 990' FEL, Sec. 32 – T18S – R28E - Eddy Co, NM

API 30-015-02148



Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 576344

CONDITIONS

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88240	OGRID: 14744
	Action Number: 576344
	Action Type: [C-103P] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	4/17/2026