

Santa Fe Main Office
Phone: (505) 476-3441
General Information
Phone: (505) 629-6116

State of New Mexico
Energy, Minerals and Natural Resources

Online Phone Directory Visit:
<https://www.emnrd.nm.gov/ocd/contact-us/>

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-20088
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		7. Lease Name or Unit Agreement Name Resler Yates State
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		8. Well Number #367
2. Name of Operator Sandlott Energy (Jackie Brewer DBA)		9. OGRID Number 154329
3. Address of Operator P.O. Box 711 Lovington, NM 88260		10. Pool name or Wildcat (3230) Artesia; Queen-Grayburg-San Andres
4. Well Location Unit Letter <u>F</u> : <u>1650</u> feet from the <u>North</u> line and <u>2310</u> feet from the <u>West</u> line Section <u>32</u> Township <u>18S</u> Range <u>28E</u> NMPM <u>Eddy</u> County		
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Please see attached procedure & wellbore schematics

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE Regulatory Specialist DATE 4/10/26

Type or print name John Harrison E-mail address: john.harrison@mewbourne.com PHONE: 575-393-5905
For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____
Conditions of Approval (if any): _____





MOC P&A Summary

Well Name: RESLER YATES STATE 367 P&A (SANDLOTT ENERGY) SLO

API#:3001520088

Job Category: P&A

Start Date: 1/30/2026

Contact Name: Joel Aranda


Company: GSM Consulting

1/30/2026
Operations Summary MIRU P&A rig & equipment. Back drug location & dug out WH. Unhung rods. POOH w/72 - 3/4" rods & pump. ND WH & NU BOP. POOH w/58 jts 2 3/8" tbg & SN. SWI & SDFWE. Notified Loren Diede & Librado Castillo w/NMOCD.
2/2/2026
Operations Summary SICP 0#. MIRU WL. RIH w/gauge ring to 1980'. POOH w/gauge ring. RIH w/CIBP. Set CIBP @ 1970'. RIH & tagged CIBP. POOH w/WL. RIH w/WL & CBL. Logged to surface. RDMO WL. RIH w/tbg & tagged CIBP. Spotted 37 sks Class C cmt on top of CIBP. POOH w/tbg. WOC. SWI & SDFD. Notified Loren Diede & Librado Castillo w/NMOCD.
2/3/2026
Operations Summary SICP 0#. RIH w/tbg & tagged TOC @ 1274'. POOH w/tbg to 1018'. Spotted 6 sacks class C cmt. LD 3 jts & circulated well clean w/EOT @ 933'. POOH w/tbg & WOC. RIH w/tbg & tagged TOC @ 938'. POOH w/tbg. RIH w/WL & perf guns. Perfed csg @ 935'. POOH w/WL. RIH w/pkr & set pkr @ 350'. Pumped 5 BFW to establish circulation through surface csg. Pump 57 sacks class C cmt followed by 4.6 BFW displacement. SWI. SDFD. Notify Loren Diede & Librado Castillo w/NMOCD.
2/4/2026
Operations Summary SITP 0#. SICP 0#. RIH w/tbg & tagged TOC @ 526'. POOH & LD all tbg. RIH w/WL & perf csg @ 485'. Circulated 80 sks class C cmt to surface. WOC. Confirm csg still full w/cmt. RDMO P&A rig & equipment. Well P&A'd effective 2/4/26.

Resler Yates State #367 – As Plugged

1650' FNL & 2310' FWL, Sec. 32 – T18S – R28E - Eddy Co, NM

API 30-015-20088



Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 576580

CONDITIONS

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88240	OGRID: 14744
	Action Number: 576580
	Action Type: [C-103P] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	4/17/2026