

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals & Natural  
Resources

Form C-104  
Revised August 1, 2011

Submit one copy to appropriate District Office

Oil Conservation Division  
1220 South St. Francis Dr.

AMENDED REPORT

**I. REQUEST FOR ALLOWABLE MINERAL AUTHORIZATION TO TRANSPORT**

<sup>1</sup> Operator name and Address EOG RESOURCES INC PO BOX 2267 MIDLAND, TEXAS 79702		<sup>2</sup> OGRID Number 7377
		<sup>3</sup> Reason for Filing Code/ Effective Date NW 11/15/2022
<sup>4</sup> API Number 30 - 025-50188	<sup>5</sup> Pool Name Triste Draw; Bone Spring East	<sup>6</sup> Pool Code 96682
<sup>7</sup> Property Code 317294	<sup>8</sup> Property Name CONVOY 28 STATE COM	<sup>9</sup> Well Number 201H

**II. <sup>10</sup> Surface Location**

UI or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
A	28	24S	33E		507'	NORTH	569'	EAST	LEA

**<sup>11</sup> Bottom Hole Location**

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	33	24S	33E		111'	SOUTH	331'	EAST	LEA
<sup>12</sup> Lse Code	<sup>13</sup> Producing Method Code FLOWING	<sup>14</sup> Gas Connection Date	<sup>15</sup> C-129 Permit Number	<sup>16</sup> C-129 Effective Date	<sup>17</sup> C-129 Expiration Date				

**III. Oil and Gas Transporters**

<sup>18</sup> Transporter OGRID	<sup>19</sup> Transporter Name and Address	<sup>20</sup> O/G/W
372812	EOGRM	OIL
151618	ENTERPRISE FIELD SERVICES	GAS
298751	REGENCY FIELD SERVICES	GAS
36785	DCP MIDSTREAM	GAS

**IV. Well Completion Data**

<sup>21</sup> Spud Date 6/12/2022	<sup>22</sup> Ready Date 11/15/2022	<sup>23</sup> TD 19,763'	<sup>24</sup> PBDT 19,739'	<sup>25</sup> Perforations 9,810'-19,739'	<sup>26</sup> DHC, MC
<sup>27</sup> Hole Size	<sup>28</sup> Casing & Tubing Size	<sup>29</sup> Depth Set	<sup>30</sup> Sacks Cement		
16"	13 3/8"	1377'	815 SXS CL C/CIRC		
12 1/4"	9 5/8"	5,119'	1740 SXS CL H		
8 3/4"	5 <del>7</del> 2" 6"	19,763'	2815 SXS CL H/CIRC		

**V. Well Test Data**

<sup>31</sup> Date New Oil 11/15/2022	<sup>32</sup> Gas Delivery Date 11/15/2022	<sup>33</sup> Test Date 11/28/2022	<sup>34</sup> Test Length 24 HRS	<sup>35</sup> Tbg. Pressure	<sup>36</sup> Csg. Pressure 711
<sup>37</sup> Choke Size 80	<sup>38</sup> Oil 3523	<sup>39</sup> Water 3009	<sup>40</sup> Gas 5868	<sup>41</sup> Test Method	

<sup>42</sup> I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: *Kristina Agee*  
Printed name: Kristina Agee  
Title: REGULATORY SPECIALIST  
E-mail Address: kristina\_agee@eogresources.com  
Date: 1/5/2023 Phone: 432-686-6996

OIL CONSERVATION DIVISION  
Approved by:  
Title:  
Approval Date:

District I  
1625 N. French Dr., Hobbs, NM 88240  
Phone: (575) 393-6161 Fax: (575) 393-0720  
District II  
811 S. First St., Artesia, NM 88210  
Phone: (575) 748-1283 Fax: (575) 748-9720  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
Phone: (505) 334-6178 Fax: (505) 334-6170  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505  
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico  
Energy, Minerals & Natural Resources  
Department  
OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

AMENDED REPORT

AS-DRILLED PLAT

<sup>1</sup> API Number <b>30-025-50188</b>		<sup>2</sup> Pool Code <b>96682</b>		<sup>3</sup> Pool Name <b>Triste Draw; Bone Spring East</b>	
<sup>4</sup> Property Code <b>317294</b>		<sup>5</sup> Property Name <b>CONVOY 28 STATE COM</b>			<sup>6</sup> Well Number <b>201H</b>
<sup>7</sup> OGRID No. <b>7377</b>		<sup>8</sup> Operator Name <b>EOG RESOURCES, INC.</b>			<sup>9</sup> Elevation <b>3521'</b>

<sup>10</sup>Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
<b>A</b>	<b>28</b>	<b>24-S</b>	<b>33-E</b>	<b>-</b>	<b>507'</b>	<b>NORTH</b>	<b>569'</b>	<b>EAST</b>	<b>LEA</b>

<sup>11</sup>Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
<b>P</b>	<b>33</b>	<b>24-S</b>	<b>33-E</b>	<b>-</b>	<b>111'</b>	<b>SOUTH</b>	<b>331'</b>	<b>EAST</b>	<b>LEA</b>

<sup>12</sup> Dedicated Acres <b>320</b>	<sup>13</sup> Joint or Infill	<sup>14</sup> Consolidation Code	<sup>15</sup> Order No.
---	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



<sup>17</sup>OPERATOR CERTIFICATION  
I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

*Kristina Agee* 12/15/2022  
Signature Date

**Kristina Agee**  
Printed Name

kristina\_agee@eogresources.com  
E-mail Address


<sup>18</sup>SURVEYOR CERTIFICATION  
I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.

**05/18/2022**  
Date of Survey

*Ramon A. Dominguez*  
Signature and Seal of Professional Surveyor

**24508**  
Professional Surveyor

Certificate Number



FIRST TAKE POINT  
NEW MEXICO EAST  
NAD 1983  
X=777526  
Y=435330  
LAT.: N 32.1944935  
LONG.: W 103.5697980  
MD = 9810'

KICK OFF POINT  
NEW MEXICO EAST  
NAD 1983  
X=777515  
Y=435809  
LAT.: N 32.1958107  
LONG.: W 103.5698231  
MD = 8920'


SURFACE LOCATION  
NEW MEXICO EAST  
NAD 1983  
X=777292  
Y=435319  
LAT.: N 32.1944691  
LONG.: W 103.5705555

LAST TAKE POINT  
NEW MEXICO EAST  
NAD 1983  
X=777603  
Y=425409  
LAT.: N 32.1672245  
LONG.: W 103.5697788  
MD = 19739'

BOTTOM HOLE LOCATION  
NEW MEXICO EAST  
NAD 1983  
X=777604  
Y=425386  
LAT.: N 32.1671587  
LONG.: W 103.5697768  
MD = 19763'

POINT	UTM ZONE 13 COORDINATES	
SHL	X=2082472.760	Y=11689238.559
KOP	X=2082692.685	Y=11689729.859
FTP	X=2082706.653	Y=11689251.008
LTP	X=2082845.128	Y=11679332.152
THL	X=2082846.270	Y=11679309.162

LEASE NAME & WELL NO.: CONVOY 28 STATE COM 201H  
 SECTION 28 TWP 24-S RGE 33-E SURVEY N.M.P.M.  
 COUNTY LEA STATE NM ELEVATION 3521'  
 DESCRIPTION 507' FNL & 569' FEL



Ramon A. Dominguez, P.S. No. 24508  
November 2, 2022

**TOPOGRAPHIC**  
LOYALTY INNOVATION LEGACY  
1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140  
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554  
2903 NORTH BIG SPRING • MIDLAND, TEXAS 79705  
TELEPHONE: (432) 682-1653 OR (800) 767-1653 • FAX (432) 682-1743  
WWW.TOPOGRAPHIC.COM



CONVOY 28 STATE COM 201H AS-DRILLED  DATE: 11/01/2022  FILE:AD_CONVOY_28_STATE_COM_201H  DRAWN BY: A.V.F.  SHEET: 2 OF 2	REVISION:	NOTES: 1. ORIGINAL DOCUMENT SIZE: 8.5" X 11" 2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET. 3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY EOG RESOURCES, INC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.



**Lea County, NM (NAD 83 NME)**

**Convoy 28 State Com #201H**

**Nabors M1208**

**OH**

PROJECT DETAILS: Lea County, NM (NAD 83 NME)












Geodetic System: US State Plane 1983  
 Datum: North American Datum 1983  
 Ellipsoid: GRS 1980  
 Zone: New Mexico Eastern Zone  
 System Datum: Mean Sea Level

WELL DETAILS: #201H

Northings	KB = 32' @ 3553.0usft (Nabors M1208)	3521.0
435319.00	Easting	777292.00
	Latitude	32° 11' 40.088 N
	Longitude	103° 34' 14.001 W



To convert a Magnetic Direction to a Grid Direction, Add 6.03°  
 To convert a Magnetic Direction to a True Direction, Add 6.43° East  
 To convert a True Direction to a Grid Direction, Subtract 0.41°





## Midland

Lea County, NM (NAD 83 NME)  
Convoy 28 State Com  
#201H  
OH

Design: OH

## Final PVA

12 September, 2022



Final PVA

<b>Company:</b>	Midland	<b>Local Co-ordinate Reference:</b>	Well #201H
<b>Project:</b>	Lea County, NM (NAD 83 NME)	<b>TVD Reference:</b>	KB = 32' @ 3553.0usft (Nabors M1208)
<b>Site:</b>	Convoy 28 State Com	<b>MD Reference:</b>	KB = 32' @ 3553.0usft (Nabors M1208)
<b>Well:</b>	#201H	<b>North Reference:</b>	Grid
<b>Wellbore:</b>	OH	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Design:</b>	OH	<b>Database:</b>	PEDM

<b>Project</b>	Lea County, NM (NAD 83 NME)		
<b>Map System:</b>	US State Plane 1983	<b>System Datum:</b>	Mean Sea Level
<b>Geo Datum:</b>	North American Datum 1983		
<b>Map Zone:</b>	New Mexico Eastern Zone		

<b>Site</b>	Convoy 28 State Com		
<b>Site Position:</b>		<b>Northing:</b>	435,221.00 usft
<b>From:</b>	Map	<b>Easting:</b>	777,172.00 usft
<b>Position Uncertainty:</b>	0.0 usft	<b>Slot Radius:</b>	13-3/16 "
		<b>Latitude:</b>	32° 11' 39.126 N
		<b>Longitude:</b>	103° 34' 15.406 W
		<b>Grid Convergence:</b>	0.41 °

<b>Well</b>	#201H					
<b>Well Position</b>	<b>+N/-S</b>	0.0 usft	<b>Northing:</b>	435,319.00 usft	<b>Latitude:</b>	32° 11' 40.088 N
	<b>+E/-W</b>	0.0 usft	<b>Easting:</b>	777,292.00 usft	<b>Longitude:</b>	103° 34' 14.001 W
<b>Position Uncertainty</b>		0.0 usft	<b>Wellhead Elevation:</b>	usft	<b>Ground Level:</b>	3,521.0 usft

<b>Wellbore</b>	OH					
<b>Magnetics</b>	<b>Model Name</b>	<b>Sample Date</b>	<b>Declination (°)</b>	<b>Dip Angle (°)</b>	<b>Field Strength (nT)</b>	
	IGRF2020	5/22/2022	6.43	59.84	47,378.58774116	

<b>Design</b>	OH				
<b>Audit Notes:</b>					
<b>Version:</b>	1.0	<b>Phase:</b>	ACTUAL	<b>Tie On Depth:</b>	0.0
<b>Vertical Section:</b>	<b>Depth From (TVD) (usft)</b>	<b>+N/-S (usft)</b>	<b>+E/-W (usft)</b>	<b>Direction (°)</b>	
	0.0	0.0	0.0	178.20	

<b>Survey Program</b>	<b>Date</b>	9/12/2022			
<b>From (usft)</b>	<b>To (usft)</b>	<b>Survey (Wellbore)</b>	<b>Tool Name</b>	<b>Description</b>	
199.0	19,763.0	Stryker MWD #1 (OH)	EOG MWD+IFR1	MWD + IFR1	



Final PVA

<b>Company:</b>	Midland	<b>Local Co-ordinate Reference:</b>	Well #201H
<b>Project:</b>	Lea County, NM (NAD 83 NME)	<b>TVD Reference:</b>	KB = 32' @ 3553.0usft (Nabors M1208)
<b>Site:</b>	Convoy 28 State Com	<b>MD Reference:</b>	KB = 32' @ 3553.0usft (Nabors M1208)
<b>Well:</b>	#201H	<b>North Reference:</b>	Grid
<b>Wellbore:</b>	OH	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Design:</b>	OH	<b>Database:</b>	PEDM

Survey											
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)	
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.00	0.0	0.0	
199.0	0.50	123.00	199.0	-0.5	0.7	0.25	0.25	0.00	-0.9	0.0	
376.0	1.00	138.60	376.0	-2.1	2.4	0.30	0.28	8.81	-3.1	0.4	
465.0	1.20	147.90	465.0	-3.4	3.4	0.30	0.22	10.45	-4.7	1.1	
644.0	1.60	153.00	643.9	-7.2	5.5	0.23	0.22	2.85	-9.0	1.6	
733.0	2.30	156.40	732.9	-10.0	6.8	0.80	0.79	3.82	-11.9	2.3	
830.0	2.50	152.60	829.8	-13.6	8.6	0.26	0.21	-3.92	-16.1	1.3	
925.0	2.00	142.90	924.7	-16.8	10.5	0.66	-0.53	-10.21	-19.8	-1.7	
1,019.0	1.40	136.30	1,018.7	-18.9	12.3	0.67	-0.64	-7.02	-22.2	-4.2	
1,114.0	1.00	106.90	1,113.6	-20.0	13.9	0.76	-0.42	-30.95	-19.1	-15.1	
1,207.0	1.10	82.40	1,206.6	-20.1	15.6	0.49	0.11	-26.34	-12.8	-22.0	
1,302.0	2.20	57.10	1,301.6	-19.0	18.0	1.36	1.16	-26.63	-4.8	-25.8	
1,400.0	3.30	54.70	1,399.5	-16.4	21.9	1.13	1.12	-2.45	-8.4	-26.0	
1,495.0	4.00	54.40	1,494.3	-12.9	26.8	0.74	0.74	-0.32	-12.9	-26.8	
1,589.0	4.10	40.00	1,588.0	-8.4	31.6	1.08	0.11	-15.32	-7.9	-31.0	
1,684.0	5.20	28.60	1,682.7	-2.0	35.9	1.51	1.16	-12.00	-1.4	-32.8	
1,779.0	6.60	21.50	1,777.2	6.9	39.9	1.66	1.47	-7.47	2.7	-32.2	
1,873.0	6.90	20.50	1,870.6	17.2	43.9	0.34	0.32	-1.06	2.0	-31.1	
1,968.0	6.70	19.40	1,964.9	27.7	47.7	0.25	-0.21	-1.16	1.2	-29.8	
2,063.0	6.60	20.10	2,059.3	38.1	51.4	0.14	-0.11	0.74	-0.3	-28.5	
2,157.0	6.30	20.30	2,152.7	48.0	55.1	0.32	-0.32	0.21	-1.2	-27.3	
2,252.0	6.10	20.80	2,247.1	57.6	58.7	0.22	-0.21	0.53	-1.9	-26.2	
2,347.0	5.80	20.60	2,341.6	66.8	62.2	0.32	-0.32	-0.21	-1.8	-25.0	
2,441.0	6.30	20.70	2,435.1	76.1	65.7	0.53	0.53	0.11	-1.9	-23.9	
2,536.0	6.60	21.00	2,529.5	86.1	69.5	0.32	0.32	0.32	-2.9	-22.8	
2,631.0	6.60	21.50	2,623.9	96.2	73.4	0.06	0.00	0.53	-4.1	-21.7	
2,725.0	6.20	23.50	2,717.3	105.9	77.4	0.49	-0.43	2.13	-5.5	-20.7	



Final PVA

<b>Company:</b>	Midland	<b>Local Co-ordinate Reference:</b>	Well #201H
<b>Project:</b>	Lea County, NM (NAD 83 NME)	<b>TVD Reference:</b>	KB = 32' @ 3553.0usft (Nabors M1208)
<b>Site:</b>	Convoy 28 State Com	<b>MD Reference:</b>	KB = 32' @ 3553.0usft (Nabors M1208)
<b>Well:</b>	#201H	<b>North Reference:</b>	Grid
<b>Wellbore:</b>	OH	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Design:</b>	OH	<b>Database:</b>	PEDM

Survey											
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)	
2,820.0	5.90	26.40	2,811.7	115.0	81.6	0.45	-0.32	3.05	-6.6	-20.0	
2,915.0	5.40	29.20	2,906.3	123.3	86.0	0.60	-0.53	2.95	-7.0	-19.8	
3,010.0	5.30	26.80	3,000.9	131.1	90.2	0.26	-0.11	-2.53	-5.1	-20.1	
3,104.0	5.60	22.90	3,094.4	139.2	93.9	0.51	0.32	-4.15	-2.8	-20.0	
3,199.0	6.10	20.40	3,188.9	148.2	97.5	0.59	0.53	-2.63	-1.8	-19.1	
3,294.0	6.50	22.00	3,283.4	157.9	101.2	0.46	0.42	1.68	-2.8	-18.0	
3,388.0	5.80	25.40	3,376.8	167.1	105.3	0.84	-0.74	3.62	-4.1	-17.2	
3,483.0	6.00	27.80	3,471.3	175.9	109.6	0.33	0.21	2.53	-4.7	-16.9	
3,578.0	6.60	28.30	3,565.7	185.1	114.5	0.63	0.63	0.53	-5.3	-17.0	
3,673.0	7.10	25.40	3,660.1	195.2	119.7	0.64	0.53	-3.05	-5.9	-17.2	
3,767.0	7.30	22.30	3,753.3	206.0	124.4	0.46	0.21	-3.30	-6.9	-16.9	
3,862.0	7.90	23.00	3,847.5	217.5	129.3	0.64	0.63	0.74	-9.8	-16.0	
3,957.0	7.90	25.20	3,941.6	229.5	134.6	0.32	0.00	2.32	-13.5	-15.0	
4,052.0	7.40	22.20	4,035.7	241.0	139.7	0.67	-0.53	-3.16	-15.5	-15.2	
4,146.0	7.50	24.50	4,129.0	252.2	144.5	0.33	0.11	2.45	-18.5	-13.8	
4,241.0	7.30	27.00	4,223.2	263.2	149.8	0.40	-0.21	2.63	-21.4	-12.7	
4,336.0	6.80	24.10	4,317.4	273.8	154.9	0.65	-0.53	-3.05	-22.4	-13.5	
4,431.0	6.90	32.00	4,411.8	283.7	160.2	1.00	0.11	8.32	-25.5	-10.4	
4,525.0	6.90	42.30	4,505.1	292.7	167.0	1.31	0.00	10.96	-28.6	-7.2	
4,620.0	5.90	36.50	4,599.5	300.8	173.7	1.25	-1.05	-6.11	-28.5	-12.2	
4,715.0	5.30	40.60	4,694.0	308.1	179.5	0.76	-0.63	4.32	-28.9	-12.1	
4,810.0	5.50	46.60	4,788.6	314.6	185.6	0.63	0.21	6.32	-29.5	-11.9	
4,904.0	5.80	48.70	4,882.2	320.8	192.5	0.39	0.32	2.23	-30.0	-14.2	
4,999.0	5.50	37.10	4,976.7	327.6	198.8	1.24	-0.32	-12.21	-26.0	-22.6	
5,063.0	5.50	25.70	5,040.4	332.8	202.0	1.70	0.00	-17.81	-20.5	-27.7	
5,122.0	4.90	23.50	5,099.2	337.7	204.2	1.07	-1.02	-3.73	-18.6	-28.2	
5,217.0	4.40	16.10	5,193.9	344.9	206.9	0.82	-0.53	-7.79	-12.7	-28.9	



Final PVA

<b>Company:</b>	Midland	<b>Local Co-ordinate Reference:</b>	Well #201H
<b>Project:</b>	Lea County, NM (NAD 83 NME)	<b>TVD Reference:</b>	KB = 32' @ 3553.0usft (Nabors M1208)
<b>Site:</b>	Convoy 28 State Com	<b>MD Reference:</b>	KB = 32' @ 3553.0usft (Nabors M1208)
<b>Well:</b>	#201H	<b>North Reference:</b>	Grid
<b>Wellbore:</b>	OH	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Design:</b>	OH	<b>Database:</b>	PEDM

Survey												
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)		
5,312.0	6.60	15.90	5,288.4	353.6	209.4	2.32	2.32	-0.21	-12.0	-27.0		
5,406.0	9.10	14.60	5,381.5	366.0	212.7	2.67	2.66	-1.38	-14.7	-25.2		
5,501.0	9.00	12.30	5,475.3	380.5	216.2	0.40	-0.11	-2.42	-19.0	-23.5		
5,596.0	9.00	12.00	5,569.2	395.1	219.3	0.05	0.00	-0.32	-24.2	-21.1		
5,690.0	8.90	10.70	5,662.0	409.4	222.2	0.24	-0.11	-1.38	-29.0	-19.0		
5,785.0	7.50	14.30	5,756.1	422.6	225.1	1.57	-1.47	3.79	-34.0	-14.5		
5,880.0	7.50	15.00	5,850.2	434.6	228.2	0.10	0.00	0.74	-36.8	-11.9		
5,975.0	7.70	13.50	5,944.4	446.8	231.3	0.30	0.21	-1.58	-39.4	-10.6		
6,069.0	5.50	18.80	6,037.8	457.2	234.3	2.43	-2.34	5.64	-41.3	-4.9		
6,164.0	4.40	20.20	6,132.4	464.9	237.0	1.16	-1.16	1.47	-39.7	-2.6		
6,259.0	4.10	17.90	6,227.2	471.6	239.3	0.36	-0.32	-2.42	-36.8	-2.7		
6,353.0	4.00	16.60	6,320.9	477.9	241.3	0.14	-0.11	-1.38	-33.8	-1.8		
6,448.0	4.10	14.90	6,415.7	484.4	243.1	0.16	0.11	-1.79	-33.0	-1.3		
6,543.0	2.20	21.80	6,510.6	489.4	244.6	2.04	-2.00	7.26	-33.7	3.5		
6,637.0	2.10	24.80	6,604.5	492.6	246.0	0.16	-0.11	3.19	-35.6	5.4		
6,732.0	0.60	23.10	6,699.5	494.6	246.9	1.58	-1.58	-1.79	-38.0	4.3		
6,827.0	0.50	353.20	6,794.5	495.5	247.1	0.32	-0.11	-31.47	-35.9	-15.5		
6,921.0	0.50	344.00	6,888.4	496.3	246.9	0.09	0.00	-9.79	-33.8	-21.1		
7,016.0	0.60	326.90	6,983.4	497.1	246.5	0.20	0.11	-18.00	-27.0	-30.2		
7,111.0	0.50	318.90	7,078.4	497.8	246.0	0.13	-0.11	-8.42	-23.5	-33.7		
7,205.0	0.60	303.70	7,172.4	498.4	245.3	0.19	0.11	-16.17	-14.7	-38.8		
7,300.0	0.70	292.60	7,267.4	498.9	244.4	0.17	0.11	-11.68	-8.0	-41.0		
7,395.0	0.70	284.20	7,362.4	499.3	243.3	0.11	0.00	-8.84	-3.1	-41.8		
7,490.0	0.50	279.40	7,457.4	499.5	242.3	0.22	-0.21	-5.05	-0.6	-42.0		
7,585.0	0.50	280.80	7,552.4	499.7	241.5	0.01	0.00	1.47	-2.4	-41.9		
7,679.0	0.60	274.80	7,646.4	499.8	240.6	0.12	0.11	-6.38	1.1	-42.0		
7,774.0	0.70	265.60	7,741.4	499.8	239.5	0.15	0.11	-9.68	6.7	-41.4		



Final PVA

<b>Company:</b>	Midland	<b>Local Co-ordinate Reference:</b>	Well #201H
<b>Project:</b>	Lea County, NM (NAD 83 NME)	<b>TVD Reference:</b>	KB = 32' @ 3553.0usft (Nabors M1208)
<b>Site:</b>	Convoy 28 State Com	<b>MD Reference:</b>	KB = 32' @ 3553.0usft (Nabors M1208)
<b>Well:</b>	#201H	<b>North Reference:</b>	Grid
<b>Wellbore:</b>	OH	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Design:</b>	OH	<b>Database:</b>	PEDM

Survey												
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)		
7,869.0	0.90	263.80	7,836.4	499.6	238.2	0.21	0.21	-1.89	6.7	-41.2		
7,964.0	0.90	253.80	7,931.4	499.4	236.7	0.17	0.00	-10.53	12.2	-39.5		
8,059.0	1.10	260.50	8,026.4	499.0	235.1	0.24	0.21	7.05	5.9	-40.6		
8,153.0	1.10	248.70	8,120.3	498.5	233.4	0.24	0.00	-12.55	12.3	-38.7		
8,248.0	1.20	245.20	8,215.3	497.8	231.6	0.13	0.11	-3.68	12.7	-37.9		
8,343.0	1.00	240.10	8,310.3	496.9	230.0	0.23	-0.21	-5.37	14.2	-36.7		
8,437.0	1.00	240.90	8,404.3	496.1	228.6	0.01	0.00	0.85	12.1	-36.9		
8,532.0	1.00	228.70	8,499.3	495.2	227.2	0.22	0.00	-12.84	18.0	-33.7		
8,627.0	1.00	224.70	8,594.3	494.0	226.0	0.07	0.00	-4.21	18.6	-32.4		
8,721.0	1.00	203.80	8,688.3	492.7	225.1	0.39	0.00	-22.23	27.4	-24.0		
8,816.0	1.00	215.40	8,783.2	491.3	224.3	0.21	0.00	12.21	20.4	-28.8		
8,859.0	1.10	217.70	8,826.2	490.6	223.8	0.25	0.23	5.35	18.4	-29.6		
8,920.0	1.21	217.47	8,887.2	489.7	223.1	0.17	0.17	-0.37	17.3	-29.5		
<b>KOP (MD=8920.0')</b>												
8,974.0	1.30	217.30	8,941.2	488.7	222.4	0.17	0.17	-0.32	16.2	-29.5		
9,069.0	7.00	165.40	9,035.9	482.3	223.2	6.61	6.00	-54.63	28.1	-6.0		
9,164.0	17.80	168.80	9,128.6	462.4	227.5	11.39	11.37	3.58	20.9	-4.8		
9,259.0	27.00	173.00	9,216.3	426.6	232.9	9.82	9.68	4.42	12.4	-2.0		
9,298.6	29.27	174.06	9,251.2	408.1	235.0	5.87	5.73	2.68	9.6	-0.5		
<b>HL Crossing, MD:9298.6', TVD:9251.2', N/S:408.1', E/W:235.0', INC:29.27</b>												
9,353.0	32.40	175.30	9,298.0	380.3	237.6	5.87	5.75	2.27	7.5	1.5		
9,448.0	42.90	181.80	9,373.1	322.5	238.7	11.80	11.05	6.84	5.2	1.5		
9,543.0	51.30	180.60	9,437.7	252.9	237.3	8.89	8.84	-1.26	2.7	-0.3		
9,638.0	63.80	179.40	9,488.6	172.9	237.3	13.20	13.16	-1.26	-1.6	-0.8		
9,732.0	71.30	182.60	9,524.5	86.1	235.7	8.58	7.98	3.40	-6.6	-2.9		
9,827.0	75.80	179.70	9,551.4	-4.9	233.9	5.57	4.74	-3.05	-5.8	-5.5		
9,922.0	89.50	181.40	9,563.5	-98.9	233.0	14.53	14.42	1.79	-4.3	-7.1		



Final PVA

<b>Company:</b>	Midland	<b>Local Co-ordinate Reference:</b>	Well #201H
<b>Project:</b>	Lea County, NM (NAD 83 NME)	<b>TVD Reference:</b>	KB = 32' @ 3553.0usft (Nabors M1208)
<b>Site:</b>	Convoy 28 State Com	<b>MD Reference:</b>	KB = 32' @ 3553.0usft (Nabors M1208)
<b>Well:</b>	#201H	<b>North Reference:</b>	Grid
<b>Wellbore:</b>	OH	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Design:</b>	OH	<b>Database:</b>	PEDM

Survey												
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)		
10,016.0	93.40	180.60	9,561.1	-192.8	231.4	4.24	4.15	-0.85	-7.0	-9.4		
10,111.0	90.50	179.20	9,557.9	-287.8	231.6	3.39	-3.05	-1.47	-10.5	-10.0		
10,206.0	90.60	178.90	9,557.0	-382.7	233.1	0.33	0.11	-0.32	-11.6	-9.1		
10,301.0	90.80	178.40	9,555.8	-477.7	235.4	0.57	0.21	-0.53	-13.0	-7.6		
10,396.0	88.60	178.40	9,556.3	-572.7	238.0	2.32	-2.32	0.00	-12.7	-5.6		
10,490.0	89.10	177.80	9,558.2	-666.6	241.1	0.83	0.53	-0.64	-11.1	-3.2		
10,585.0	87.90	179.50	9,560.7	-761.5	243.4	2.19	-1.26	1.79	-8.8	-1.7		
10,680.0	88.10	179.00	9,564.0	-856.5	244.6	0.57	0.21	-0.53	-5.7	-1.1		
10,775.0	88.60	178.70	9,566.7	-951.4	246.5	0.61	0.53	-0.32	-3.2	0.1		
10,870.0	86.20	179.50	9,571.0	-1,046.3	248.0	2.66	-2.53	0.84	1.0	0.9		
10,965.0	85.70	179.00	9,577.7	-1,141.0	249.2	0.74	-0.53	-0.53	7.6	1.4		
11,059.0	88.80	179.20	9,582.3	-1,234.9	250.7	3.30	3.30	0.21	12.0	2.2		
11,154.0	89.90	179.30	9,583.3	-1,329.9	252.0	1.16	1.16	0.11	13.0	2.7		
11,248.0	91.10	179.10	9,582.5	-1,423.9	253.3	1.29	1.28	-0.21	12.1	3.4		
11,343.0	93.50	179.80	9,578.7	-1,518.8	254.2	2.63	2.53	0.74	8.2	3.6		
11,438.0	91.40	180.30	9,574.6	-1,613.7	254.1	2.27	-2.21	0.53	4.0	2.8		
11,532.0	90.30	179.70	9,573.2	-1,707.7	254.1	1.33	-1.17	-0.64	2.5	2.1		
11,627.0	87.50	179.00	9,575.1	-1,802.7	255.2	3.04	-2.95	-0.74	4.3	2.5		
11,722.0	87.80	178.70	9,579.0	-1,897.6	257.1	0.45	0.32	-0.32	8.1	3.7		
11,816.0	87.30	177.90	9,583.0	-1,991.4	259.9	1.00	-0.53	-0.85	12.0	5.8		
11,911.0	87.70	179.40	9,587.1	-2,086.3	262.1	1.63	0.42	1.58	16.0	7.3		
12,006.0	88.80	180.20	9,590.0	-2,181.3	262.4	1.43	1.16	0.84	18.8	6.9		
12,100.0	89.50	179.40	9,591.4	-2,275.3	262.8	1.13	0.74	-0.85	20.1	6.5		
12,195.0	90.30	178.90	9,591.6	-2,370.2	264.2	0.99	0.84	-0.53	20.2	7.3		
12,290.0	90.20	179.10	9,591.2	-2,465.2	265.8	0.24	-0.11	0.21	19.7	8.2		
12,384.0	89.30	178.50	9,591.6	-2,559.2	267.8	1.15	-0.96	-0.64	20.0	9.5		
12,479.0	89.50	180.60	9,592.6	-2,654.2	268.6	2.22	0.21	2.21	20.9	9.5		



Final PVA

<b>Company:</b>	Midland	<b>Local Co-ordinate Reference:</b>	Well #201H
<b>Project:</b>	Lea County, NM (NAD 83 NME)	<b>TVD Reference:</b>	KB = 32' @ 3553.0usft (Nabors M1208)
<b>Site:</b>	Convoy 28 State Com	<b>MD Reference:</b>	KB = 32' @ 3553.0usft (Nabors M1208)
<b>Well:</b>	#201H	<b>North Reference:</b>	Grid
<b>Wellbore:</b>	OH	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Design:</b>	OH	<b>Database:</b>	PEDM

Survey												
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)		
12,574.0	89.60	179.40	9,593.3	-2,749.2	268.6	1.27	0.11	-1.26	21.6	8.8		
12,669.0	91.10	180.90	9,592.7	-2,844.2	268.3	2.23	1.58	1.58	20.9	7.9		
12,763.0	91.70	180.90	9,590.4	-2,938.1	266.8	0.64	0.64	0.00	18.5	5.7		
12,858.0	92.40	180.90	9,587.0	-3,033.1	265.3	0.74	0.74	0.00	15.0	3.5		
12,953.0	90.20	180.30	9,584.9	-3,128.0	264.3	2.40	-2.32	-0.63	12.6	1.8		
13,047.0	90.90	180.00	9,584.0	-3,222.0	264.1	0.81	0.74	-0.32	11.5	0.9		
13,142.0	88.40	180.00	9,584.6	-3,317.0	264.1	2.63	-2.63	0.00	11.9	0.2		
13,237.0	88.50	180.00	9,587.1	-3,412.0	264.1	0.11	0.11	0.00	14.3	-0.5		
13,331.0	89.50	179.30	9,588.8	-3,506.0	264.7	1.30	1.06	-0.74	15.8	-0.7		
13,426.0	89.10	178.30	9,589.9	-3,600.9	266.7	1.13	-0.42	-1.05	16.7	0.6		
13,521.0	89.00	176.80	9,591.5	-3,695.8	270.7	1.58	-0.11	-1.58	18.1	4.0		
13,616.0	89.60	179.10	9,592.7	-3,790.8	274.1	2.50	0.63	2.42	19.1	6.7		
13,711.0	88.00	178.60	9,594.7	-3,885.7	276.0	1.76	-1.68	-0.53	20.9	7.9		
13,805.0	89.10	179.00	9,597.0	-3,979.7	278.0	1.25	1.17	0.43	23.1	9.2		
13,900.0	90.40	180.50	9,597.5	-4,074.7	278.4	2.09	1.37	1.58	23.3	8.9		
13,995.0	89.80	178.90	9,597.3	-4,169.6	278.9	1.80	-0.63	-1.68	22.9	8.7		
14,090.0	91.00	179.60	9,596.6	-4,264.6	280.1	1.46	1.26	0.74	22.1	9.2		
14,185.0	91.30	179.40	9,594.7	-4,359.6	281.0	0.38	0.32	-0.21	20.0	9.3		
14,279.0	90.10	180.30	9,593.6	-4,453.6	281.2	1.60	-1.28	0.96	18.7	8.9		
14,374.0	90.30	178.80	9,593.2	-4,548.6	282.0	1.59	0.21	-1.58	17.8	8.9		
14,469.0	88.60	180.50	9,594.2	-4,643.6	282.5	2.53	-1.79	1.79	17.9	8.8		
14,564.0	89.50	180.00	9,595.7	-4,738.6	282.1	1.08	0.95	-0.53	18.7	7.7		
14,658.0	88.70	181.20	9,597.2	-4,832.5	281.2	1.53	-0.85	1.28	19.3	6.0		
14,753.0	89.50	180.40	9,598.7	-4,927.5	279.8	1.19	0.84	-0.84	20.0	4.0		
14,848.0	87.30	181.40	9,601.3	-5,022.5	278.3	2.54	-2.32	1.05	21.8	1.8		
14,943.0	88.10	181.10	9,605.2	-5,117.4	276.3	0.90	0.84	-0.32	24.8	-1.0		
15,038.0	88.70	180.30	9,607.8	-5,212.3	275.1	1.05	0.63	-0.84	26.6	-2.9		



Final PVA

<b>Company:</b>	Midland	<b>Local Co-ordinate Reference:</b>	Well #201H
<b>Project:</b>	Lea County, NM (NAD 83 NME)	<b>TVD Reference:</b>	KB = 32' @ 3553.0usft (Nabors M1208)
<b>Site:</b>	Convoy 28 State Com	<b>MD Reference:</b>	KB = 32' @ 3553.0usft (Nabors M1208)
<b>Well:</b>	#201H	<b>North Reference:</b>	Grid
<b>Wellbore:</b>	OH	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Design:</b>	OH	<b>Database:</b>	PEDM

Survey												
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)		
15,132.0	86.00	180.00	9,612.2	-5,306.2	274.9	2.89	-2.87	-0.32	30.1	-3.8		
15,227.0	88.90	179.10	9,616.4	-5,401.1	275.6	3.20	3.05	-0.95	33.5	-3.8		
15,322.0	88.20	180.20	9,618.8	-5,496.1	276.2	1.37	-0.74	1.16	35.1	-3.9		
15,417.0	88.10	179.20	9,621.9	-5,591.0	276.7	1.06	-0.11	-1.05	37.4	-4.1		
15,512.0	88.60	178.70	9,624.6	-5,686.0	278.4	0.74	0.53	-0.53	39.3	-3.0		
15,606.0	91.90	179.70	9,624.2	-5,779.9	279.7	3.67	3.51	1.06	38.0	-2.4		
15,701.0	90.00	180.40	9,622.6	-5,874.9	279.6	2.13	-2.00	0.74	35.6	-3.2		
15,811.0	90.99	179.67	9,621.7	-5,984.9	279.6	1.12	0.90	-0.66	33.7	-4.1		
15,906.0	88.79	179.58	9,621.8	-6,079.9	280.2	2.32	-2.32	-0.09	32.5	-4.2		
16,001.0	88.44	178.96	9,624.1	-6,174.9	281.4	0.75	-0.37	-0.65	33.3	-3.7		
16,096.0	88.97	178.35	9,626.3	-6,269.8	283.6	0.85	0.56	-0.64	33.9	-2.1		
16,190.0	88.88	178.00	9,628.0	-6,363.8	286.6	0.38	-0.10	-0.37	34.2	0.2		
16,285.0	89.36	180.63	9,629.5	-6,458.7	287.8	2.81	0.51	2.77	34.1	0.6		
16,380.0	89.89	180.98	9,630.1	-6,553.7	286.4	0.67	0.56	0.37	33.2	-1.5		
16,475.0	89.80	179.75	9,630.4	-6,648.7	285.8	1.30	-0.09	-1.29	31.9	-2.8		
16,570.0	89.14	178.79	9,631.3	-6,743.7	287.0	1.23	-0.69	-1.01	31.3	-2.2		
16,664.0	89.45	178.26	9,632.4	-6,837.7	289.5	0.65	0.33	-0.56	30.9	-0.5		
16,759.0	88.92	179.49	9,633.8	-6,932.6	291.3	1.41	-0.56	1.29	30.8	0.6		
16,854.0	89.19	179.58	9,635.3	-7,027.6	292.1	0.30	0.28	0.09	30.7	0.7		
16,949.0	88.44	180.81	9,637.3	-7,122.6	291.8	1.52	-0.79	1.29	30.8	-0.3		
17,043.0	87.56	180.90	9,640.6	-7,216.5	290.4	0.94	-0.94	0.10	32.2	-2.4		
17,138.0	86.46	180.19	9,645.5	-7,311.4	289.5	1.38	-1.16	-0.75	35.2	-4.0		
17,233.0	86.24	180.02	9,651.6	-7,406.2	289.3	0.29	-0.23	-0.18	39.4	-4.9		
17,328.0	86.07	180.02	9,658.0	-7,501.0	289.3	0.18	-0.18	0.00	43.8	-5.6		
17,423.0	85.01	179.75	9,665.3	-7,595.7	289.5	1.15	-1.12	-0.28	49.3	-6.2		
17,518.0	84.53	179.40	9,674.0	-7,690.3	290.2	0.62	-0.51	-0.37	56.1	-6.2		
17,612.0	85.98	179.67	9,681.8	-7,784.0	290.9	1.57	1.54	0.29	62.0	-6.1		



Final PVA

<b>Company:</b>	Midland	<b>Local Co-ordinate Reference:</b>	Well #201H
<b>Project:</b>	Lea County, NM (NAD 83 NME)	<b>TVD Reference:</b>	KB = 32' @ 3553.0usft (Nabors M1208)
<b>Site:</b>	Convoy 28 State Com	<b>MD Reference:</b>	KB = 32' @ 3553.0usft (Nabors M1208)
<b>Well:</b>	#201H	<b>North Reference:</b>	Grid
<b>Wellbore:</b>	OH	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Design:</b>	OH	<b>Database:</b>	PEDM

Survey												
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)		
17,707.0	85.67	179.75	9,688.7	-7,878.7	291.4	0.34	-0.33	0.08	67.0	-6.3		
17,802.0	87.60	178.88	9,694.3	-7,973.5	292.5	2.23	2.03	-0.92	70.7	-5.8		
17,897.0	87.34	179.31	9,698.5	-8,068.4	294.0	0.53	-0.27	0.45	73.0	-5.1		
17,991.0	88.00	178.96	9,702.3	-8,162.3	295.4	0.79	0.70	-0.37	74.9	-4.3		
18,086.0	87.03	178.35	9,706.4	-8,257.2	297.7	1.21	-1.02	-0.64	77.1	-2.8		
18,181.0	91.12	179.31	9,707.9	-8,352.2	299.6	4.42	4.31	1.01	76.8	-1.6		
18,275.0	91.78	179.40	9,705.6	-8,446.1	300.7	0.71	0.70	0.10	72.5	-1.2		
18,370.0	92.48	179.05	9,702.0	-8,541.1	302.0	0.82	0.74	-0.37	67.4	-0.6		
18,465.0	89.23	179.14	9,700.6	-8,636.0	303.5	3.42	-3.42	0.09	64.9	0.2		
18,560.0	84.26	178.08	9,706.0	-8,730.8	305.8	5.35	-5.23	-1.12	69.3	1.8		
18,654.0	83.56	177.91	9,716.0	-8,824.2	309.0	0.77	-0.74	-0.18	78.2	4.4		
18,749.0	89.01	179.23	9,722.1	-8,919.0	311.4	5.90	5.74	1.39	83.3	6.0		
18,844.0	91.74	183.27	9,721.5	-9,013.9	309.3	5.13	2.87	4.25	81.7	3.2		
18,939.0	91.03	182.92	9,719.2	-9,108.7	304.2	0.83	-0.75	-0.37	78.3	-2.7		
19,033.0	90.20	182.04	9,718.2	-9,202.6	300.1	1.29	-0.88	-0.94	76.3	-7.4		
19,128.0	90.02	179.84	9,718.0	-9,297.6	298.6	2.32	-0.19	-2.32	75.0	-9.6		
19,223.0	88.92	178.70	9,718.9	-9,392.6	299.8	1.67	-1.16	-1.20	74.9	-9.1		
19,318.0	89.45	178.96	9,720.3	-9,487.6	301.7	0.62	0.56	0.27	75.2	-7.9		
19,412.0	89.19	179.14	9,721.4	-9,581.6	303.3	0.34	-0.28	0.19	75.3	-7.0		
19,507.0	88.53	179.40	9,723.3	-9,676.5	304.5	0.75	-0.69	0.27	76.1	-6.5		
19,602.0	87.16	178.43	9,726.8	-9,771.4	306.3	1.77	-1.44	-1.02	78.6	-5.4		
19,697.0	86.55	178.08	9,732.0	-9,866.3	309.2	0.74	-0.64	-0.37	82.8	-3.2		
19,706.0	86.15	178.08	9,732.6	-9,875.2	309.5	4.44	-4.44	0.00	83.3	-3.0		
<b>Final MWD Survey (MD=19706.0')</b>												
19,763.0	86.15	178.08	9,736.4	-9,932.1	311.4	0.00	0.00	0.00	86.5	-1.5		
<b>Final Projection to Bit (MD=19763.0')</b>												



Final PVA

<b>Company:</b>	Midland	<b>Local Co-ordinate Reference:</b>	Well #201H
<b>Project:</b>	Lea County, NM (NAD 83 NME)	<b>TVD Reference:</b>	KB = 32' @ 3553.0usft (Nabors M1208)
<b>Site:</b>	Convoy 28 State Com	<b>MD Reference:</b>	KB = 32' @ 3553.0usft (Nabors M1208)
<b>Well:</b>	#201H	<b>North Reference:</b>	Grid
<b>Wellbore:</b>	OH	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Design:</b>	OH	<b>Database:</b>	PEDM

Design Annotations				
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
8,920.0	8,887.2	489.7	223.1	KOP (MD=8920.0')
9,298.6	9,251.2	408.1	235.0	HL Crossing, MD:9298.6', TVD:9251.2',N/S:408.1', E/W:235.0', INC:29.27
19,706.0	9,732.6	-9,875.2	309.5	Final MWD Survey (MD=19706.0')
19,763.0	9,736.4	-9,932.1	311.4	Final Projection to Bit (MD=19763.0')

Checked By: \_\_\_\_\_ Approved By: \_\_\_\_\_ Date: \_\_\_\_\_

Intent  As Drilled

API #			
Operator Name:		Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit?

Is this well an infill well?

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #			
Operator Name:		Property Name:	Well Number

KZ 06/29/2018

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	State of New Mexico Energy, Minerals and Natural Resources  Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505	Form C-105 Revised August 1, 2011
		1. WELL API NO. <b>30-025-50188</b>
		2. Type of Lease <input checked="" type="checkbox"/> STATE <input type="checkbox"/> FEE <input type="checkbox"/> FED/INDIAN
		3. State Oil & Gas Lease No.

**WELL COMPLETION OR RECOMPLETION REPORT AND LOG**

4. Reason for filing: <input checked="" type="checkbox"/> <b>COMPLETION REPORT</b> (Fill in boxes #1 through #31 for State and Fee wells only)  <input type="checkbox"/> <b>C-144 CLOSURE ATTACHMENT</b> (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)	5. Lease Name or Unit Agreement Name <b>CONVOY 28 STATE COM</b>  6. Well Number: <b>201H</b>
---	--

7. Type of Completion:  
 NEW WELL     WORKOVER     DEEPENING     PLUGBACK     DIFFERENT RESERVOIR     OTHER

8. Name of Operator    **EOG RESOURCES INC**    9. OGRID    **7377**

10. Address of Operator    **PO BOX 2267 MIDLAND, TEXAS 79702**    11. Pool name or Wildcat  
**Triste Draw; Bone Spring East**

12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
<b>Surface:</b>	A	28	24S	33E		507'	NORTH	569'	EAST	LEA
<b>BH:</b>	P	33	24S	33E		111'	SOUTH	331'	EAST	LEA

13. Date Spudded <b>6/12/2022</b>	14. Date T.D. Reached <b>9/12/2022</b>	15. Date Rig Released <b>9/14/2022</b>	16. Date Completed (Ready to Produce) <b>11/15/2022</b>	17. Elevations (DF and RKB, RT, GR, etc.) <b>3521 GL</b>
--------------------------------------	---	---	--	---

18. Total Measured Depth of Well MD 19,763'    TVD 9,736'	19. Plug Back Measured Depth MD 19,739'    TVD 9,736'	20. Was Directional Survey Made? <b>YES</b>	21. Type Electric and Other Logs Run <b>None</b>
--	--	--	---

22. Producing Interval(s), of this completion - Top, Bottom, Name  
**BONE SPRING - 9,810'-19,739'**

**23. CASING RECORD (Report all strings set in well)**

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13 3/8"	54.5# J-55	1377'	16"	815 CL C/CIRC	
9 5/8"	40# J55	5,119'	12 1/4"	1740 SXS CL H	
<del>5 1/2"</del> 6"	20# ICP 110	19,763'	8 3/4"	2815 CL H/CIRC	

24. LINER RECORD				25. TUBING RECORD			
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET

26. Perforation record (interval, size, and number)  <b>9,810' - 19,739'    3 1/8", 2139 holes</b>	27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.	
	DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
	9,810'-19,739'	FRAC W/22,663,515 lbs proppant, 451,422 bbls load fld

**28. PRODUCTION**

Date First Production <b>11/15/2022</b>	Production Method ( <i>Flowing, gas lift, pumping - Size and type pump</i> ) <b>Flowing</b>	Well Status ( <i>Prod. or Shut-in</i> ) <b>Producing</b>
--	--	---

Date of Test <b>11/28/2022</b>	Hours Tested <b>24</b>	Choke Size <b>80</b>	Prod'n For Test Period	Oil - Bbl <b>3523</b>	Gas - MCF <b>5868</b>	Water - Bbl. <b>3009</b>	Gas - Oil Ratio <b>1666</b>
-----------------------------------	---------------------------	-------------------------	------------------------	--------------------------	--------------------------	-----------------------------	--------------------------------

Flow Tubing Press.	Casing Pressure <b>711</b>	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - ( <i>Corr.</i> ) <b>43.9</b>
--------------------	-------------------------------	-------------------------	------------	-----------	--------------	---

29. Disposition of Gas (*Sold, used for fuel, vented, etc.*)  
**SOLD**    30. Test Witnessed By

31. List Attachments  
**C-102, C-104, C-103, Directional Survey, H spacing, Gas capture**

32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.

33. If an on-site burial was used at the well, report the exact location of the on-site burial:

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_ NAD 1927 1983

*I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief*

Signature *Kristina Agee*    Printed Name **Kristina Agee**    Title **REGULATORY SPECIALIST**    Date **1/5/2023**

E-mail Address **kristina\_agee@eogresources.com**

# INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

## INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy <u>Rustler 1,215'</u>	T. Canyon <u>Brushy 7613'</u>	T. Ojo Alamo	T. Penn A"
T. Salt <u>1607'</u>	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo	T. Leonard 9553'	T. Entrada	
T. Wolfcamp	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

### OIL OR GAS SANDS OR ZONES

No. 1, from.....to..... No. 3, from.....to.....  
 No. 2, from.....to..... No. 4, from.....to.....

### IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....  
 No. 2, from.....to.....feet.....  
 No. 3, from.....to.....feet.....

## LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

ACKNOWLEDGMENTS

Action 174727

**ACKNOWLEDGMENTS**

Operator: EOG RESOURCES INC 5509 Champions Drive Midland, TX 79706	OGRID: 7377
	Action Number: 174727
	Action Type: [C-104] Completion Packet (C-104C)

**ACKNOWLEDGMENTS**

<input checked="" type="checkbox"/>	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
<input checked="" type="checkbox"/>	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 174727

**CONDITIONS**

Operator: EOG RESOURCES INC 5509 Champions Drive Midland, TX 79706	OGRID: 7377
	Action Number: 174727
	Action Type: [C-104] Completion Packet (C-104C)

**CONDITIONS**

Created By	Condition	Condition Date
plmartinez	Future submittal of C-105 Page 2 should indicate all Formation Tops.	4/17/2026