

Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name
8. Well Number
9. OGRID Number
10. Pool name or Wildcat
11. Elevation (Show whether DR, RKB, RT, GR, etc.)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well Gas Well Other

2. Name of Operator _____

3. Address of Operator _____

4. Well Location
Unit Letter _____ : _____ feet from the _____ line and _____ feet from the _____ line
Section _____ Township _____ Range _____ NMPM _____ County _____

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Kayla Estrada TITLE _____ DATE _____

Type or print name _____ E-mail address: _____ PHONE: _____

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any): _____


**Proposed P&A NOI
POCO Resources, LLC
Graridge State #4
API # 30-015-01905**

1. **(Plug #1:) Spot 200 sxs class C cmt into Open Hole down to 2,001'. WOC & Tag @ 1,951' or higher. (San Andres)**
2. **Run CBL @ 1,951' to surface. Circ hole. Pressure test to 500 psi/30 mins**
3. **(Plug #2:) Spot 55 sxs class C cmt w/ CaCl @ 1,810-1,080'. WOC & Tag. (Grbg, Queen, Yates)**
4. **(Plug #3:) Spot 41 sxs class C cmt @ 566' & circulate to surface. (B/Salt, T/Salt, & 10 3/4" Shoe)**
5. **Observe and inspect wellhead and outer casings for 10 working days to confirm that no gas seeps or bubbles prior to wellhead being cut off.**
6. **Cut off wellhead, fill any exposed annulus with cement, as necessary. Install a DHM. Backfill cellar, clean location, & move off.**

POCO Resources LLC		PROPOSED	
Author:	Abby-AA P&A Consulting	Well No.	#4
Well Name	Graridge State	API #:	30-015-01905
Field/Pool	Artesia; Qn-Grbg,SA	Location:	L-17-T18S, R28E
County	Eddy		2390' FSL & 250' FWL
State	NM	GL:	3,608'
Spud Date	8/17/1950		

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8	J55	24#	511	10 1/4	100	0
Prod Csg	4 1/2	J55	11.6#	1,971	8 1/2	350	0

Formation	Top
T/Salt	420
B/Salt	500
Yates	1130
Queen	1493
Grbg	1760
SA	2001



4. (Plug #3:) Spot 41 sxs class C cmt @ 566' & circulate to surface. (8 5/8" Shoe, Yates, T/Salt)

8 5/8 24# CSG @ 511
Hole Size: 10 1/4

3. (Plug #2:) Spot 55 sxs class C cmt w/ CaCl @ 1,810-1,080'. WOC & Tag. (Grbg, Queen, & Yates)

2. Run CBL @ 1,951' to surface. Circ Hole. Pressure test to 500 psi/30mins.

1. (Plug #1:) Spot 200 sxs class C cmt w/ CaCl into Open Hole down to 2,001'. WOC & tag @ 1,951' or higher. (SA)

4 1/2 11.6# CSG @ 1,971
Hole Size: 8 1/2

Open Hole @ 1,971'-2,001'

TD @ 2,001'

32.7466888
-104.2053757

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 576633

CONDITIONS

Operator: MARATHON OIL PERMIAN LLC 600 W Illinois Ave Midland, TX 79701	OGRID: 372098
	Action Number: 576633
	Action Type: [C-103F] NOI Plug & Abandon (C-103F)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	Notify the OCD inspection supervisor via email 24 hours prior to beginning Plug & Abandon (P&A) operations.	4/20/2026
loren.diede	Submit Cement Bond Logs (CBL) prior to submittal of C-103P.	4/20/2026
loren.diede	OCD has determined that this well IS NOT within the LPCH restricted area and that an above-ground P&A marker is required.	4/20/2026
loren.diede	Add a plug to cover the 7 Rivers formation top. NMOCD has determined the 7 Rivers top to be at 1325'.	4/20/2026