

Santa Fe Main Office
Phone: (505) 476-3441
General Information
Phone: (505) 629-6116

State of New Mexico
Energy, Minerals and Natural Resources

Online Phone Directory Visit:
<https://www.emnrd.nm.gov/ocd/contact-us/>

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-20094
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		7. Lease Name or Unit Agreement Name Resler Yates State
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		8. Well Number #370
2. Name of Operator Sandlott Energy (Jackie Brewer DBA)		9. OGRID Number 154329
3. Address of Operator P.O. Box 711 Lovington, NM 88260		10. Pool name or Wildcat (3230) Artesia; Queen-Grayburg-San Andre s
4. Well Location Unit Letter <u>H</u> : <u>1650</u> feet from the <u>North</u> line and <u>990</u> feet from the <u>East</u> line Section <u>32</u> Township <u>18S</u> Range <u>28E</u> NMPM <u>Eddy</u> County		
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Please see attached procedure & wellbore schematics

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE Regulatory Specialist DATE 4/10/26

Type or print name John Harrison E-mail address: john.harrison@mewbourne.com PHONE: 575-393-5905
For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____
Conditions of Approval (if any): _____





MOC P&A Summary

Well Name: RESLER YATES STATE 370 P&A (SANDLOTT

API#:3001520094

ENERGY) SLO

Job Category: P&A

Start Date: 1/12/2026

Contact Name: Joel Aranda

Company: GSM Consulting

1/12/2026

Operations Summary
MIRU P&A rig & equipment. Back dragged location & dug out WH. Unhung rods & unseated pump. POOH & LD 38 - 3/4" rods, 38 - 5/8" rods & pump. ND WH (found 5 1/2" csg parted @ 8 5/8" WH). Removed WH. POOH w/63 jts 2 3/8" tbg & SN. SDFD. Notified Loren Diede & Librado Castillo w/NMOCD.

1/13/2026

Operations Summary
SICP 0#. Welded 5 1/2" collar onto 8 5/8" WH plate. NU BOP. MIRU WL. RIH w/4.625" gauge ring & tagged @ 28'. RIH w/4.5" gauge ring to 1985'. POOH. Attempt to RIH w/4.625" gauge ring & tagged @ 28'. RIH w/4 5/8" bit & clean off obstruction @ 28'. POOH w/bit. RIH w/ 4.625" gauge ring to 1985'. POOH w/gauge ring. RIH & set CIBP @ 1975'. Tagged CIBP. POOH w/WL. Attempt to load csg & began circulating through surface csg. RIH w/CBL & log to surface. SWI & SDFD. Notified Loren Diede & Librado Castillo w/NMOCD.

1/14/2026

Operations Summary
SICP 0#. RIH w/tbg & tagged CIBP. Spotted 55 sacks Class C cmt on top of CIBP. POOH w/tbg. WOC. RIH w/tbg & tag TOC @ 1488'. POOH w/tbg. RIH w/pkr. Tested csg & found bad csg from 868' to surface. SWI & SDFD. Notified Loren Diede & Librado Castillo w/NMOCD.

1/15/2026

Operations Summary
SICP 0#. RIH w/WL & perf csg @ 1020'. POOH w/WL. RIH w/tbg to 1065'. Spotted 45 sacks class C cmt. POOH w/tbg & WOC. RIH w/tbg & tagged @ 913'. POOH w/tbg. RIH w/WL & perf @ 670'. RIH w/tbg to 713'. Spotted 55 sacks class C cmt. POOH w/tbg & WOC. SWI & SDFD. Notified Loren Diede & Librado Castillo w/NMOCD.


1/16/2026

Operations Summary
SICP 0#. RIH w/ tbg & tagged TOC @ 765' Spotted 75 sacks class C cmt. POOH w/tbg & WOC. RIH w/tbg & tagged TOC @ 320'. Perfed csg @ 318'. Circulated total of 100 sacks class C cmt to surface. POOH & LD all tbg. ND BOP. Top filled csg w/cmt & WOC. Confirmed cmt still on surface. RDMO P&A rig & equipment. Well P&A'd effective 1/16/26.

Resler Yates State #370 – As Plugged

1650' FNL & 990' FEL, Sec. 32 – T18S – R28E - Eddy Co, NM

API 30-015-20094



Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 576585

CONDITIONS

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88240	OGRID: 14744
	Action Number: 576585
	Action Type: [C-103P] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	4/20/2026