

Santa Fe Main Office  
Phone: (505) 476-3441  
General Information  
Phone: (505) 629-6116

State of New Mexico  
Energy, Minerals and Natural Resources

Online Phone Directory Visit:  
<https://www.emnrd.nm.gov/ocd/contact-us/>

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. 30-015-22141
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		7. Lease Name or Unit Agreement Name Resler Yates State
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		8. Well Number #353
2. Name of Operator Sandlott Energy (Jackie Brewer DBA)		9. OGRID Number 154329
3. Address of Operator P.O. Box 711 Lovington, NM 88260		10. Pool name or Wildcat (3230) Artesia; Queen-Grayburg-San Andre s
4. Well Location Unit Letter <u>B</u> : <u>330</u> feet from the <u>North</u> line and <u>2310</u> feet from the <u>East</u> line Section <u>32</u> Township <u>18S</u> Range <u>28E</u> NMPM <u>Eddy</u> County		
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

<b>NOTICE OF INTENTION TO:</b>		<b>SUBSEQUENT REPORT OF:</b>	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Please see attached procedure & wellbore schematics

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE Regulatory Specialist DATE 4/10/26

Type or print name John Harrison E-mail address: john.harrison@mewbourne.com PHONE: 575-393-5905  
**For State Use Only**

APPROVED BY: \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
Conditions of Approval (if any): \_\_\_\_\_





### MOC P&A Summary

**Well Name: RESLER YATES STATE 353 P&A (SANDLOTT**

**API#:3001522141**

**ENERGY) SLO**

**Job Category: P&A**

**Start Date: 2/10/2026**

**Contact Name: Joel Aranda**

**Company: GSM Consulting**

**2/10/2026**

**Operations Summary**

MIRU P&A rig & equipment. Back drug location & dug out WH. Unhung rods. POOH w/75 - 3/4" rods & pump. ND WH & NU BOP. POOH w/61 jts 2 3/8" tbg & SN. MIRU WL. RIH w/gauge ring to 1985' & tagged fill. Pulled 2K over to get free. POOH w/gauge ring. RIH w/CIBP. Set CIBP @ 1985'. RIH & tagged CIBP. POOH w/WL. Loaded csg & tested to 500# for 30 min, held OK. RIH w/WL & CBL. Logged to surface. RDMO WL. SWI & SDFD. Notified Loren Diede & Librado Castillo w/NMOCD.

**2/11/2026**

**Operations Summary**

SICP 0#. RIH w/tbg & tagged CIBP. Spotted 40 sks class C cmt on top of CIBP. POOH w/tbg. WOC. RIH w/tbg & tagged TOC @ 1330'. POOH w/tbg. MIRU WL. RIH & perf csg @ 1045'. POOH & RDMO WL. RIH & set pkr @ 701'. Pumped 14 BFW to establish circulation through surface csg. Squeezed 36 sks class C cmt followed by 5.9 BFW displacement to bring cmt up to 900'. SWI & SDFD. Notified Loren Diede & Librado Castillo w/NMOCD.

**2/12/2026**


**Operations Summary**

SICP 0#. SITP 0#. Released pkr & RIH w/tbg. Tag TOC @ 870'. POOH & LD tbg. RIH w/WL & perf csg @ 675'. POOH w/WL. ND BOP & NU B1 flange. Pumped 3 BFW to break circulation through surface csg. Circulated 175 sks class C cmt to surface. WOC. Confirmed csg still full w/cmt. RDMO P&A rig & equipment. Well P&A'd effective 2/12/26.

# Resler Yates State #353 – As Plugged

330' FNL & 2310' FEL, Sec. 32 – T18S – R28E - Eddy Co, NM

API 30-015-22141



Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 576646

**CONDITIONS**

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88240	OGRID: 14744
	Action Number: 576646
	Action Type: [C-103P] Sub. Plugging (C-103P)

**CONDITIONS**

Created By	Condition	Condition Date
loren.diede	None	4/20/2026