

|                                       |  |  |
|---------------------------------------|--|--|
| <b>Well Name:</b> DINGER              | <b>Well Location:</b> T24N / R10W / SEC 28 / NWSW / 36.282531 / -107.9053111 | <b>County or Parish/State:</b> SAN JUAN / NM |
| <b>Well Number:</b> 90S               | <b>Type of Well:</b> OTHER   | <b>Allottee or Tribe Name:</b>               |
| <b>Lease Number:</b> NMNM21741        | <b>Unit or CA Name:</b>  | <b>Unit or CA Number:</b>                    |
| <b>US Well Number:</b> 300453401900S1 | <b>Operator:</b> DUGAN PRODUCTION CORPORATION                                |  |

**Subsequent Report**

**Sundry ID:** 2905822

**Type of Submission:** Subsequent Report

**Type of Action:** Plug and Abandonment

**Date Sundry Submitted:** 04/13/2026

**Time Sundry Submitted:** 09:51

**Date Operation Actually Began:** 03/31/2026

**Actual Procedure:** Dugan Production plugged and abandoned the well from 03/31/2026 - 04/01/2026 per the attached procedure.

**SR Attachments**

**Actual Procedure**

Dinger\_90S\_marker\_gps\_20260413094937.pdf

Dinger\_90S\_plug\_comms\_20260413094937.pdf

Dinger\_90S\_SR\_PA\_formation\_tops\_20260413094920.pdf

Dinger\_90S\_SR\_PA\_completed\_wellbore\_schematic\_20260413094913.pdf

Dinger\_90S\_SR\_PA\_completed\_work\_20260413094907.pdf

Well Name: DINGER

Well Location: T24N / R10W / SEC 28 /  
NWSW / 36.282531 / -107.9053111

County or Parish/State: SAN  
JUAN / NM

Well Number: 90S

Type of Well: OTHER

Allottee or Tribe Name:

Lease Number: NMNM21741

Unit or CA Name:

Unit or CA Number:

US Well Number: 300453401900S1

Operator: DUGAN PRODUCTION  
CORPORATION

### Operator

*I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a*

Operator Electronic Signature: TYRA FEIL

Signed on: APR 13, 2026 09:50 AM

Name: DUGAN PRODUCTION CORPORATION

Title: Authorized Representative

Street Address: PO BOX 420

City: FARMINGTON

State: NM

Phone: (505) 325-1821

Email address: TYRAFEIL@DUGANPRODUCTION.COM

### Field

Representative Name: Aliph Reena

Street Address: PO Box 420

City: Farmington

State: NM

Zip: 87499-0420

Phone: (505)360-9192

Email address: Aliph.Reena@duganproduction.com

### BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 04/13/2026

Signature: Kenneth Rennick

Dugan Production plugged and abandoned the **Dinger 90S from 3/31/26 to 4/01/26** per the following procedure.

- MI&RU Aztec Well Service Rig 450. Spot in and RU cement equipment.
- Check pressures: Tubing 32 psi, Casing 24 psi, BH 0 psi.
- LD down production rods and tubing.
- PU & tally 2-3/8" work string. Run 5½" string mill to scrape casing to 1120'.
- RIH with 5½" cement retainer, set at 1028'. **Fruitland Coal perforations @ 1067'-1086'.**
- Load and circulate hole clean with 30 bbls of water.
- **Pressure test casing to 650 psi for 30 minutes. Good test.**
- Attempt to establish injection rate: locked up to 1000 psi, no rate.
- Run CBL from 1020' to surface. Sent copy of CBL to NMOCD. Copy of communications attached.
- Check pressures: Tubing 0 psi, Casing 0 psi, BH 0 psi.
- **Plug I, Fruitland perfs-Pictured Cliffs-Fruitland-Kirtland-Ojo Alamo tops-surface csg shoe-surface** : Spot Plug I inside 5½" casing above cement retainer @ 1028' w/136 sks (156.4 cu ft) Class G cement with 1% CaCl<sub>2</sub> to cover the Fruitland perfs. Pictured Cliffs-Fruitland-Kirtland-Ojo Alamo tops-Surface csg shoe-Surface. No displacement. WOC 4 hrs. MI&RU welder, cut wellhead off. Tagged TOC at 0' inside, 10' annulus. **Plug I, Inside 5½" casing, cement retainer at 1028', 136 sks, 156.4 cu ft, Fruitland perforations-Pictured Cliffs-Fruitland-Kirtland-Ojo Alamo tops-surface csg shoe-surface, 0'-1028'.**
- Fill cellar and install dry hole marker with 30 sks, 34.5 cu ft, Class G neat cement.
- RD Aztec Well Service Rig 450. Clean location, move.
- Fred Brandenburg with BLM witnessed the job.
- Photos of P&A marker and GPS coordinates attached per NMOCD COA.
- **Well P&A'd on 4/01/2026.**

**Completed P & A Wellbore Schematic**

**Dinger 90S**


30-045-34019

Basin Fruitland Coal

1950' FSL & 1290' FWL

L-S28-T24N-R10W

San Juan County, NM



**8-5/8" 24#, J-55 casing @ 131': Hole size - 12-1/4"**

Cemented w/ 95 sks, type 5 cement w/2% CaCl<sub>2</sub> w/ ¼# celloflake/sx. (113 cu ft total slurry) Circulated 6 bbls cement

**5 ½" 15.5# J-55 casing @ 1287'. Hole size: 7"**

Cement w/ 75 sx type 5 with 2% lodense, w/ 2# phenoseal & ¼# celloflake/sx. Tail w/50 sx, type 5 cement w/2# Phenoseal and w/ ¼# celloflake/sx. (220 cu ft. total slurry) Circulate 7 bbl cement

**Plug I, Inside 5 ½" casing, Cement Retainer at 1028', 136 sks, 156.4 Cu ft, Fruitland Perforations-Pictured Cliffs-Fruitland-Kirtland-Ojo Alamo tops- Surface csg shoe -Surface, 0'-1028'.**

**Fruitland Coal Perforated @ 1067' - 1086' w/ 4 spf**

**PBTD @ 1246', TD 1300'**

**Dinger 90S**  
30-045-34019  
Basin Fruitland Coal  
1950' FSL & 1290' FWL  
L-S28-T24N-R10W  
San Juan County, NM

**Elevation: 6592' GL**

**Formation Tops (Referenced for the P & A)**

- Surface Casing - 131'
- Ojo Alamo - 238'
- Kirtland - 342'
- Fruitland - 772'
- Perforations - 1067'- 1086'
- Pictured Cliffs - 1091'

## Tyra Feil

---

**From:** Garcia, John, EMNRD <JohnA.Garcia@emnrd.nm.gov>  
**Sent:** Tuesday, March 31, 2026 3:10 PM  
**To:** Rennick, Kenneth G; Alex Robles; Aliph Reena; Diede, Loren, EMNRD; Lucero, Virgil S; Brandenburg, Frederick C; Vermersch, Thomas, EMNRD; Heslop, Jason, EMNRD; Durham, John, EMNRD; Smith, Clarence, EMNRD; Halliburton, Darin L; Decker, Mark A  
**Cc:** Indalecio Roldan; Tyra Feil; Omar Ramirez  
**Subject:** RE: [EXTERNAL] DUGAN DINGER #90S CBL

OCD agree

Thank you,  
 John Garcia  
 Petroleum Specialist Supervisor  
 Oil Conservation Division  
 1220 South St. Francis Drive  
 Santa Fe, New Mexico 87505




---

**From:** Rennick, Kenneth G <krennick@blm.gov>  
**Sent:** Tuesday, March 31, 2026 3:01 PM  
**To:** Alex Robles <arobles@aztecwell.com>; Aliph Reena <aliph.reena@duganproduction.com>; Diede, Loren, EMNRD <Loren.Diede@emnrd.nm.gov>; Garcia, John, EMNRD <JohnA.Garcia@emnrd.nm.gov>; Lucero, Virgil S <vlucero@blm.gov>; Brandenburg, Frederick C <fbrandenburg@blm.gov>; Vermersch, Thomas, EMNRD <Thomas.Vermersch@emnrd.nm.gov>; Heslop, Jason, EMNRD <Jason.Heslop@emnrd.nm.gov>; Durham, John, EMNRD <john.durham@emnrd.nm.gov>; Smith, Clarence, EMNRD <Clarence.Smith@emnrd.nm.gov>; Halliburton, Darin L <dhallibu@blm.gov>; Decker, Mark A <mdecker@blm.gov>  
**Cc:** MILO <indalecio.roldan@duganproduction.com>; Tyra Feil <tyra.feil@duganproduction.com>; Omar Ramirez <oramirez@aztecwell.com>  
**Subject:** Re: [EXTERNAL] DUGAN DINGER #90S CBL

The BLM finds the procedure appropriate.

---

**From:** Alex Robles <[arobles@aztecwell.com](mailto:arobles@aztecwell.com)>  
**Sent:** Tuesday, March 31, 2026 2:54 PM  
**To:** Aliph Reena <[aliph.reena@duganproduction.com](mailto:aliph.reena@duganproduction.com)>; Loren Diede <[loren.diede@emnrd.nm.gov](mailto:loren.diede@emnrd.nm.gov)>; [JohnA.Garcia@emnrd.nm.gov](mailto:JohnA.Garcia@emnrd.nm.gov) <[johna.garcia@emnrd.nm.gov](mailto:johna.garcia@emnrd.nm.gov)>; Lucero, Virgil S <[vlucero@blm.gov](mailto:vlucero@blm.gov)>; Brandenburg, Frederick C <[fbrandenburg@blm.gov](mailto:fbrandenburg@blm.gov)>; Rennick, Kenneth G <[krennick@blm.gov](mailto:krennick@blm.gov)>; [thomas.vermersch@emnrd.nm.gov](mailto:thomas.vermersch@emnrd.nm.gov) <[thomas.vermersch@emnrd.nm.gov](mailto:thomas.vermersch@emnrd.nm.gov)>; [jason.heslop@emnrd.nm.gov](mailto:jason.heslop@emnrd.nm.gov) <[jason.heslop@emnrd.nm.gov](mailto:jason.heslop@emnrd.nm.gov)>; [john.durham@emnrd.nm.gov](mailto:john.durham@emnrd.nm.gov) <[john.durham@emnrd.nm.gov](mailto:john.durham@emnrd.nm.gov)>; [clarence.smith@emnrd.nm.gov](mailto:clarence.smith@emnrd.nm.gov) <[clarence.smith@emnrd.nm.gov](mailto:clarence.smith@emnrd.nm.gov)>; Halliburton, Darin L <[dhallibu@blm.gov](mailto:dhallibu@blm.gov)>; Decker, Mark A <[mdecker@blm.gov](mailto:mdecker@blm.gov)>  
**Cc:** MILO <[indalecio.roldan@duganproduction.com](mailto:indalecio.roldan@duganproduction.com)>; Tyra Feil <[tyra.feil@duganproduction.com](mailto:tyra.feil@duganproduction.com)>; Omar Ramirez <[oramirez@aztecwell.com](mailto:oramirez@aztecwell.com)>  
**Subject:** [EXTERNAL] DUGAN DINGER #90S CBL

**This email has been received from outside of DOI - Use caution before clicking on links, opening attachments, or responding.**

DUGAN DINGER #90S  
API # 30-045-34019  
TOC Appear to be Around 15', **no changes to original fill up NOI.**

Thank you!

Alex Prieto  
Rig Manager – San Juan Basin  
Aztec Well Servicing Co.  
P.O. Box 100  
Aztec, New Mexico 87410  
Cell: 505-486-0042  
Office: 505-334-6191  
[Arobles@aztecwell.com](mailto:Arobles@aztecwell.com)



CAUTION: This email originated from outside your organization. Exercise caution.











Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 575088

**CONDITIONS**

|  |   |
|--|---|
| Operator:<br>DUGAN PRODUCTION CORP<br>PO Box 420<br>Farmington, NM 87499 | OGRID:<br>6515                                  |
|  | Action Number:<br>575088                        |
|  | Action Type:<br>[C-103P] Sub. Plugging (C-103P) |

**CONDITIONS**

| Created By | Condition | Condition Date |
|------------|-----------|----------------|
| jagarcia   | None      | 4/20/2026      |