C-144

2009

District 1 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141
Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Release Notification and Corrective Action

| | | | | | | OPERA | ΓOR | | 🛛 Initia | ıl Report | | Final Repor |
|--|---|-------------------------------|---------------------------------------|--|---------------------------|---|---|---------------------|----------------------------|---------------------------------|------------------|-------------------------|
| Name of Company: Elm Ridge Exploration | | | | Contact: Amy Mackey | | | | | | | | |
| Address: P.O. Box 156, Bloomfield, NM 87413 | | | | Telephone No.: (505) 632-3476 Ext 201 | | | | | | | | |
| Facility Name: Bisti Coal 16-1 | | | | Facility Type: Gas Well | | | | | | | | |
| Surface Ow | vner: State | | | Mineral C |)wner: | | | | | | | |
| | | | • | 1.004 | TION | LOEDE | EACE | | 1 | | | |
| T.I. ta T. attack | I C | m 1 ' | l n | | | OF RE | | 172 . /27 | , | <u> </u> | | • |
| Unit Letter Section Township Range Feet from the North/ | | | | 1 | South Line FNL | ine Feet from the East/West Line County 1740 FEL San Juan | | | | | | |
| | | | • | Latitude 36.4 | 02259 | _ Longitu | ıde <u>-108.11380</u> | 07 | | | | |
| | | | | NAT | URE | OF REL | EASE | | | | | |
| Type of Rele | | | | | | Volume of | Release: NA | | Volume F | Recovered: Na | 4 | |
| Source of Re | | | | | | | lour of Occurrenc | e: NA | Date and | Hour of Disc | overy | : NA |
| Was Immedi | ate Notice G | | | | | If YES, To | Whom? | | | | | |
| | | | Yes _ | No 🛛 Not Re | equired | | | | | | | |
| By Whom? | | | | | _ | Date and F | | | | | | |
| Was a Water | course Reac | _ | 1 17 157 | Lar | | If YES, Vo | lume Impacting t | the Wate | rcourse. | | | |
| | | | Yes 🗵 | l No | | | | | ** *************** | | | |
| If a Waterco | urse was Imp | pacted, Descr | ibe Fully.* | • | | ·• | | | | , | | W .W . |
| Describe Are Blow sand v composite sa petroleum hy chlorides via and 250 mg/s | Describe Area Affected and Cleanup Action Taken.* Blow sand was removed from the earthen pit, and approximately two (2) yards of 'production sludge' was removed from the earthen pit. A 5-point composite sample was collected from approximately two (2) feet below the earthen pit once it was removed. The sample was analyzed in the field for total petroleum hydrocarbons (TPH) via USEPA Method 418.1, and in Envirotech's laboratory for benzene and BTEX via USEPA-Method 8031 and for total chlorides via USEPA Method 4500B. The sample returned results below the 'Pit Rule' standards of 100 mg/kg TPH, 0.2 mg/kg benzene 50 mg/kg BTEX and 250 mg/kg total chlorides, confirming that a release had not occurred. Analytical results are attached for your reference. | | | | | | | | | | | |
| public health should their or the enviro | or the envir operations had nment. In ac | onment. /Ihe ave failed to | acceptance adequately OCD accep | nd/or file certain repe of a C-141 reporting investigate and retained of a C-141 | ort by the emediate | NMOCD me contaminati | arked as "Final R on that pose a thr | eport" de eat to gr | oes not reli ound water | eve the opera , surface wate | tor of er, hu | liability man health |
| Signature: | | | | | OIL CONSERVATION DIVISION | | | | | | | |
| | | | | Approved by District Supervisor: | | | | | | | | |
| Title: Admin | nistrative Ma | nager | | | | Approval Da | val Date: Expiration Date: | | | | | |
| E-mail Address: amackey1@elmridge.net Date: 9/25/09 Phone: | | | | Conditions of Approval: Attache | | Attached | | | | | | |
| Attach Addi | itional Shee | ts If Necess | | · | | | | | | 1 | | |

District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources** Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

| Pit, Closed-Loop System, Below-Grade Tank, or | | | | | |
|---|--|--|--|--|--|
| Proposed Alternative Method Permit or Closure Plan Application | | | | | |
| Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, | | | | | |
| below-grade tank, or proposed alternative method | | | | | |
| Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request | | | | | |
| lease be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the nvironment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances. | | | | | |
| Operator: Elm Ridge Exploration OGRID #: 149052 | | | | | |
| Address: P.O. Box 156; Bloomfield, NM 87413 | | | | | |
| Facility or well name: Bisti Coal 16-1 | | | | | |
| API Number: 3004527763 OCD Permit Number: | | | | | |
| U/L or Qtr/Qtr G Section 16 Township 25N Range 12W County: San Juan | | | | | |
| Center of Proposed Design: Latitude <u>36.402259</u> Longitude <u>-108.113807</u> NAD: □1927 ☑ 1983 | | | | | |
| Surface Owner: Federal State Private Tribal Trust or Indian Allotment | | | | | |
| 2. Ceased Operating Prior to June 16, 2008 | | | | | |
| ☑ <u>Pit</u> : Subsection F or G of 19.15.17.11 NMAC | | | | | |
| Temporary: Drilling Workover | | | | | |
| Permanent Emergency Cavitation P&A | | | | | |
| ☐ Lined ☑ Unlined Liner type: Thicknessmil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other | | | | | |
| ☐ String-Reinforced | | | | | |
| Liner Seams: Welded Factory Other Volume: bbl Dimensions: L 10' x W 10' x D 2' | | | | | |
| | | | | | |
| Closed-loop System: Subsection H of 19.15.17.11 NMAC | | | | | |
| Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) | | | | | |
| ☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other | | | | | |
| Lined Unlined Liner type: Thicknessmil LLDPE HDPE PVC Other | | | | | |
| Liner Seams: Welded Factory Other | | | | | |
| 4. | | | | | |
| Below-grade tank: Subsection I of 19.15.17.11 NMAC | | | | | |
| Volume:bbl Type of fluid: | | | | | |
| Tank Construction material: | | | | | |
| Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off | | | | | |
| ☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other | | | | | |
| Liner type: Thicknessmil | | | | | |
| 5. | | | | | |
| Alternative Method: | | | | | |

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

| Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) | |
|---|-----------------------------|
| Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, in | hospital |
| institution or church) | иоѕриш, |
| Four foot height, four strands of barbed wire evenly spaced between one and four feet | |
| Alternate. Please specify | |
| 7. | |
| Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) | |
| Screen Netting Other | |
| Monthly inspections (If netting or screening is not physically feasible) | |
| 8. Signs: Subsection C of 19.15.17.11 NMAC | |
| ☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers | |
| ☑ Signed in compliance with 19.15.3.103 NMAC | |
| | |
| 9. Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. | |
| Please check a box if one or more of the following is requested, if not leave blank: | |
| Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval. | office for |
| Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. | |
| Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying above-grade tanks associated with a closed-loop system. | priate district pproval. |
| Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells | Yes No |
| Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site | ☐ Yes ☐ No |
| Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image | ☐ Yes ☐ No ☐ NA |
| Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. | |
| (Applies to permanent pits) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image | ☐ Yes ☐ No |
| Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site | ☐ Yes ☐ No |
| Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. | |
| Within 500 feet of a wetland. | ☐ Yes ☐ No |
| Within the area overlying a subsurface mine. | |
| - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division | ☐ Yes ☐ No |
| - Within an unstable area. | |
| Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map | ☐ Yes ☐ No |
| Within a 100-year floodplain. FEMA map | ☐ Yes ☐ No |
| | |

| Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. |
|--|
| ☐ Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC ☐ Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC ☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC ☐ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC |
| ☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC ☐ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC |
| Previously Approved Design (attach copy of design) API Number: or Permit Number: |
| Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC |
| Previously Approved Design (attach copy of design) API Number: |
| Previously Approved Operating and Maintenance Plan API Number: (Applies only to closed-loop system that use |
| above ground steel tanks or haul-off bins and propose to implement waste removal for closure) |
| Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC |
| Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. |
| Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration) |
| Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. □ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) □ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC □ Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC |

| Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Instructions: Please indentify the facility or facilities for the disposal of liquids, | | | | | |
|--|---|-----------------------|--|--|--|
| facilities are required. | Dignoral Equility Parmit Number | | | | |
| Disposal Facility Name: | | | | | |
| Disposal Facility Name: Disposal Facility Permit Number: | | | | | |
| Will any of the proposed closed-loop system operations and associated activities o ☐ Yes (If yes, please provide the information below) ☐ No | occur on or in areas that will not be used for future serv | vice and operations? | | | |
| Required for impacted areas which will not be used for future service and operation Soil Backfill and Cover Design Specifications based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection | te requirements of Subsection H of 19.15.17.13 NMA(in I of 19.15.17.13 NMAC | C | | | |
| Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the provided below. Requests regarding changes to certain siting criteria may required considered an exception which must be submitted to the Santa Fe Environmental demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC | ire administrative approval from the appropriate dist al Bureau office for consideration of approval. Justi | rict office or may be | | | |
| Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Da | ta obtained from nearby wells | ☐ Yes ☐ No ☐ NA | | | |
| Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Da | ta obtained from nearby wells | ☐ Yes ☐ No ☐ NA | | | |
| Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Da | ta obtained from nearby wells | ☐ Yes ☐ No ☐ NA | | | |
| Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site | gnificant watercourse or lakebed, sinkhole, or playa | Yes No | | | |
| Within 300 feet from a permanent residence, school, hospital, institution, or churc - Visual inspection (certification) of the proposed site; Aerial photo; Satellit | | ☐ Yes ☐ No | | | |
| Within 500 horizontal feet of a private, domestic fresh water well or spring that les watering purposes, or within 1000 horizontal feet of any other fresh water well or - NM Office of the State Engineer - iWATERS database; Visual inspection | spring, in existence at the time of initial application. | ☐ Yes ☐ No | | | |
| Within incorporated municipal boundaries or within a defined municipal fresh was adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written appro | · | ☐ Yes ☐ No | | | |
| Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visu | ual inspection (certification) of the proposed site | ☐ Yes ☐ No | | | |
| Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Minin | g and Mineral Division | ☐ Yes ☐ No | | | |
| Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geolog Society; Topographic map | gy & Mineral Resources; USGS; NM Geological | ☐ Yes ☐ No | | | |
| Within a 100-year floodplain FEMA map | | ☐ Yes ☐ No | | | |
| On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of Construction/Design Plan of Burial Trench (if applicable) based upon the a Construction/Design Plan of Temporary Pit (for in-place burial of a drying Protocols and Procedures - based upon the appropriate requirements of 19.1 Confirmation Sampling Plan (if applicable) - based upon the appropriate recuirements of Disposal Facility Name and Permit Number (for liquids, drilling fluids and Soil Cover Design - based upon the appropriate requirements of Subsection Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection | quirements of 19.15.17.10 NMAC of Subsection F of 19.15.17.13 NMAC appropriate requirements of 19.15.17.11 NMAC pad) - based upon the appropriate requirements of 19. 15.17.13 NMAC quirements of Subsection F of 19.15.17.13 NMAC of Subsection F of 19.15.17.13 NMAC drill cuttings or in case on-site closure standards cann of 19.15.17.13 NMAC of 19.15.17.13 NMAC | 15.17.11 NMAC | | | |

| Operator Application Cer | rtification: Cormation submitted with this application is true, accurate and complete to the best of my knowledge and belief. |
|---|---|
| | Title: |
| Signature: | Date: |
| | Telephone: |
| 20. | nit Application (including closure plan) |
| | ature: Approval Date: |
| Title: | OCD Permit Number: |
| 21. Closure Report (required Instructions: Operators at The closure report is required. | within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC re required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. red to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this napproved closure plan has been obtained and the closure activities have been completed. Closure Completion Date: 7/28/09 |
| | Z cloud completion zace. |
| 22. Closure Method: Waste Excavation and ☐ If different from appro | Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) ved plan, please explain. |
| | g Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: atify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than |
| two facilities were utilized. | |
| Disposal Facility Name: | Envirotech Landfarm #2 Disposal Facility Permit Number: NM-01-0011 |
| Disposal Facility Name: | Disposal Facility Permit Number: |
| Were the closed-loop syste | m operations and associated activities performed on or in areas that <i>will not</i> be used for future service and operations? emonstrate compliance to the items below) \(\sumsymbol{\substack}\) No |
| Site Reclamation (P:Soil Backfilling and | |
| 24. | |
| mark in the box, that the a Proof of Closure No Proof of Deed Notic Plot Plan (for on-site Confirmation Sampl Waste Material Sam Disposal Facility Na Soil Backfilling and Re-vegetation Appli | ent Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check locuments are attached. tice (surface owner and division) see attached e (required for on-site closure) e closures and temporary pits) ing Analytical Results (if applicable) see attached pling Analytical Results (required for on-site closure) me and Permit Number Envirotech Landfarm #2 NM-01-0011 Cover Installation see attached cation Rates and Seeding Technique per BLM MOU noto Documentation) see attached ation: Latitude |
| 25. | |
| Operator Closure Certification I hereby certify that the infibelief. I also certify that the | ation: mation and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and closure complies with all applicable closure requirements and conditions specified in the approved closure plan. |
| Name (Print): | Amy Mackey Title: Administrative Manager |
| Signature: | Date: |
| E-mail address: | <u>amackey1@elmridge.net</u> Telephone: (505) 632-3476 ext. 201 |

Earthen Pit Closure Checklist

- 1) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will close all former earthen pits prior to the closure date agreed upon by the New Mexico Oil Conservation Division (NMOCD) of December 31, 2009.

 Closure date for the earth pit located at Bisti Coal 16-1 well site is July 28, 2009.
- 2) In accordance with Subsection A of 19.15.17.13 NMAC, Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will close any earthen pits at a date the division requires because of imminent danger to fresh water, public health or the environment.
 - None of the earthen pits to be closed by Elm Ridge Exploration are deemed an imminent risk to the environment, public health or to fresh or public water.
- 3) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will close earthen pits first which seem to pose a greater risk to fresh water, public health, or the environment. This will be determined by the locations proximately to surface water sources and distance to groundwater.

 None of the contract price to be closed by Elm Bidge Exploration are deemed and
 - None of the earthen pits to be closed by Elm Ridge Exploration are deemed an imminent risk to the environment, public health or to fresh or public water.
- 4) No less than 60 days prior to any earthen pit closure activities, Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will provide written notification to the Santa Fe NMOCD office as well as a schedule of on-site activities, as in accordance with 19.15.17.13 Subsection J Paragraph (3) NMAC. Notification was provided to Mr. Brad Jones of the NMOCD Santa Fe Office on July 15, 2009 along with a schedule of on-site activities; see attached Notification Letter.
- 5) No less than 24 hours and no greater than one (1) week prior to earthen pit removal Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will provide written notification to the appropriate surface owner as well as a schedule of on-site activities, as in accordance with 19.15.17.13 Subsection J Paragraph (1) NMAC. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will notify the surface owner by certified mail, return receipt requested, that the operator plans to close a earthen pit. The return receipt will be used to ensure that the surface owner has received written notification no less than 24 hours and no greater than one (1) week prior to the beginning of BGT closure activities. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records is sufficient to demonstrate compliance with this Closure activities that will take place on tribal land will have notifications sent by certified mail, return receipt requested, to the appropriate tribal Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will notify the Bureau of Land Management (BLM) of closure activities for wells located on federal land per a Sundry Notice, as in accordance with 19.15.17.13 Subsection J Paragraph (1) NMAC. All notices will be sent in such a way that the surface owner received notice at least 24 hours prior to the beginning of closure activities.

Notification was provided to the Bureau of Land Management on July 22, 2009. see attached Sundry Notice and Return Receipt.

- 6) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will remove all liquids and/or sludge, to visual extents, prior to closure sampling. Material will be disposed of at Envirotech's Landfarm #2, Permit # NM-01-0011, TNT Environmental Inc. Landfarm, Permit # NM-01-0008, Industrial Ecosystems Inc. (IEI) Landfarm, Permit # NM-01-0010B, or Basin Disposal, Permit # NM-01-0005, depending on the consistence of the material removed, as in accordance with 19.15.17.13 Subsection C Paragraph (1) NMAC.
 - On July 28, 2009, approximately two (2) cubic yards of production sludge were removed from the earthen pit and disposed of at Envirotech's NMOCD permitted soil remediation facility, Landfarm #2, Permit # NM-01-0011; see attached *Bill of Lading*.
- 7) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will remove all on-site equipment associated with this earthen pit unless it is required for some other purpose, as in accordance with 19.15.17.13 Subsection C Paragraph (2) NMAC. The equipment that meets the requirements of 19.15.9.712 Subsection A NMAC and 19.15.9.712 Subsection D Paragraph (1) will be disposed of at San Juan County Regional Landfill. Waste that is classified by 19.15.9.712 Subsection D Paragraph (2) will be sampled accordingly to determine acceptance of this material at the San Juan County Regional Landfill. Waste that is unable to be accepted at the San Juan County Regional Landfill will be submitted to the OCD on a case-by-case basis in accordance with Paragraph (3) of Subsection D of 19.15.9.712.
 - All on-site equipment will be used for the continued operation of the Bisti Coal 16-1 well site; see *Field Sheet* and *Site Photos*.
- 8) Once the earthen pit is removed to visual extents of contamination, a five (5)-point composite sample will be collected from directly below the liner(s) or at native soil. Additional discrete samples will be collected from any area that is wet, discolored or show other evidence of a release. All samples being collected will be analyzed for benzene and total BTEX via USEPA Method 8021B, TPH via USEPA Method 418.1, and chlorides via USEPA 300.1, as in accordance with 19.15.17.13 Subsection C Paragraph (3) NMAC.

A five (5)-point composite sample was collected from native soil beneath the earthen pit and analyzed in the field for total petroleum hydrocarbons (TPH) via USEPA Method 418.1, and analyzed in the laboratory for benzene and BTEX via USEPA Method 8021B, and for total chlorides via USEPA Method 4500B. The sample returned results below the 100 mg/kg TPH standard, the 0.2 mg/kg benzene standard, the 50 mg/kg BTEX standard and the 250 mg/kg total chloride standard, confirming that a release did NOT occur.

| NAME | Benzene | BTEX | Chlorides | TPH |
|-------------------|----------------|---------------|-----------|-----------|
| Pit Rule | 0.2 mg/kg | 50 mg/kg | 250 mg/kg | 100 mg/kg |
| Standard | | | | |
| Earth Pit Comp 2' | < 0.0009 mg/kg | 0.00134 mg/kg | 105 mg/kg | 96 mg/kg |
| Deep | | | | |

- 9) Depending on soil sample results the area will be either backfilled or the area will be excavated.
 - 1) If soil samples do not exceed the regulatory standards of 0.2 mg/kg benzene, 50 mg/kg BTEX, 100 mg/kg TPH, and 250 mg/kg or background

concentration of chlorides, as in accordance with 19.15.17.13 Subsection C Paragraph (3) NMAC.

i. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, shall submit a Form C-141 with the laboratory results so that the division may review the results to determine if additional delineation is required in accordance with Paragraph (4) of Subsection C of 19.15.17.13 NMAC.

Completed Form C-141 is attached for your review.

ii. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will backfill the excavation or impacted area with non-waste containing, earthen material, in accordance with 19.15.17.13 Subsection E Paragraph (6) NMAC. A soil cover shall be installed for all backfilled excavations consisting of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater in accordance with Subsections H of 19.15.17.13 NMAC. The operator shall construct the soil cover to the site's existing grade and prevent ponding of water and erosion of the cover material.

Elm Ridge Exploration has backfilled the excavated area with non-waste containing earthen material, and installed a soil cover of at least one (1) foot thick of suitable material to establish vegetation at this site. The soil cover has been graded in such a way that it conforms to the grade of the natural surroundings, and will prevent ponding of water and erosion of the cover material; see Site Photos.

iii. All areas of the well site that are no longer utilized on a day to day basis for the production of oil and/or gas, Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will substantially restore, recontour and re-vegetate the areas, in accordance with 19.15.17.13 Subsections G and I NMAC. The operator shall notify the division when it has re-seed and when it has achieved successful re-vegetation.

Elm Ridge Exploration has restored, recontoured and re-seeded the excavated area in accordance with BLM standards as outlined in the Memorandum of Understanding (MOU).

2) If soil samples exceed the regulatory standards stated above.

i. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, shall submit a Form C-141 with the laboratory results so that the division may review the results to determine if additional delineation is required in accordance with Paragraph (4) of Subsection C of 19.15.17.13 NMAC.

The five (5)-point composite sample of native soil beneath the earthen pit returned results below the 100 mg/kg TPH standard, the 0.2 mg/kg benzene standard, the 50 mg/kg BTEX standard and the 250 mg/kg total chloride standard, confirming that a release did NOT occur.

10) Elm Ridge Exploration will submit a closure report within 60 days following the earthen pit closure. The closure report will consist of a form C-144 with all supporting data and a form C-141 with all supporting data. The supporting data will include proof of closure notice to the surface owner and the OCD, confirmation sampling analytical results, a site diagram, soil backfilling and cover installation, revegetation rates, re-seeding techniques, and site reclamation photo documentation if applicable, along with all other information related to the onsite activities.

See attached C-144 Closure Form and attached Form C-141 Release Notification Form. Closure report has been submitted prior to September 28, 2009.



Home | Help | Sign in

Track & Confirm

FAQs

60>

Track & Confirm

Search Results

Label/Receipt Number: 7007 1490 0000 5398 9244 Service(s): Certified Mail™

Status: Delivered

Your item was delivered at 10:14 AM on July 22, 2009 in FARMINGTON, NM 87401.

Track & Confirm

Enter Label/Receipt Number.

U.S. Postal Service a **Natification Options** 9241 Track & Confirm by email Get current event information or updates ø E Carried For Gov't Servic Forms Customer Service Site Map Restricted Californ For (Enders meant Hamilton) Capyright@ 2009 USPS. All Rights Reserved. No FEAR 1647 Total Pratrice & Positi MGUT PS COMMENDED TO THE PROPERTY OF THE PROPERTY O CHOLEMBY COMPANY OF THE PROPERTY OF THE PROPER

| SENDER: COMPLETE THIS SECTION | COMPLETE THIS SECTION ON DELIVERY. |
|---|--|
| Complete Items 1, 2, and 3. Also complete liters 4. If Restricted Delivery is desired. Print your name and address on the reverse softhat we can return the card to you: Attach this card to the back of the mallpiece, or in the front if space permits. It Antico Addressed to: M. Mark KEIIY BLM APPIATA HUY 1235 APPIATA | Signal la Agent Additionse Block falty (Initial Mania) C. Date of Balivery Lyddidery addites different from Mania? If YES, enter delivery address ballon: No: |
| Suite A Farming bn, NM 87401 | 3 Service Type Kalun Receipt for Marchandise District Mail Registered Return Receipt for Marchandise District Mail District Mail |
| 2: Anticio Number 700.7 1496 6 | 4. Restricted Delivery? (Extra Fee) |
| PS Form 3811, February 2004 Cornestic Rul | 4.73 |

Bisti Coal 16-2 Bisti Coal 16-2 Bisti Coal 16-1 Bisti Coal 17 con Bisti Coal 18-1

Mr. Brad Jones New Mexico Oil Conservation Division 1220 South St. Francis Street Santa Fe, New Mexico 87505

Phone (505) 476-3487

RE: EARTH PIT CLOSURE NOTIFICATIONS AND PROPOSED CLOSURE SCHEDULE

Dear Mr. Jones,

Envirotech, Inc., on the behalf of Elm Ridge Exploration, would like to submit this notification to begin closure activities at the below mentioned locations. Attached to this document is a proposed closure schedule for the months of July and August of 2009. Should this schedule be approved by your office, closure activities will begin as scheduled, with surface owner notifications being made at a minimum of 24 hours prior to the beginning of closure activities and a maximum of one (1) week prior to closure activities. Additional closure notifications and schedules will be made prior to beginning any closure activities. This letter will act as the closure notification for the following sites:

| BISTI COAL 12 001 | BISTI COAL 21 001 | BISTI COAL 4 COM 002 |
|-----------------------|------------------------|-----------------------|
| BISTI COAL 16 001 | BISTI COAL 21 COM 002 | BISTI COAL 5 COM 001 |
| BISTI COAL 16 002 | BISTI COAL 22 002 | BISTI COAL 5K COM 002 |
| BISTI COAL 17 COM 001 | BISTI COAL 28 001 | BISTI COAL 6 001 |
| BISTI COAL 18 001 | BISTI COAL 29 001 | BISTI COAL 6 002 |
| BISTI COAL 18 002 | BISTI COAL 29 002 | BISTI COAL 7 001 |
| BISTI COAL 19 001 ' | BISTI COAL 30 COM 001 | BISTI COAL 7 COM 002 |
| BISTI COAL 2 001 | BISTI COAL 31 001 | BISTI COAL 8 COM 001 |
| BISTI COAL 2 002 | BISTI COAL 4 001 PIT 1 | BISTI COAL 8L COM 002 |
| BISTI COAL 20 001 | BISTI COAL 4 001 PIT 2 | BISTI COAL 9 001 |
| BISTI COAL 20 002 | | |

Elm Ridge Exploration is proposing to close the earthen pits at the above listed well locations based on the attached closure schedule.

We appreciate the opportunity to be of service. Should you have any questions or require additional information, please contact our office at (505) 632-0615.

Respectfully Submitted,

ENVIROTECH, INC.

ELM RIDGE EXPLORATION

James McDaniel
Project Scientist
jmcdaniel@envirotech-inc.com

Amy Mackey Administrative Manager amackey1@elmridge.net

Attachments: Closure Schedule



July 20, 2009

Project No. 03056-0159

Mr. Mark Kelly Bureau of Land Management 1235 La Plata Highway, Suite A Farmington, New Mexico 87401

Phone: (505) 599-8900

RE: BISTI COAL 16-1 EARTH PIT CLOSURE NOTIFICATION

Dear Mr. Kelly,

Please accept this letter and attached Sundry Notice as the necessary surface owner notification for closure activities at the Bisti Coal 16-1 well site, owned and operated by Elm Ridge Exploration. The Bisti Coal 16-1 well site is located in Unit G, Section 16, Township 25N, Range 12W, San Juan County, New Mexico. Closure activities are scheduled to begin on July 27, 2009 and continue through July 31, 2009.

We appreciate the opportunity to be of service. If you have any questions or require additional information, please contact our office at (505) 632-0615.

Respectfully Submitted,

James McDaniel Project Scientist

jmcdaniel@envirotech-inc.com

ENVIROTECH AND

Enclosure:

Sundry Notice

Cc:

Client File No. 03056

Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

| FORM APPRO | VED |
|-------------------|-----|
| OMB No. 1004- | 013 |
| Erminaar Index 21 | 201 |

5. Lease Serial No. E-6597-2

| SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an | | | | 6. If Indian, Allottee or Tribe Name | | | |
|---|---|--|-----------------------------------|--|--------|---------------------------------------|--|
| | orm for proposals to d Use Form 3160-3 (APD | | | | | | |
| | T IN TRIPLICATE - Other inst | ructions on page | 2. | 7. If Unit of CA/Agre | ement, | Name and/or No. | |
| 1. Type of Well Oil Well Gas V | Vell Other | | | 8. Well Name and No Bisti Coal 16-1 |). | | |
| 2. Name of Operator Elm Ridge Exploration | | | | 9. API Well No. 30-045-27763 | | | |
| 3a. Address PO Box 156 Bloomfield, NM 87413 | | Phone No. (includes) 632-3476 | de area code) | 10. Field and Pool or | Explor | atory Area | |
| 4. Location of Well (Footage, Sec., T., 2230 FNL 1740 FEL, G-16-25N-12W, Lat. 36.4 | | | ` | 11. Country or Parish San Juan County, I | - | | |
| 12. CHEC | CK THE APPROPRIATE BOX(E | S) TO INDICATI | E NATURE OF NOT | TICE, REPORT OR OTH | IER DA | ATA | |
| TYPE OF SUBMISSION | | | TYPE OF AC | CTION | | | |
| ✓ Notice of Intent Subsequent Report | Acidize Alter Casing Casing Repair | Deepen Fracture Tre New Constru | at Re | oduction (Start/Resume) sclamation scomplete | | | |
| Final Abandonment Notice | Change Plans Convert to Injection | Plug and Ab | | mporarily Abandon ater Disposal | | Pit | |
| testing has been completed. Final determined that the site is ready for Elm Ridge Exploration plans to beg Closure activities are scheduled to | r final inspection.) in closure activities for an earth being on Monday, July 27, 200 | nen pit located a 9 and last throug | t the above mentio | | | | |
| 14. I hereby certify hat the foregoing is Ms. Amy Macket | the and correct. Name (Printed Ty) | 1 | Administrative Ma | anager | | | |
| Signature | | Date | 07/20/2009 | | | | |
| | THIS SPACE FO | R FEDERAL | OR STATE O | FFICE USE | | | |
| Approved by Conditions of approval, if any, are attache that the applicant holds legal or equitable entitle the applicant to conduct operations Title 18 U.S.C. Section 1001 and Title 43 fictitious or fraudulent statements or repr | title to those rights in the subject leathereon. U.S.C. Section 1212, make it a crir | ase which would ne for any person k | Title Office nowingly and willful | ly to make to any departme | Date | gency of the United States any false, | |
| normous of tranquient statements of Tept | coordinations as to dry matter within | na jurisurenon. | | | | | |

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13 - Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment.

NOTICES

The Privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and grantingapproval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

ELM RIDGE EXPLORATION BISTI COAL 16-1 SEC. 16, TWN. 25N, RGE. 12W PROJECT NO. 03056-0159




Photo 1: Bisti Coal 16-1 Well Site



Photo 2: Excavated Area Being Re-seeded After Backfilling and Recontouring



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

Elm Ridge Exploration

03056-0159

Sample No.:

1

Date Reported:

Project #:

8/13/2009

Sample ID:

Earth Pit Comp 2' deep

Date Reported:

7/28/2009

Sample Matrix:

Soil

Date Analyzed:

7/28/2009

Preservative:

Cool

Analysis Needed:

TPH-418.1

Condition:

Cool and Intact

| | | Det. |
|-----------|---------------|---------|
| | Concentration | Limit |
| Parameter | (mg/kg) | (mg/kg) |

Total Petroleum Hydrocarbons

96

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis

of Water and Waste, USEPA Storet No. 4551, 1978.

Comments:

Bisti Coal 16-1

Instrument calibrated to 200 ppm standard. Zeroed before each sample

Robyn S. Jones

Printed

James McDaniel

Printed



CONTINUOUS CALIBRATION EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Cal. Date:

28-Jul-09

| Parameter | Standard Concentration mg/L | Concentration Reading mg/L | |
|-----------|-----------------------------------|----------------------------------|--|
| ТРН | 100 | | |
| | 200 | 197 | |
| | 500 | · | |
| | 1000 | | |

The accepted percent relative deviation (%RSD) of the calibration factor is less than 20% over the working range.

Robyn S. Jones

Review

James McDaniel

Print Name



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

| Client: | Elmridge | Project #: | 03056-0159 |
|--------------------|----------------|---------------------|------------|
| Sample ID: | Pit - 2' Below | Date Reported: | 08-03-09 |
| Laboratory Number: | 51019 | Date Sampled: | 07-28-09 |
| Chain of Custody: | 7528 | Date Received: | 07-28-09 |
| Sample Matrix: | Soil | Date Analyzed: | 07-31-09 |
| Preservative: | Cool | Date Extracted: | 07-30-09 |
| Condition: | Intact | Analysis Requested: | BTEX |

| Parameter | Concentration (ug/Kg) | Det. Limit (ug/Kg) | |
|--------------|-----------------------|--------------------------|--|
| | | . < | |
| Benzene | ND | 0.9 | |
| Toluene | 3.5 | 1.0 | |
| Ethylbenzene | 1.5 | 1.0 | |
| p,m-Xylene | 4.7 | 1.2 | |
| o-Xylene | 3.7 | 0.9 | |
| Total BTEX | 13.4 | | |

ND - Parameter not detected at the stated detection limit.

| Surrogate Recoveries: | Parameter | Percent Recovery |
|-----------------------|---------------------|------------------|
| | Fluorobenzene | 98.0 % |
| | 1,4-difluorobenzene | 98.0 % |
| | Bromochlorobenzene | 98.0 % |

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Bisti Coal 16-1

Analyst

Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

| Client: | N/A | Project #: | N/A |
|--------------------|----------------|----------------|----------|
| Sample ID: | 07-31-BT QA/QC | Date Reported: | 08-03-09 |
| Laboratory Number: | 51004 | Date Sampled: | N/A |
| Sample Matrix: | Soil | Date Received: | N/A |
| Preservative: | N/A | Date Analyzed: | 07-31-09 |
| Condition: | N/A | Analysis: | BTEX |

| Calibration and Detection Limits (ug/L |) - CalRE | G-Cal RF: -Accept Rang | | Blank Cond | Detect. |
|--|-------------|---------------------------|------|---------------|---------|
| Benzene | 4.4517E+006 | 4.4606E+006 | 0.2% | ND | 0.1 |
| Toluene | 4.1442E+006 | 4.1525E+006 | 0.2% | ND | 0.1 |
| Ethylbenzene | 3.6898E+006 | 3.6972E+006 | 0.2% | ND | 0.1 |
| p,m-Xylene | 9.5579E+006 | 9.5771E+006 | 0.2% | ND | 0.1 |
| o-Xylene | 3.5394E+006 | 3.5465E+006 | 0.2% | ND | 0.1 |

| Duplicate Conc. (ug/Kg) | Sample Di | uplicate | %Diff | Accept Range | Detect, Limit |
|-------------------------|-----------|----------|-------|--------------|---------------|
| Benzene | 2.1 | 2.0 | 4.8% | 0 - 30% | 0.9 |
| Toluene | 6.3 | 6.6 | 4.8% | 0 - 30% | 1.0 |
| Ethylbenzene | 4.5 | 4.9 | 8.9% | 0 - 30% | 1.0 |
| p,m-Xylene | 13.9 | 14.1 | 1.4% | 0 - 30% | 1.2 |
| o-Xylene | 8.4 | 8.6 | 2.4% | 0 - 30% | 0.9 |

| Spike Conc. (ug/Kg) | Sample , Amo | unt Spiked Spik | ed Sample | % Recovery | Accept Range |
|---------------------|--------------|-----------------|-----------|------------|--------------|
| Benzene | 2.1 | 50.0 | 50.6 | 97.1% | 39 - 150 |
| Toluene | 6.3 | 50.0 | 54.8 | 97.3% | 46 - 148 |
| Ethylbenzene | 4.5 | 50.0 | 53.0 | 97.2% | 32 - 160 |
| p,m-Xylene | 13.9 | 100 | 112 | 98.7% | 46 - 148 |
| o-Xylene | 8.4 | 50.0 | 56.9 | 97.4% | 46 - 148 |

ND - Parameter not detected at the stated detection limit.

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using

Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments:

QA/QC for Samples 51004 and 51013 - 51021.

Analyst

review



Chloride

| | • | |
|----------------|---|---|
| Elmridge | Project #: | 03056-0159 |
| Pit - 2' Below | Date Reported: | 08-03-09 |
| 51019 | Date Sampled: | 07-28-09 |
| Soil | Date Received: | 07-28-09 |
| Cool | Date Analyzed: | 07-30-09 |
| Intact | Chain of Custody: | 7528 |
| | Pit - 2' Below 51019 Soil Cool | Pit - 2' Below Date Reported: 51019 Date Sampled: Soil Date Received: Cool Date Analyzed: |

Parameter

Concentration (mg/Kg)

Total Chloride

105

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Bisti Coal 16-1.

Analyst

Mistle my Wal

CHAIN OF CUSTODY RECORD

7528

| Client: | | Р | roject Name / | ocation | . | | | | Γ | | | | | ΔΝΔΙ | YSIS / | / PAR | Δ N A Ε "1 | rens | | | | | |
|--------------------------------------|---------|--------|---------------|---------------|-------------------|------------------|-------------------|-------------|-------------------|--------------------|-------------------|---------------|----------------|-----------------|---------------|----------|-----------------|----------|----------|-----|-------|-------------|---------------|
| Elm Ridge Client Address: | | | Bisti 1 | 20al | 16-1 | | | | | | | | • | ~! V /_ | 10107 | 1701 | TIVIL I | LIIO | | | | | - |
| Client Address: 0 | | S | ampler Name: | | | | | | 5) | 21) | 6 | | | | | | | | | | | | |
| | | | R. Joy | us | • | | | | TPH (Method 8015) | BTEX (Method 8021) | VOC (Method 8260) | <u> </u> | ٠ _ ا | | _ | | | | | | | | |
| Client Phone No.: | | C | lient No.: | | | | | | pod | tho | hod | /leta | nion | | Ē | | (1) | щ | | | | 8 | ıtacı |
| | | | 3050 | $\rho - C$ | | | | | Met | ğ | Met | RCRA 8 Metals | Cation / Anion | | TCLP with H/P | | TPH (418.1) | CHLORIDE | | | | Sample Cool | Sample Intact |
| Sample No./ | Sample | Sample | Lab No. | | - | No./Volume of | Prese | ervative | H | <u> </u> | 8 | CH/C | atio | <u>ي</u> | S. | PAH | PH (| 물 | | | | amb | amb |
| Identification | Date | Time | | | Matrix | of Containers | HgCi ₂ | 101 00 | F | <u>m</u> | > | m m | S | Œ | F | P/ | F | ပ | | | | S | <u>s</u> |
| Pit - 2'Below | 7/28/04 | 1314 | 51019 | Soil Solid | Sludge Aqueous | 1-462 | | / | | / | | | | | | | | V | | | | ✓ | ' |
| | , , | | | Soil Solid | Sludge Aqueous | | | | | | | | | | | | | | | | | | ŀ |
| | | | | Soil | Sludge | | | _ | ļ | | | | | | | | | | | | | | |
| | | | | Solid | Aqueous | | | | | | | | | | | | | | | | | | _ |
| | | | : | Soil Solid | Sludge Aqueous | | | | | : | | | | | | | | | | | | | |
| | | | | Soil | Sludge | | | | | | | | | | | | | | | | | İ | |
| · , | | | | Solid | Aqueous Sludge | | | | | | | <u> </u> | | | | | | | | | | | _ |
| | | | | Solid | Aqueous | | | | | | | ļ <u>.</u> | ļ | | | | | | | | | 1. | _ |
| | | | | Soil Solid | Sludge Aqueous | , | | | | | | | | | | | | - | | | | | |
| | | | | Soil | Sludge | | | | | | | | , | | | | : | | | | | | |
| | | | | Solid Soil | Aqueous Sludge | | + | | | | | | | | | | | | | | | | \dashv |
| | | | | Solid | Aqueous | | | _ | | | | | | | | | | | | | | | _ |
| | | | | Soil Solid | Sludge Aqueous | | | | | | | | | | | | | | | | | | |
| Be linquis hed by: (Signa | ture) | | | 1 | Date | Time | Re | eceive | d by: | (Sign | ature) | , | | L | 1 | لــــــا | L | l | L | 7) | ate , | Tim | |
| 15001h | | _ | > " | | 7/28/09 | 16:28 | · _ | <u></u> | e. | کے | \ | Ţ | \- <u>-</u> | £- | | ح | _ | | | 1/2 | 8/09 | 16 | :25 |
| Relinquished by: (Signa | iture) | | | | 77 | | | eceive | d by: | (Sign | ature) |) | , (| 7 | | | | | <u> </u> | | 7 | | |
| U / | | | | | | | | | | | | | | | | | | | | | | | |
| Relinquished by: (Signature) | | | | | | | Re | eceive | d by: | (Sign | ature) |) | | | | | | | | | | (| |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | A | | A FA - | | 10 4 | <u>.</u> | | | L | | | | | | | | | | | |
| | | | | | | env | | | J | e | C | | | • | | | | | | | | | |
| | | | | | | An | aly | tico | II La | bor | ato | ſy | | | | | | | | | | | |
| | | | 5796 U | S Highwa | y 64 • Farming | gton, NM 874 | 101 • | 505-60 | 32-061 | 5 • lal | b@env | virotec | h-inc.c | om | , | | | | | | | | |

| PAGE NO: OF DATE STARTED: 7/28/69 DATE FINISHED: | | OTECH 3 (800) 362-1879 Farmington, NM 87401 | ENVIRON LAT: LONG: | MENTAL SPECIALIST: | | | | | |
|--|---|---|----------------------|--------------------|--|--|--|--|--|
| LOCATION: NAME: Bisti Coal | SEC: /(p TWP: | TEMP PIT: PE | RMANENT PIT: | y∕ BGT: PM: | | | | | |
| EXCAVATION APPROX: DISPOSAL FACILITY: LAND OWNER: CONSTRUCTION MATERIAL: COCATION APPROXIMATELY: DEPTH TO GROUNDWATER: TEMPORARY PIT - GROUNDWAT | API: 30045 DOUBLE-WALLED, FT. ER 50-100 FEET DEEP | 2 FT. I TION METHOD: 27.763 BGT WITH LEAK DETE FROM WELLHEA | D | | | | | | |
| BENZENE ≤ 0.2 mg/kg, BTEX ≤ 50 mg/kg, GRO & DRO FRACTION (8015) ≤ 500 mg/kg, TPH (418.1) ≤ 2500 mg/kg, CHLORIDES ≤ 500 mg/kg TEMPORARY PIT - GROUNDWATER ≥ 100 FEET DEEP BENZENE ≤ 0.2 mg/kg, BTEX ≤ 50 mg/kg, GRO & DRO FRACTION (8015) ≤ 500 mg/kg, TPH (418.1) ≤ 2500 mg/kg, CHLORIDES ≤ 1000 mg/kg PERMANENT PIT OR BGT BENZENE ≤ 0.2 mg/kg, BTEX ≤ 50 mg/kg, TPH (418.1) ≤ 100 mg/kg, CHLORIDES ≤ 250 mg/kg FIELD 418.1 ANALYSIS TIME SAMPLE 1.D. LAB NO. WEIGHT (g) inL FREON DILUTION READING CALC. (mg/kg) 902 200 STD - /9 7 | | | | | | | | | |
| PERIMETER | B (6 6 2 3 3 4 5 6 FIELD CHLORIDE | S RESULTS | PRO | DFILE | | | | | |
| PC WIT WIT Y | SAMPLE READING PARE PARENCE 13:14 Pit 1'Aug 4.2 Relow PID RESU SAMPLE ID Pit 1'deep | (mg/kg) 37.8 178 LTS RESULTS (ppm) 0.5 | | lox3ft lex6x6ft | | | | | |
| LAB SAMPLES SAMPLE ID ANALYSIS RESULTS BENZENE BTEX GRO & DRO CHLORIDES | NOTES: 2 yards from Mis workorder# | s Site to 2 | landform | <u>.</u> | | | | | |



Bill of Lading

33924

| PHON | E: (505) 632-0615 • 57 | 96 U.S. HIGHWAY | 64 • FARMINGTO | ON, NEW M | EXICO 87 | 401 | DATE <u>72</u> | 8.09 | ов# <u>(</u> | 13056-0256 | | |
|-----------|---|-----------------------|----------------|-----------|----------|------|----------------------|----------------|--------------|------------------|--|--|
| LOAD | COI | MPLETE DESCR | IPTION OF SHIF | PMENT | | | TRANSPORTING COMPANY | | | | | |
| NO. | POINT OF ORIGIN | | | GRID | YDS | BBLS | COMPANY | TRK# | TIME | DRIVER SIGNATURE | | |
| 1 | Elmizidge Bisti Coal | LFII | CONT | F14 | J. | | 4-4 | <i>ত্য</i> প্ত | 1 435 | Johns- | | |
| | 16-1 | | | - | 7 | | | | | | | |
| | | | | | 6 | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | · | | |
| | | | | | | | | | | , | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | p | | 9 | | | | | | | |
| 298 | S: CHLORIDE TEST / | LANDFARM EMPLOYEE: | 600 | 7/ | | | NOTES: ENT | ERED | AUG I | 3 4 2009 | | |
| _ | PAINT FILTER / TEST | | | | , | (mb) | · | | | | | |
| that no a | the material hauled from the additional materials have be | en added." | | | | | | | | | | |
| NAME _ | Ocho prodeson NY CONTACT MACK | ٣/ | COMPANY | Lar- | Force | | SIG | NATURE | GA. | mes | | |
| COMPA | NY CONTACT MACK | | PHONE | Gurt K | 32 | 2-22 | // DAT | E_2 | 28 | 2,04 | | |

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

| Pit, Closed-Loop System, Below-Grade Tank, or | |
|--|--|
| Proposed Alternative Method Permit or Closure Plan Application | |

| Proposed Alternative Method Permit or Closure Plan Application | | | | |
|--|--|--|--|--|
| Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method | | | | |
| Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request | | | | |
| Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances. | | | | |
| Operator: Elm Ridge Exploration OGRID #: 149052 | | | | |
| Address: P.O. Box 156; Bloomfield, NM 87413 | | | | |
| Facility or well name: Bisti Coal 16-1 | | | | |
| API Number: 3004527763 OCD Permit Number: | | | | |
| U/L or Qtr/Qtr G Section 16 Township 25N Range 12W County: San Juan | | | | |
| Center of Proposed Design: Latitude <u>36.402259</u> Longitude <u>-108.113807</u> NAD: □1927 ☑ 1983 | | | | |
| Surface Owner: Federal State Private Tribal Trust or Indian Allotment | | | | |
| 2. Ceased Operating Prior to June 16, 2008 | | | | |
| ☑ Pit: Subsection F or G of 19.15.17.11 NMAC | | | | |
| Temporary: Drilling Workover | | | | |
| ☑ Permanent ☐ Emergency ☐ Cavitation ☐ P&A | | | | |
| ☐ Lined ☑ Unlined Liner type: Thicknessmil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other | | | | |
| ☐ String-Reinforced | | | | |
| Liner Seams: Welded Factory Other Volume: bbl Dimensions: L 10' x W 10' x D 2' | | | | |
| 3. | | | | |
| ☐ Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: ☐ P&A ☐ Drilling a new well ☐ Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) | | | | |
| ☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other | | | | |
| ☐ Lined ☐ Unlined Liner type: Thickness mil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other | | | | |
| - · · · · · · · · · · · · · · · · · · · | | | | |
| | | | | |
| Liner Seams: Welded Factory Other | | | | |
| Liner Seams: Welded Factory Other | | | | |
| Liner Seams: Welded Factory Other | | | | |
| Liner Seams: Welded Factory Other 4. Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume:bbl Type of fluid: | | | | |
| Liner Seams: Welded Factory Other 4. Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume:bbl Type of fluid: Tank Construction material: | | | | |
| Liner Seams: Welded Factory Other 4. Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume:bbl Type of fluid: Tank Construction material: Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off | | | | |
| Liner Seams: | | | | |


| Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution on abunds) | hospital, |
|--|--|
| institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet | |
| ☐ Alternate. Please specify 4' hogwire fencing with pipe railing | |
| 7 | |
| Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other | |
| Monthly inspections (If netting or screening is not physically feasible) | |
| Signs: Subsection C of 19.15.17.11 NMAC ☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers ☐ Signed in compliance with 19.15.3.103 NMAC | |
| Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. | office for |
| 10. | |
| Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the approoffice or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dry above-grade tanks associated with a closed-loop system. | priate district pproval. ing pads or |
| Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells | ☐ Yes ☐ No |
| Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site | ☐ Yes ☐ No |
| Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image | ☐ Yes ☐ No ☐ NA |
| Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. | |
| (Applies to permanent pits) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image | ☐ Yes ☐ No ☐ NA |
| Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site | ☐ Yes ☐ No |
| Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. | |
| Within 500 feet of a wetland. | ☐ Yes ☐ No |
| Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division | |
| - Within an unstable area. | ☐ Yes ☐ No |
| Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map | ☐ Yes ☐ No |
| Within a 100-year floodplain. FEMA map | ☐ Yes ☐ No |
| | ☐ Yes ☐ No |

Y

| Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are |
|--|
| attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC |
| Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC |
| Previously Approved Design (attach copy of design) API Number: or Permit Number: |
| Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. |
| ☐ Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 ☐ Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC ☐ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC |
| Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC |
| Previously Approved Design (attach copy of design) API Number: |
| Previously Approved Operating and Maintenance Plan API Number: (Applies only to closed-loop system that use |
| above ground steel tanks or haul-off bins and propose to implement waste removal for closure) |
| Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC |
| Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. |
| Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial |
| Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration) |
| Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. ☐ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC ☐ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC ☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) ☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC ☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC ☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC |

| Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Instructions: Please indentify the facility or facilities for the disposal of liquids, facilities are required. | | |
|--|---|-----------------------|
| Disposal Facility Name: | Disposal Facility Permit Number: | |
| Disposal Facility Name: | Disposal Facility Permit Number: | |
| Will any of the proposed closed-loop system operations and associated activities o ☐ Yes (If yes, please provide the information below) ☐ No | | |
| Required for impacted areas which will not be used for future service and operation Soil Backfill and Cover Design Specifications based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection | e requirements of Subsection H of 19.15.17.13 NMA I of 19.15.17.13 NMAC | C · |
| Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the provided below. Requests regarding changes to certain siting criteria may requi considered an exception which must be submitted to the Santa Fe Environmenta demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC | re administrative approval from the appropriate dist il Bureau office for consideration of approval. Justi | rict office or may be |
| Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Database search; USG | a obtained from nearby wells | ☐ Yes ☐ No ☐ NA |
| Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Database search; USGS; | a obtained from nearby wells | ☐ Yes ☐ No ☐ NA |
| Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Database search; US | a obtained from nearby wells | ☐ Yes ☐ No ☐ NA |
| Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site | gnificant watercourse or lakebed, sinkhole, or playa | ☐ Yes ☐ No |
| Within 300 feet from a permanent residence, school, hospital, institution, or church - Visual inspection (certification) of the proposed site; Aerial photo; Satellit | | ☐ Yes ☐ No |
| Within 500 horizontal feet of a private, domestic fresh water well or spring that les watering purposes, or within 1000 horizontal feet of any other fresh water well or - NM Office of the State Engineer - iWATERS database; Visual inspection | spring, in existence at the time of initial application. | ☐ Yes ☐ No |
| Within incorporated municipal boundaries or within a defined municipal fresh wat adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approx | • | Yes No |
| Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visu | al inspection (certification) of the proposed site | ☐ Yes ☐ No |
| Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Minin | g and Mineral Division | ☐ Yes ☐ No |
| Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geolog Society; Topographic map | y & Mineral Resources; USGS; NM Geological | ☐ Yes ☐ No |
| Within a 100-year floodplain FEMA map | | ☐ Yes ☐ No |
| On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of Construction/Design Plan of Burial Trench (if applicable) based upon the a Construction/Design Plan of Temporary Pit (for in-place burial of a drying Protocols and Procedures - based upon the appropriate requirements of 19.1 Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Disposal Facility Name and Permit Number (for liquids, drilling fluids and Soil Cover Design - based upon the appropriate requirements of Subsection Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection | quirements of 19.15.17.10 NMAC f Subsection F of 19.15.17.13 NMAC ppropriate requirements of 19.15.17.11 NMAC pad) - based upon the appropriate requirements of 19. 5.17.13 NMAC quirements of Subsection F of 19.15.17.13 NMAC Subsection F of 19.15.17.13 NMAC drill cuttings or in case on-site closure standards cann H of 19.15.17.13 NMAC | 15.17.11 NMAC |

| Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief. | | | | |
|---|--|--|--|--|
| Name (Print): Ms. Amy/Mackey Title: Administrative Manager | | | | |
| Signature: Date: 1-27-09 | | | | |
| E-mail address: amackeyl@elmridge.net Telephone: | | | | |
| 20. OCD Approval: Permit Application (including closure plan) Closure Plan (only) COD Conditions (see attachment) | | | | |
| OCD Representative Signature: Approval Date: 2/19/2009 | | | | |
| OCD Representative Signature: | | | | |
| Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. | | | | |
| Closure Completion Date: | | | | |
| 22. Closure Method: Waste Excavation and Removal ☐ On-Site Closure Method ☐ Alternative Closure Method ☐ Waste Removal (Closed-loop systems only) If different from approved plan, please explain. | | | | |
| 23. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized. | | | | |
| Disposal Facility Name: Disposal Facility Permit Number: | | | | |
| Disposal Facility Name: Disposal Facility Permit Number: | | | | |
| Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No | | | | |
| Required for impacted areas which will not be used for future service and operations: | | | | |
| ☐ Site Reclamation (Photo Documentation) ☐ Soil Backfilling and Cover Installation | | | | |
| Re-vegetation Application Rates and Seeding Technique | | | | |
| 24. Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. | | | | |
| Proof of Closure Notice (surface owner and division) | | | | |
| Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) | | | | |
| Confirmation Sampling Analytical Results (if applicable) | | | | |
| ☐ Waste Material Sampling Analytical Results (required for on-site closure) ☐ Disposal Facility Name and Permit Number | | | | |
| Soil Backfilling and Cover Installation | | | | |
| ☐ Re-vegetation Application Rates and Seeding Technique ☐ Site Reclamation (Photo Documentation) | | | | |
| On-site Closure Location: Latitude Longitude NAD: \[\Boxed{1927} \Boxed{1983} | | | | |
| 25. Operator Closure Certification: | | | | |
| I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan. | | | | |
| Name (Print): Title: | | | | |
| Signature: Date: | | | | |
| E-mail address: Telephone: | | | | |



EARTHEN PIT CLOSURE PLAN

SITE NAME:

BISTI COAL 16-1
UNIT LETTER G, SECTION 16, TOWNSHIP 25N, RANGE 12W
SAN JUAN COUNTY, NEW MEXICO
LATITUDE 36.402259 LONGITUDE -108.113807

SUBMITTED TO:

MR. WAYNE PRICE
NEW MEXICO OIL CONSERVATION DIVISION
1220 SOUTH ST. FRANCIS DRIVE
SANTA FE, NEW MEXICO 87505
(505) 476-3490

SUBMITTED BY:

Ms. Amy Mackey
ELM RIDGE EXPLORATION
P.O. Box 156
BLOOMFIELD, NEW MEXICO 87413
(505) 632-3476 Ext. 201

JANUARY 2009

EARTHEN PIT CLOSURE PLAN ELM RIDGE EXPLORATION BISTI COAL 16-1 SAN JUAN COUNTY, NEW MEXICO

TABLE OF CONTENTS

| NTRODUCTION | 1 |
|-----------------------------|---|
| | |
| SCOPE OF CLOSURE ACTIVITIES | 1 |
| REPORTING | 3 |

INTRODUCTION

Elm Ridge Exploration would like to submit a closure plan for the earthen pit at the Bisti Coal 16-1 well site located in the SW ¼ NE ¼ of Section 16, Township 25N, Range 12W, San Juan County, New Mexico. This closure plan has been prepared in conformance with the closure requirements of 19.15.17.13 NMAC.

SCOPE OF CLOSURE ACTIVITIES

The purpose of this closure plan is to provide the details of activities involved in the closure of the permanent unlined pit at the Bisti Coal 16-1 well site. The following scope of closure activities has been designed to meet this objective:

- 1) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will close all former earthen pits prior to the closure date agreed upon by the New Mexico Oil Conservation Division of December 31, 2009.
- 2) In accordance with of Subsection A of 19.15.17.13 NMAC, Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will close any earthen pits at a date the division requires because of imminent danger to fresh water, public health, or the environment.
- 3) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will close earthen pits first which seem to pose a greater risk to fresh water, public health, or the environment. This will be determined by the locations proximity to surface water sources and distance to groundwater.
- 4) No less than 60 days prior to any earthen pit closure activities, Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will provide written notification to the Santa Fe NMOCD office as well as a schedule of on-site activities, as in accordance with 19.15.17.13 Subsection J Paragraph (3) NMAC.
- 5) No less than 24 hours and no greater than one (1) week prior to earthen pit removal Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will provide written notification to the appropriate surface owner as well as a schedule of on-site activities, as in accordance with 19.15.17.13 Subsection J Paragraph (1) NMAC. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will notify the surface owner by certified mail, return receipt requested, that the operator plans to close an earthen pit. The return receipt will be used to ensure that the surface owner has received written notification no less than 24 hours and no greater than one (1) week prior to the beginning of BGT closure activities. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records is sufficient to demonstrate compliance with this Closure activities that will take place on tribal land will have requirement. notifications sent by certified mail, return receipt requested, to the appropriate tribal Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will notify the Bureau of Land Management (BLM) of closure activities for wells located on federal land per a Sundry Notice, as in accordance with 19.15.17.13 Subsection J Paragraph (1) NMAC. All notices will be sent in such a way that the surface owner received notice at least 24 hours prior to the beginning of

closure activities.

- 6) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will remove all liquids, and/or sludge, to visual extents, prior to closure sampling. Material will be disposed of at Envirotech's Landfarm #2, Permit # NM-01-0011, TNT Environmental Inc. Landfarm, Permit # NM-01-0008, Industrial Ecosystems Inc. (IEI) Landfarm, Permit # NM-01-0010B or Basin Disposal, Permit # NM-01-0005, depending on the consistence of the material removed, as in accordance with 19.15.17.13 Subsection C Paragraph (1) NMAC.
- 7) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will remove all on-site equipment associated with this earthen pit unless it is required for some other purpose, as in accordance with 19.15.17.13 Subsection C Paragraph (2) NMAC. The equipment that meets the requirements of 19.15.9.712 Subsection A NMAC and 19.15.9.712 Subsection D Paragraph (1) will be disposed of at San Juan County Regional Landfill. Waste that is classified by 19.15.9.712 Subsection D Paragraph (2) will be sampled accordingly to determine acceptance of this material at the San Juan County Regional Landfill. Waste that is unable to be accepted at the San Juan County Regional Landfill will be submitted to the OCD on a case-by-case basis in accordance with Paragraph (3) of Subsection D of 19.15.9.712.
- 8) Once the earthen pit is removed to visual extents of contamination, a five (5)-point composite sample will be collected from directly below the liner(s) or at native soil. Additional discrete samples will be collected from any area that is wet, discolored, or show other evidence of a release. All samples being collected will be analyzed for benzene, and total BTEX via USEPA Method 8021B, TPH via USEPA Method 418.1, and chlorides via USEPA 300.1, as in accordance with 19.15.17.13 Subsection C Paragraph (3) NMAC.
- 9) Depending on soil sample results the area will be either backfilled or the area will be excavated.
 - a. If soil samples do not exceed the regulatory standards of 0.2 mg/kg benzene, 50 mg/kg BTEX, 100 mg/kg TPH, and 250 mg/kg or background concentration of chlorides, as in accordance with 19.15.17.13 Subsection C Paragraph (3) NMAC.
 - i. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, shall submit a Form C-141 with the laboratory results so that the division may review the results to determine if additional delineation is required in accordance with Paragraph (4) of Subsection C of 19.15.17.13 NMAC.
 - ii. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will backfill the excavation or impacted area with non-waste containing, earthen material, in accordance with 19.15.17.13 Subsection E Paragraph (6) NMAC. A soil cover shall be installed for all backfilled excavations consisting of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater in accordance with Subsections H of 19.15.17.13 NMAC. The operator shall construct the soil cover to the site's existing grade and prevent ponding of water and erosion of the cover material.
 - iii. All areas of the well site that are no longer utilized on a day to day basis for the production of oil and/or gas, Elm Ridge Exploration, or a

contractor acting on behalf of Elm Ridge Exploration, will substantially restore, re-contour, and re-vegetate the areas, in accordance with 19.15.17.13 Subsections G and I NMAC. The operator shall notify the division when it has been re-seeded and when it has achieved successful re-vegetation. For re-vegetation methods, please see attached re-vegetation plan.

b. If soil samples exceed the regulatory standards stated above.

- i. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, shall submit a Form C-141 with the laboratory results so that the division may review the results to determine if additional delineation is required in accordance with Paragraph (4) of Subsection C of 19.15.17.13 NMAC.
- ii. Activities beyond this point will be in accordance with 19.15.3.116 NMAC and 19.15.11.19 NMAC.

REPORTING

Elm Ridge Exploration will submit a closure report within 60 days following the earthen pit closure. The closure report will consist of a form C-144 with all supporting data and a form C-141 with all supporting data. The supporting data will include proof of closure notice to the surface owner and the OCD, confirmation sampling analytical results, a site diagram, soil backfilling and cover installation, re-vegetation rates, re-seeding techniques and site reclamation photo documentation if applicable, along with all other information related to the onsite activities.

We appreciate the opportunity to be of service. If you have any questions or require further information, please do not hesitate to contact our office at (505) 632-3476 Ext. 201.

Respectfully Submitted:

Elm Ridge Exploration

my Mackey

Em Ridge Exploration

Elm Ridge Exploration

Re-Seeding Techniques and Seed Mixture Ratios

These applied practices by Elm Ridge Exploration will at a minimum comply with the New Mexico Oil Conservation Divisions rule 19.15.17.13, Subsection I NMAC Elm Ridge Exploration has adopted these re-seeding application techniques, ratios and mixtures as their standard operating procedures.

- 1. The first growing season after closure of a below grade tank or pit, all areas of the well site not utilized for the production of oil and/or gas on a daily basis will be re-seeded with the specified seed mixture.
- 2. The seed mixture used will be certified with no primary or secondary noxious weeds in seed mixtures. The seed labels from each bag shall be available for inspection while seed is being sown.
- 3. The operator shall accomplish seeding by drilling on the contour whenever practical or by other division-approved methods. The operator shall obtain vegetative cover that equals 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.
- 4. Hand seeding with hydro-mulch, excelsior netting or mulch with netting is required on the cut/fill slopes. Mulch will be spread at a rate of 2,000-3,000 pounds per acre.
- 5. Compacted areas determined by visual inspection will be ripped to a depth of twelve (12) inches below ground surface and disked to a depth of six (6) inches before seeding. Seeding shall be done with a disk type drill with two (2) boxes for various seed sizes. The drill rows shall be eight (8) to ten (10) inches apart. Seed shall be planted at no less than one-half (1/2) inch deep or more than one (1) inch deep. The seeder shall be followed with a drag, packer, or roller to ensure uniform coverage of the seed and adequate compaction. Drilling shall be done on the contour where possible, but not up and down the slope.
- 6. Where slopes are too steep for contour drilling a hand seeder shall be used. Seed shall be covered to the depth stated above by whatever means is practical. If the seed is unable to be covered by the means listed above, the prescribed seed mixture amount will be doubled.

- 7. Elm Ridge Exploration shall repeat seeding or planting until it successfully achieves the required vegetative cover of 70% of the native perennial vegetation cover.
- 8. Upon abandonment of a well site, if the retention of the access road is not considered necessary for the management and multiple uses of the natural resources, or by the surface owner, it will be ripped a minimum of twelve (12) inches in depth. After ripping, water bars will be installed. All ripped surfaces are to be protected from vehicular travel by construction of a dead end ditch and earthen barricade at the entrance to these ripped areas. Re-seeding of areas affected by the ditch and barriers will be re-seeded if necessary.
- 9. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will inform the division once successful re-vegetation has occurred.