C-144

2009

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

3.8

State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-141 Revised October 10, 2003

Submit 2 Copies to appropriate District Office in accordance with Rule 116 on back side of form

Release Notification and Corrective Action

	OPERATOR				
Name of Company: Elm Ridge Exploration	Contact: Amy Mackey				
Address: PO Box 156, Bloomfield, NM 87413	Telephone No.: (505) 632-3476 Ext 201				
Facility Name: Bisti Coal 8 COM 1	Facility Type: Gas Well				
Surface Owner: Federal Mineral Owner	:	Lease No.: SF-078056			
LOCATIO	ON OF RELEASE				
		st/West Line County			
G 8 25N 12W 1700	FNL 1850	FEL San Juan			
Latitude: 36.4182	77 Longitude: -108.132146				
NATUR	E OF RELEASE	,			
Type of Release: Produced Water	Volume of Release: Unknown	Volume Recovered: Unknown			
Source of Release: Earth Pit	Date and Hour of Occurrence:	Date and Hour of Discovery: NA			
Was Immediate Notice Given?	Historical If YES, To Whom?				
☐ Yes ☐ No ☒ Not Require					
By Whom?	Date and Hour				
Was a Watercourse Reached? ☐ Yes ☒ No	If YES, Volume Impacting the V	Vatercourse.			
If a Watercourse was Impacted, Describe Fully.*					
Describe Cause of Problem and Remedial Action Taken.* Produced Water from a gas well at the mentioned location formerly discharged into an earthen pit on location. The well has been altered to no longer drain into an earthen pit.					
Describe Area Affected and Cleanup Action Taken.* Blow sand was removed from the earthen pit, and approximately eight (8) cubic yards of 'production sludge' was removed from the earthen pit. A five (5)-point composite sample was collected from approximately one (1) foot below the earthen pit once it was removed. The sample was analyzed in the field for total petroleum hydrocarbons (TPH) via USEPA Method 418.1, and in Envirotech's laboratory for benzene and BTEX via USEPA Method 8021 and for total chlorides via USEPA Method 4500B. The sample returned results below the 'Pit Rule' standards of 100 mg/kg TPH, 0.2 mg/kg benzene, 50 mg/kg BTEX and 250 mg/kg total chlorides, confirming that a release had not occurred. Analytical results are attached for your reference.					
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.					
OIL CONSERVATION DIVISION					
Signature:					
Printed Name: Ms. Amy Mackey	Approved by District Supervisor:				
Title: Administrative Manager	Approval Date:	Expiration Date:			
E-mail Address: amackey 1@elmridge.net Date: 10 22 09 Phone: 505-632-3476 Ext 201	Conditions of Approval:	Attached			

* Attach Additional Sheets If Necessary

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or					
Proposed Alternative Method Permit or Closure Plan Application					
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method					
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank, or alternative request					
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations, or ordinances.					
Operator: Elm Ridge Exploration OGRID #:149052					
Address: P.O. Box 156; Bloomfield, NM 87413					
Facility or well name: Bisti Coal 8 COM 1					
API Number: 3004528328 OCD Permit Number:					
U/L or Qtr/Qtr G Section 8 Township 25N Range 12W County: San Juan					
Center of Proposed Design: Latitude <u>36.418277</u> Longitude <u>-108.132146</u> NAD: □1927 ☑ 1983					
Surface Owner: Federal State Private Tribal Trust or Indian Allotment					
2. Pit: Subsection F or G of 19.15.17.11 NMAC Temporary: Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined Liner type: Thicknessmil LLDPE HDPE PVC Other					
☐ String-Reinforced					
Liner Seams: Welded Factory Other Volume: bbl Dimensions: L 15' x W 15' x D 5'					
Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other Liner Seams: Welded Factory Other					
Below-grade tank: Subsection I of 19.15.17.11 NMAC					
Volume: bbl Type of fluid:					

☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Not labeled

Tank Construction material:

Liner type: Thickness

Alternative Method:

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

☐ Secondary containment with leak detection ☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off

_mil 🔲 HDPE 🔲 PVC 🔲 Other

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify	hospital,		
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)			
8. Signs: Subsection C of 19.15.17.11 NMAC ☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers ☑ Signed in compliance with 19.15.3.103 NMAC			
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau of consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for		
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying above-grade tanks associated with a closed-loop system.	priate district pproval.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.			
Within 500 feet of a wetland.	☐ Yes ☐ No		
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No		
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes No		
Within a 100-year floodplain. FEMA map	☐ Yes ☐ No		

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:				
Previously Approved Design (attach copy of design) Art Number.				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Previously Approved Operating and Maintenance Plan API Number: (Applies only to closed-loop system that use				
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)				
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
15. Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Instructions: Please indentify the facility or facilities for the disposal of liquids, facilities are required.	Steel Tanks or Haul-off Bins Only: (19.15.17.13.D. drilling fluids and drill cuttings. Use attachment if n	NMAC) nore than two		
Disposal Facility Name:	Disposal Facility Permit Number:	:		
Disposal Facility Name: Disposal Facility Permit Number:				
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations Yes (If yes, please provide the information below) No				
Required for impacted areas which will not be used for future service and operation Soil Backfill and Cover Design Specifications based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	e requirements of Subsection H of 19.15.17.13 NMAC I of 19.15.17.13 NMAC			
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the provided below. Requests regarding changes to certain siting criteria may required considered an exception which must be submitted to the Santa Fe Environmental demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC.	re administrative approval from the appropriate distr l Bureau office for consideration of approval. Justi,	rict office or may be		
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Dat	a obtained from nearby wells	☐ Yes ☐ No ☐ NA		
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Dat	a obtained from nearby wells	☐ Yes ☐ No ☐ NA		
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS;	a obtained from nearby wells	☐ Yes ☐ No☐ NA		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	gnificant watercourse or lakebed, sinkhole, or playa	Yes No		
Within 300 feet from a permanent residence, school, hospital, institution, or churcl - Visual inspection (certification) of the proposed site; Aerial photo; Satellit		☐ Yes ☐ No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that les watering purposes, or within 1000 horizontal feet of any other fresh water well or - NM Office of the State Engineer - iWATERS database; Visual inspection	spring, in existence at the time of initial application.	Yes No		
Within incorporated municipal boundaries or within a defined municipal fresh wat adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approx	-	☐ Yes ☐ No		
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visu	al inspection (certification) of the proposed site	☐ Yes ☐ No		
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining	g and Mineral Division	☐ Yes ☐ No		
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geolog Society; Topographic map	y & Mineral Resources; USGS; NM Geological	☐ Yes ☐ No		
Within a 100-year floodplain FEMA map		☐ Yes ☐ No		
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Title:
Signature: Date:
E-mail address: Telephone:
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)
OCD Representative Signature: Approval Date:
Title:OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.
⊠ Closure Completion Date: 8/25/09
22. Closure Method: ☐ Waste Excavation and Removal ☐ On-Site Closure Method ☐ Alternative Closure Method ☐ Waste Removal (Closed-loop systems only) ☐ If different from approved plan, please explain.
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized. Disposal Facility Name: Disposal Facility Permit Number: NM-01-0011 Disposal Facility Name: Disposal Facility Permit Number: NM-01-0011 Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) See Attached Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) See Attached Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Envirotech Landfarm #2, NM-01-0011 Soil Backfilling and Cover Installation See Attached Re-vegetation Application Rates and Seeding Technique Pursuant to the BLM MOU Site Reclamation (Photo Documentation) See Attached On-site Closure Location: Latitude Longitude NAD: 1927 1983
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan. Name (Print): Ms. Amy Mackey Title: Administrative Manager Date: 10/22/09
E-mail address amackey l@elmridge.net Telephone: (505) 632-3476 Ext. 201

Earthen Pit Closure Checklist

- 1) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will close all former earthen pits prior to the closure date agreed upon by the New Mexico Oil Conservation Division (NMOCD) of December 31, 2009.

 Closure date for the earth pit located at the Bisti Coal 8 COM 1 well site is August 25, 2009.
- 2) In accordance with Subsection A of 19.15.17.13 NMAC, Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will close any earthen pits at a date the division requires because of imminent danger to fresh water, public health or the environment.

None of the earthen pits to be closed by Elm Ridge Exploration are deemed an imminent risk to the environment, public health, or to fresh or public water.

- 3) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will close earthen pits first which seem to pose a greater risk to fresh water, public health, or the environment. This will be determined by the locations proximately to surface water sources and distance to groundwater.
 - None of the earthen pits to be closed by Elm Ridge Exploration are deemed an imminent risk to the environment, public health, or to fresh or public water.
- 4) No less than 60 days prior to any earthen pit closure activities, Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will provide written notification to the Santa Fe NMOCD office as well as a schedule of on-site activities, as in accordance with 19.15.17.13 Subsection J Paragraph (3) NMAC.
 Notification was provided to Mr. Brad Jones of the NMOCD Santa Fe Office on August 4, 2009, along with a schedule of on-site activities; see attached Notification Letter.
- 5) No less than 24 hours and no greater than one (1) week prior to earthen pit removal, Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will provide written notification to the appropriate surface owner as well as a schedule of onsite activities, as in accordance with 19.15.17.13 Subsection J Paragraph (1) NMAC. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will notify the surface owner by certified mail, return receipt requested, that the operator plans to close an earthen pit. The return receipt will be used to ensure that the surface owner has received written notification no less than 24 hours and no greater than one (1) week prior to the beginning of the earthen pit closure activities. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records is sufficient to demonstrate compliance with this requirement. Closure activities that will take place on tribal land will have notifications sent by certified mail, return receipt requested, to the appropriate tribal office. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will notify the Bureau of Land Management (BLM) of closure activities for wells located on federal land per a Sundry Notice, as in accordance with 19.15.17.13 Subsection J Paragraph (1) NMAC. All notices will be sent in such a way that the surface owner will receive notice at least 24 hours prior to the beginning of closure activities.

Notification was provided to the Bureau of Land Management on August 19, 2009; see attached Sundry Notice and Return Receipt.

- 6) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will remove all liquids and/or sludge, to visual extents, prior to closure sampling. Material will be disposed of at Envirotech's Landfarm #2, Permit # NM-01-0011, TNT Environmental Inc. Landfarm, Permit # NM-01-0008, Industrial Ecosystems Inc. (IEI) Landfarm, Permit # NM-01-0010B, or Basin Disposal, Permit # NM-01-0005, depending on the consistence of the material removed, as in accordance with 19.15.17.13 Subsection C Paragraph (1) NMAC.
 - On August 24, 2009 through August 25, 2009, approximately eight (8) cubic yards of production sludge were removed from the earthen pit and disposed of at Envirotech's NMOCD permitted soil remediation facility, Landfarm #2, Permit # NM-01-0011; see attached *Bill of Lading*.
- 7) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will remove all on-site equipment associated with this earthen pit unless it is required for some other purpose, as in accordance with 19.15.17.13 Subsection C Paragraph (2) NMAC. The equipment that meets the requirements of 19.15.9.712 Subsection A NMAC and 19.15.9.712 Subsection D Paragraph (1) will be disposed of at San Juan County Regional Landfill. Waste that is classified by 19.15.9.712 Subsection D Paragraph (2) will be sampled accordingly to determine acceptance of this material at the San Juan County Regional Landfill. Waste that is unable to be accepted at the San Juan County Regional Landfill will be submitted to the OCD on a case-by-case basis in accordance with Paragraph (3) of Subsection D of 19.15.9.712.
 - All on-site equipment will be used for the continued operation of the Bisti Coal 8 COM 1 well site; see attached *Field Sheet* and *Site Photographs*.
- 8) Once the earthen pit is removed to visual extents of contamination, a five (5)-point composite sample will be collected from directly below the liner(s) or at native soil. Additional discrete samples will be collected from any area that is wet, discolored or show other evidence of a release. All samples being collected will be analyzed for benzene and total BTEX via USEPA Method 8021B, TPH via USEPA Method 418.1, and chlorides via USEPA 300.1, as in accordance with 19.15.17.13 Subsection C Paragraph (3) NMAC.

A five (5)-point composite sample was collected of native soil beneath the earthen pit and analyzed in the field for total petroleum hydrocarbons (TPH) via USEPA Method 418.1, and analyzed in the laboratory for benzene and BTEX via USEPA Method 8021B and for total chlorides via USEPA Method 4500B. The sample returned results below the 100 mg/kg TPH standard, the 0.2 mg/kg benzene standard, the 50 mg/kg BTEX standard and the 250 mg/kg total chloride standard, confirming that a release did NOT occur.

NAME	Benzene	BTEX	Chlorides	ТРН
Pit Rule	0.2 mg/kg	50 mg/kg	250 mg/kg	100 mg/kg
Standard		·		
Earth Pit Comp 1'	< 0.0009 mg/kg	0.467 mg/kg	116 mg/kg	76 mg/kg
Below Pit				
Background	NS	NS	10 mg/kg	NS

- 9) Depending on soil sample results the area will be either backfilled or the area will be excavated.
 - 1) If soil samples do not exceed the regulatory standards of 0.2 mg/kg benzene, 50 mg/kg BTEX, 100 mg/kg TPH, and 250 mg/kg or background concentration of chlorides, as in accordance with 19.15.17.13 Subsection C Paragraph (3) NMAC.
 - i. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, shall submit a Form C-141 with the laboratory results so that the division may review the results to determine if additional delineation is required in accordance with Paragraph (4) of Subsection C of 19.15.17.13 NMAC.

Completed Form C-141 is attached for your review.

ii. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will backfill the excavation or impacted area with non-waste containing, earthen material, in accordance with 19.15.17.13 Subsection E Paragraph (6) NMAC. A soil cover shall be installed for all backfilled excavations consisting of the background thickness of topsoil or one (1) foot of suitable material to establish vegetation at the site, whichever is greater in accordance with Subsections H of 19.15.17.13 NMAC. The operator shall construct the soil cover to the site's existing grade and prevent ponding of water and erosion of the cover material.

Elm Ridge Exploration has backfilled the excavated area with non-waste containing earthen material, and installed a soil cover of at least one (1) foot thick of suitable material to establish vegetation at this site. The soil cover has been graded in such a way that it conforms to the grade of the natural surroundings, and will prevent ponding of water and erosion of the cover material; see attached *Site Photographs*.

iii. All areas of the well site that are no longer utilized on a day to day basis for the production of oil and/or gas, Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will substantially restore, recontour and re-vegetate the areas, in accordance with 19.15.17.13 Subsections G and I NMAC. The operator shall notify the division when it has been re-seeded and when it has achieved successful re-vegetation.

Elm Ridge Exploration has restored, recontoured and re-seeded the excavated area in accordance with BLM standards as outlined in the Memorandum of Understanding (MOU).

- 2) If soil samples exceed the regulatory standards stated above:
 - i. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, shall submit a Form C-141 with the laboratory results so that the division may review the results to determine if additional delineation is required in accordance with Paragraph (4) of Subsection C of 19.15.17.13 NMAC.

The five (5)-point composite sample of native soil beneath the earthen pit returned results below the 100 mg/kg TPH standard, the 0.2 mg/kg benzene standard, the 50 mg/kg BTEX standard and the 250 mg/kg total chloride standard, confirming that a release did NOT occur.

Elm Ridge Exploration Bisti Coal 8 COM 1 Earth Pit Closure Project No. 03056-0185 Closure Date: 8/25/09

10) Elm Ridge Exploration will submit a closure report within 60 days following the earthen pit closure. The closure report will consist of a form C-144 with all supporting data and a form C-141 with all supporting data. The supporting data will include proof of closure notice to the surface owner and the OCD, confirmation sampling analytical results, a site diagram, soil backfilling and cover installation, re-vegetation rates, re-seeding techniques, and site reclamation photo documentation if applicable, along with all other information related to the onsite activities.

See attached C-144 Closure Form and attached Form C-141 Release Notification Form. Closure report has been submitted prior to October 25, 2009.



Home | Help | Sign In

Track & Confirm

FAQs

☐:Agent

☐ Addresse

1910

Track & Confirm

Search Results

Label/Receipt Number: 7007 1490 0000 5398 9312

Service(s): Certified Mail Status: Delivered

Your item was delivered at \$ 54 AM on August 19, 2009 in FARMINGTON, NM 87401.

Track & Confirm

Enter Label/Receipt Number.

U.S. Postal Service ... CERTIFIED MAILS RECEIPT **Notification Options** Track & Confirm by email Get current event information or update 40 03056-0241 Continue for 2,80 Gov't Se Formula Hele Richin's Proceeds Pres (Endors/Inicia Press/cod) **Gateway** z, 30 Copyright@ 2009 USPS. All Rights Reserved. No FE. 8.18.09 - sem marketa same \$ 6.66 31=+1 Cool 9-1 Mr. Mark Kelly 03056 -0187 *Bureau of Land Management..... ...1235 La Plata Hwy, Ste. A BISA COOL 82 COM 2 Farmington, NM 87401

		27.20	
Bist	Coal	2 COW	٢
	056		
Bioti	Coal	10-2	

0606h -018to

03056-0182 Bist Coal 6=1

03056 -0181 Bist Coal 7 ConvE

03056 -0184

Bight Cool 7-1

•	A Principle of the Prin	
3	Complete items t	2 and 3. Also complete I Delivery is desired
_	Southware neurs:1'	Kand 3. Also complete
	Ham Will Dank State	
	AGENTA II-MESINCIEC	Delivery is desired

SENDER: COMPLETE THIS SECTION

- Print your name and address on the reverse
- so that we can return the card to you. Attach this card to the back of the maliplace. or on the front if space permits:
- 1. Article Addressed to:

Mr. Mark Kelly Bureau of Land Management 1235 La Plata Hwy, Ste. A Farmington, NM 87401

	3. Servico Typo K. Conflied Mail Express Mail Registered Return Receipt for Merchandist Insured Mail
-	4. Restricted Delivery? (Extra Foo) Tives

LETE THISISECTION ON DELIVERY

lvory address different from item 17

If YES, enter delivery address below:

HUR OS HIGH

2. Article Number (Transfer from vervice tubel) PS:Form 3811, February 2004

7007 1490 0000 5398 9312 Domestic Return Receipt

http://trkcnfrm1.smi.usps.com/PTSInternetWeb/InterLabelInquiry.do

2009-08-20

☐ Yes

102595-02-M-1640



August 17, 2009

Project No. 03056-0185

Phone: (505) 599-8900

Mr. Mark Kelly Bureau of Land Management 1235 La Plata Highway, Suite A Farmington, New Mexico 87401

RE: BISTI COAL 8 COM 1 EARTH PIT CLOSURE NOTIFICATION

Dear Mr. Kelly,

Please accept this letter and attached Sundry Notice as the necessary surface owner notification for earth pit closure activities at the Bisti Coal 8 COM 1 well site, owned and operated by Elm Ridge Exploration. The Bisti Coal 8 COM 1 well site is located in Unit G, Section 8, Township 25N, Range 12W, San Juan County, New Mexico. Closure activities are scheduled to begin on August 24, 2009 and continue through August 28, 2009.

We appreciate the opportunity to be of service. If you have any questions or require additional information, please contact our office at (505) 632-0615.

Respectfully Submitted,

James McDaniel

Project Scientist

imcdaniel@envirotech-inc.com

Envirotech/IS

Enclosure:

Sundry Notice

Cc:

Client File No. 03056

Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

	FORM APPROVED	
	OMB No. 1004-0137	
	Expires: July 31, 2010	
Lesse Serial No.		

5. 1

Box	LAC OF EMPLOYMENT	CLIVILIVI			SF-078056		
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.					6. If Indian, Allottee or Tribe Name		
SUBMIT IN TRIPLICATE - Other instructions on page 2.					7. If Unit of CA/Agree	ment, Name and/or No.	
1. Type of Well							
Oil Well Gas W	Vell Other	_			8. Well Name and No. Bisti Coal 8 COM 1		
2. Name of Operator Elm Ridge Exploration					9. API Well No. 30-045-28328		
3a. Address PO Box 158 Bloomfield, NM 87413	ĺ	b. Phone No. (ir 505) 632-3476	clude area coa	le)	10. Field and Pool or E	xploratory Area	
4. Location of Well (Footage, Sec., T., 1700 FNL 1850 FEL, G-8-25N-12W, Lat. 36.41	R.,M., or Survey Description) 327709 lang108.1321461				11. Country or Parish, San Juan County, N		
12. CHEC	K THE APPROPRIATE BOX	(ES) TO INDIC	ATE NATURE	OF NOTIC	CE, REPORT OR OTHE	ER DATA	
TYPE OF SUBMISSION			TY	PE OF ACT	ION		
Notice of Intent	Acidize Alter Casing	Deepen Fracture	Treat	=	uction (Start/Resume)	Water Shut-Off Well Integrity	
Subsequent Report	Casing Repair	=	nstruction	Reco	mplete	Other Closure of an Earth	
Final Abandonment Notice	Change Plans Convert to Injection	☐ Plug and ☐ Plug Ba	l Abandon ck	_	porarily Abandon er Disposal	Pit	
Elm Ridge Exploration plans to beging Closure activities are scheduled to l						nications have been made.	
		•					
14. I hereby certify that the foregoing is t Ms. Army Mackey	full and offrect. Name (Printed)		itle Adminis	rative Man	ager		
Signature		I	Date 08/17/20	009			
	THIS SPACE F	OR FEDER	AL OR ST	ATE OF	FICE USE		
Approved by		<u> </u>					
Conditions of approval, if any, are attache that the applicant holds legal or equitable entitle the applicant to conduct operations	title to those rights in the subject thereon.	lease which woul	d Office		-	Date	
Title 18 U.S.C. Section 1001 and Title 43	U.S.C. Section 1212, make it a c	rune for any pers	on knowingly a	na willfully	to make to any departmen	t or agency of the United States any false	

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13 - Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment.

NOTICES

The Privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and grantingapproval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

			÷
		- 54 <u>.</u> - 1	out to the same and the same and the same and
	to a second seco		Murag
Ī	Express US Airbill Trefts 8693	8147 6355	i samety
1	From Receip point and press band. Date 8/04/09 Sender's FedEx Account Number 153	19-6147-9	48 Express Package Service Package up to 150 lbs.
	Sender's James McDeniel Phone (5	651632-0615	
	Company ENVIROTECH		4b Express Freight Service Packages over 150 lbs.
	Address 3796 HIGHWAY 64	Dank Hoort Suita Room	FedEx 1Day Freight Second Indicates day: "Fixing Mean Learning day: "Statement of Learni
_	City FARMINGTON State NM Z		5 Packaging FedEx Pek* FedEx FedEx FedEx Other Control Pek, FedEx Box Tube FedEx FedEx FedEx Starty Pek.
2	Your Internal Billing Reference 03056-07294		6 Special Handling Include FedEx address in Section 3.
3	To	Tasi 476-3487	Does this shipment contain damptous goods?
	Company N. M. Oil Conservation Di	vision	No yes Checked Yes Dry Ice Dry Ice Dry Ice Shown's Declaration Ind. region Ind
	Recipient's Address		7 Document Affice
	We cannot deliver to P.O. boxes or P.O. ZIP codes. Address 1220 So. St. Francis De	Dept/Floor/Sulterfloom	Sender Recipient Third Perty Credit Card Cash/Check
	To request a package be head at a specific FedEx location, print FedEx actives here. City Santa Fe State MM Z	₁ 87505	Fredit Abot Mo. Box. Box. Deen Box.
		0401655191	**Thur liebling is limited to \$1.00 urbacy you'd dockers a bighter value. See back for deaths. By caining this Arbitit you agree to the service conditions on the back of this Arbitit and in the convent Profits Service Books, including terms that link our inhality. 8 Residential Delivery Signature Options If you require a algorature, check bisect or indirect.
))	Store your addresses at fedex con isimplify your shipping Manage your account Access		No Signature Required Rectage may be left without distancy a signature to the service of the ser

Rev. Data 10/08-Part #158278-051984-2008 FedEx-PRINTED IN U.S.A.-GRIF

5 **3 4**

7- ·



August 4, 2009

Project No. 03056-0241

Mr. Brad Jones New Mexico Oil Conservation Division 1220 South St. Francis Street Santa Fe, New Mexico 87505

Phone (505) 476-3487

RE: EARTH PIT CLOSURE NOTIFICATIONS AND PROPOSED CLOSURE SCHEDULE

Dear Mr. Jones,

Envirotech, Inc., on the behalf of Elm Ridge Exploration, would like to submit this notification to begin closure activities at the below mentioned locations. Attached to this document is a proposed closure schedule for the months of August and September of 2009. Should this schedule be approved by your office, closure activities will begin as scheduled, with surface owner notifications being made at a minimum of 24 hours prior to the beginning of closure activities and a maximum of one (1) week prior to closure activities. Additional closure notifications and schedules will be made prior to beginning any closure activities. This letter will act as the closure notification for the following sites:

В	isti Coal 20-2	Bisti Coal 6-1	Bisti Coal 6-2	Bisti Coal 7-1
В	listi Coal 7 COM 2	Bisti Coal 8 COM 1	Bisti Coal 8L COM 2	Bisti Coal 9-1
В	listi Coal 9 COM 2	Bisti Coal 21-1	Bisti Coal 21 COM 2	Bisti Coal 22-2
В	Bisti Coal 28-1	Bisti Coal 29-1	Bisti Coal 29-2	Bisti Coal 30 COM 1
В	Bisti Coal 31-1	Bisti Coal 4-1	Bisti Coal 4 COM 2	Bisti Coal 5 COM 1
В	Bisti Coal 5K COM 2	Carson 10-332	Buena Suerte 3 G COM 1	Buena Suerte 3 L COM 1
В	Suena Suerte 32 G COM 1	East Bisti Coal 6-1	Buena Suerte 4 L COM 1	Carson Unit 15 COM 323
C	Carson Unit 206	Carson Unit 313	Pete Morrow 1	Pete Morrow 2
N	Iorth Bisti Coal 32M COM 2	North Bisti Coal 31-1	Sam Jackson State COM 1	Jeter COM 2
V	Vest Bisti Coal 11 F COM 1	West Bisti Coal 12-1	West Bisti Coal 13-1	West Bisti Coal 11-2
V	Vest Bisti Coal 10-2	West Bisti Coal 15-1	West Bisti Coal 14 COM 1	West Bisti Coal 15-2
V	Vest Bisti Coal 22-2	West Bisti Coal 23-1	West Bisti Coal 22 COM 1	West Bisti Coal 24-1
V	Vest Bisti Coal 24 COM 2	West Bisti Coal 25-1	West Bisti Coal 25 2Y	Jicarilla Apache I-11
S	heila Hixon 1	Bisti Coal 16-2		

Elm Ridge Exploration is proposing to close the earthen pits at the above listed well locations based on the attached closure schedule.

We appreciate the opportunity to be of service. Should you have any questions or require additional information,

please contact our office at (505) 632-0615.

Respectfully Submitted,

ames McDanie **Project Scientist**

incdaniel@envirotech-inc.com

Administrative Manager amackey l @clmridee not

Closure Schedule Attachments:

August 2009

Sunday	Monday	Tuesday	Wed	Thurs	Friday	Sat
						1
2	3	4	5	6	7	8
:9	10 Bisti Coal 20-2 Bisti Coal 21-1 Bisti Coal 21 COM 2 Bisti Coal 22-2 Bisti Coal 28-1	11 Bisti Coal 20-2 Bisti Coal 21-1 Bisti Coal 21 COM 2 Bisti Coal 22-2 Bisti Coal 28-1	12 Bisti Coal 20-2 Bisti Coal 21-1 Bisti Coal 21 COM 2 Bisti Coal 22-2 Bisti Coal 28-1	13 Bisti Coal 20-2 Bisti Coal 21-1 Bisti Coal 21 COM 2 Bisti Coal 22-2 Bisti Coal 28-1	14 Bisti Coal 20-2 Bisti Coal 21-1 Bisti Coal 21 COM 2 Bisti Coal 22-2 Bisti Coal 28-1	15
16	17 Bisti Coal 29-1 Bisti Coal 29-2 Bisti Coal 30 COM 1 Bisti Coal 31-1 Bisti Coal 4-1 Bisti Coal 4 COM 2 Bisti Coal 5 COM 1 Bisti Coal 5 COM 2 Bisti Coal 5 COM 2 Bisti Coal 16-2	18 Bisti Coal 29-1 Bisti Coal 29-2 Bisti Coal 30 COM 1 Bisti Coal 31-1 Bisti Coal 4-1 Bisti Coal 4 COM 2 Bisti Coal 5 COM 1 Bisti Coal 5 COM 1 Bisti Coal 5 K COM 2 Bisti Coal 16-2	19 Bisti Coal 29-1 Bisti Coal 29-2 Bisti Coal 30 COM 1 Bisti Coal 31-1 Bisti Coal 4-1 Bisti Coal 4 COM 2 Bisti Coal 5 COM 1 Bisti Coal 5 COM 2 Bisti Coal 5 K COM 2 Bisti Coal 16-2	20 Bisti Coal 29-1 Bisti Coal 29-2 Bisti Coal 30 COM 1 Bisti Coal 31-1 Bisti Coal 4-1 Bisti Coal 4 COM 2 Bisti Coal 5 COM 1 Bisti Coal 5 COM 1 Bisti Coal 5 K COM 2 Bisti Coal 16-2	21 Bisti Coal 29-1 Bisti Coal 29-2 Bisti Coal 30 COM 1 Bisti Coal 31-1 Bisti Coal 4-1 Bisti Coal 4 COM 2 Bisti Coal 5 COM 1 Bisti Coal 5 COM 2 Bisti Coal 5K COM 2 Bisti Coal 16-2	22
23	24 Bisti Coal 6-1 Bisti Coal 6-2 Bisti Coal 7-1 Bisti Coal 7 COM 2 Bisti Coal 8 COM 1 Bisti Coal 8L COM 2 Bisti Coal 9-1 Bisti Coal 9-1 Bisti Coal 9 COM 2	25 Bisti Coal 6-1 Bisti Coal 6-2 Bisti Coal 7-1 Bisti Coal 7 COM 2 Bisti Coal 8 COM 1 Bisti Coal 8L COM 2 Bisti Coal 9-1 Bisti Coal 9 COM 2	26 Bisti Coal 6-1 Bisti Coal 6-2 Bisti Coal 7-1 Bisti Coal 7 COM 2 Bisti Coal 8 COM 1 Bisti Coal 8L COM 2 Bisti Coal 9-1 Bisti Coal 9 COM 2	27 Bisti Coal 6-1 Bisti Coal 6-2 Bisti Coal 7-1 Bisti Coal 7 COM 2 Bisti Coal 8 COM 1 Bisti Coal 8L COM 2 Bisti Coal 9-1 Bisti Coal 9 COM 2	28 Bisti Coal 6-1 Bisti Coal 6-2 Bisti Coal 7-1 Bisti Coal 7 COM 2 Bisti Coal 8 COM 1 Bisti Coal 8L COM 2 Bisti Coal 9-1 Bisti Coal 9 COM 2	29
30	31 Carson 10-332 Buena Suerte 3 G COM 1 Buena Suerte 3 L COM 1 Buena Suerte 3 L COM 1 Buena Suerte 32 G COM 1 Buena Suerte 4 L COM 1 East Bisti Coai 6-1 Carson Unit 15 COM 323 Carson Unit 206				,	

Sun	Monday	Septembe Tuesday	er 2009 Wed	Thurs	Friday	Sat
	·	Carson 10-332 Buena Suerte 3 G COM 1 Buena Suerte 3 L COM 1 Buena Suerte 32 G COM 1 Buena Suerte 4 L COM 1 East Bisti Coal 6-1 Carson Unit 15 COM 323 Carson Unit 206	Carson 10-332 Buena Suerte 3 G COM 1 Buena Suerte 3 L COM 1 Buena Suerte 32 G COM 1 Buena Suerte 4 L COM 1 East Bisti Coal 6-1 Carson Unit 15 COM 323 Carson Unit 206	Carson 10-332 Buena Suerte 3 G COM 1 Buena Suerte 3 L COM 1 Buena Suerte 32 G COM 1 Buena Suerte 4 L COM 1 East Bisti Coal 6-1 Carson Unit 15 COM 323 Carson Unit 206	Carson 10-332 Buena Suerte 3 G COM 1 Buena Suerte 3 L COM 1 Buena Suerte 3 L COM 1 Buena Suerte 32 G COM 1 Buena Suerte 4 L COM 1 East Bisti Coal 6-1 Carson Unit 15 COM 323 Carson Unit 206	5
6	7 Carson Unit 313 Pete Morrow 1 Pete Morrow 2 North Bisti Coal 32M COM 2 Sam Jackson State COM 1 North Bisti Coal 31-1 West Bisti Coal 11 F COM 1 Jeter COM 2	8 Carson Unit 313 Pete Morrow 1 Pete Morrow 2 North Bisti Coal 32M COM 2 Sam Jackson State COM 1 North Bisti Coal 31-1 West Bisti Coal 11 F COM 1 Jeter COM 2	9 Carson Unit 313 Pete Morrow 1 Pete Morrow 2 North Bisti Coal 32M COM 2 Sam Jackson State COM 1 North Bisti Coal 31-1 West Bisti Coal 11 F COM 1 Jeter COM 2	10 Carson Unit 313 Pete Morrow 1 Pete Morrow 2 North Bisti Coal 32M COM 2 Sam Jackson State COM 1 North Bisti Coal 31-1 West Bisti Coal 11 F COM 1 Jeter COM 2	11 Carson Unit 313 Pete Morrow 1 Pete Morrow 2 North Bisti Coal 32M COM 2 Sam Jackson State COM 1 North Bisti Coal 31-1 West Bisti Coal 11 F COM 1 Jeter COM 2	12
13	West Bisti Coal 12-1 West Bisti Coal 13-1 West Bisti Coal 11-2 West Bisti Coal 10-2 West Bisti Coal 14 COM 1 West Bisti Coal 15-1 West Bisti Coal 15-2 West Bisti Coal 22-2	West Bisti Coal 12-1 West Bisti Coal 13-1 West Bisti Coal 11-2 West Bisti Coal 10-2 West Bisti Coal 14 COM 1 West Bisti Coal 15-1 West Bisti Coal 15-2 West Bisti Coal 22-2	West Bisti Coal 12-1 West Bisti Coal 13-1 West Bisti Coal 11-2 West Bisti Coal 10-2 West Bisti Coal 14 COM 1 West Bisti Coal 15-1 West Bisti Coal 15-2 West Bisti Coal 22-2	17 West Bistl Coal 12-1 West Bistl Coal 13-1 West Bistl Coal 11-2 West Bistl Coal 10-2 West Bistl Coal 14 COM 1 West Bistl Coal 15-1 West Bistl Coal 15-2 West Bistl Coal 22-2	West Bisti Coal 12-1 West Bisti Coal 13-1 West Bisti Coal 11-2 West Bisti Coal 10-2 West Bisti Coal 14 COM 1 West Bisti Coal 15-1 West Bisti Coal 15-2 West Bisti Coal 22-2	19
20	West Bisti Coal 22 COM 1 West Bisti Coal 23-1 West Bisti Coal 24-1 West Bisti Coal 24 COM 2 West Bisti Coal 25-1 West Bisti Coal 25-1 West Bisti Coal 25 2Y Jicarilla Apache I-11 Shella Hixon 1	West Bisti Coal 22 COM 1 West Bisti Coal 23-1 West Bisti Coal 24-1 West Bisti Coal 24 COM 2 West Bisti Coal 25-1 West Bisti Coal 25 27 Jicarilla Apache I-11 Shella Hixon 1	West Bisti Coal 22 COM 1 West Bisti Coal 23-1 West Bisti Coal 24-1 West Bisti Coal 24-COM 2 West Bisti Coal 25-1 West Bisti Coal 25-1 West Bisti Coal 25 2Y Jicaritia Apache I-11 Sheila Hixon 1	West Bisti Coal 22 COM 1 West Bisti Coal 23-1 West Bisti Coal 24-1 West Bisti Coal 24 COM 2 West Bisti Coal 25-1 West Bisti Coal 25-1 West Bisti Coal 25 2Y Jicarilla Apache I-11 Shella Hixon 1	West Bisti Coal 22 COM 1 West Bisti Coal 23-1 West Bisti Coal 24-1 West Bisti Coal 24-COM 2 West Bisti Coal 25-1 West Bisti Coal 25-2 Jicarilla Apache I-11 Shella Hixon 1	26
27	28	29	30	,		

ELM RIDGE EXPLORATION . BISTI COAL 8 COM 1 SEC. 8, TWN. 25N, RGE. 12W PROJECT NO. 03056-0185



Photo 1: Bisti Coal 8 COM 1 Recontoured Area



Photo 2: Excavated Area After Backfilling and Recontouring (View 2)



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

Elm Ridge Exploration

Project #:

03056-0185

Sample No.:

Date Reported:

9/17/2009

Sample ID:

Earth Pit Comp @1' Below

Sample Matrix:

Date Sampled: Date Analyzed: 8/25/2009 8/25/2009

Preservative:

Cool

Analysis Needed:

TPH-418.1

Condition:

Cool and Intact

		Det.
,	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

76

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis

of Water and Waste, USEPA Storet No. 4551, 1978.

Comments:

Bisti Coal 8 COM 1

Instrument calibrated to 200 ppm standard. Zeroed before each sample

Toni McKnight

Printed

James McDaniel

Printed



CONTINUOUS CALIBRATION EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Cal. Date:

25-Aug-09

Parameter	Standard Concentration mg/L	Concentration Reading mg/L	
TPH	100		
	200	191	
	500		
	1000		

The accepted percent relative deviation (%RSD) of the calibration factor is less than 20% over the working range.

Toni Mclenight
Analyst

 $\frac{9/17/09}{}$

Toni McKnight

Print Name

Review

9//7/09 Date

James McDaniel

Print Name



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Elm Ridge Resources	Project #:	03056-0185
Sample ID:	1' BGS of Pit	Date Reported:	08-28-09
Laboratory Number:	51409	Date Sampled:	08-25-09
Chain of Custody:	7823	Date Received:	08-25-09
Sample Matrix:	Soil	Date Analyzed:	08-27-09
Preservative:	Cool	Date Extracted:	08-26-09
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	ND	0.0	
	ND	0.9	
Toluene	1.5	1.0	
Ethylbenzene	33.8	1.0	
p,m-Xylene	354	1.2	
o-Xylene	77.7	0.9	
Total BTEX	467		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98.0 %
	1,4-difluorobenzene	98.0 %
	Bromochlorobenzene	98.0 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Earth Pit Closure / Bisti Coal 8 Com 1.

Analyst

Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client: Sample ID:	N/A 08-27-BTEX QA/QC	Project #: Date Reported:	N/A 08-28-09
Laboratory Number:	51388	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	08-27-09
Condition:	N/A	Analysis:	BTEX

Calibration and Detection Limits (ug/L)	, I-Cal RF:	C-Cal RF; Accept: Rang	%Diff. je 0 - 15%	Blank Conc	Detect. Limit
Benzene	3.1192E+006	3.1254E+006	0.2%	ND	0.1
Toluene	2.8947E+006	2.9005E+006	0.2%	ND	0.1
Ethylbenzene	2.5459E+006	2.5510E+006	0.2%	ND	0.1
p,m-Xylene	6.5578E+006	6.5709E+006	0.2%	ND	0.1
o-Xylene	2.4389E+006	2.4438E+006	0.2%	ND	0.1

Duplicate Conc. (ug/Kg) Sample Duplicate %Diff. Accept Range Detect. Limit						
Benzene	9.9	9.6	3.0%	0 - 30%	0.9	
Toluene	51.4	50.9	1.0%	0 - 30%	1.0	
Ethylbenzene	37.7	37.6	0.3%	0 - 30%	1.0	
p,m-Xylene	158	153	3.3%	0 - 30%	1.2	
o-Xylene	74.1	73.4	0.9%	0 - 30%	0.9	

Spike Conc. (ug/Kg)	Sample Amo	ount Spiked Spik	ed Sample	% Recovery	Accept Range
Benzene	9.9	50.0	59.4	99.2%	39 - 150
Toluene	51.4	50.0	96.3	95.0%	46 - 148
Ethylbenzene	37.7	50.0	85.6	97.6%	32 - 160
p,m-Xylene	158	100	256	99.1%	46 - 148
o-Xylene	74.1	50.0	117	94.3%	46 - 148

ND - Parameter not detected at the stated detection limit.

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments:

QA/QC for Samples 51388, 51389, 51397 - 51400, 51402, 51403, 51409 and 51412.

Analyst



Chloride

10

Elm Ridge Resources Project #: 03056-0185 Client: Sample ID: Background Date Reported: 08-28-09 51408 Date Sampled: 08-25-09 Lab ID#: Date Received: 08-25-09 Sample Matrix: Soil Preservative: Cool Date Anályzed: 08-27-09 Condition: Intact Chain of Custody: 7823

Parameter Concentration (mg/Kg)

Total Chloride

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Earth Pit Closure / Bisti Coal 8 Com 1.

Analyst (Anathum Wootles Review)



Chloride

Client:	Elm Ridge Resources	Project #:	03056-0185
Sample ID:	1' BGS of Pit	Date Reported:	08-28-09
Lab ID#:	51409	Date Sampled:	08-25-09
Sample Matrix:	Soil	Date Received:	08-25-09
Preservative:	Cool	Date Analyzed:	08-27-09
Condition:	Intact	Chain of Custody:	7823

Parameter	Concentration (mg/Kg)

Total Chloride 116

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Earth Pit Closure / Bisti Coal 8 Com 1.

nalyst

Review

CHAIN OF CUSTODY RECORD

7823

Client: Ridge Re	soure	S E	Project Name / Landsurent Name / Landsurent Name:	ocation	isti Ca	cal com 1		Υ	ANALYSIS / PARAMETERS														
Client Address:		9	ampler Name:	uk	nighi	1			8015)	18021)	8260)	S		,	0								
Client Phone No.:	,	C	Signt No.:	-010	5		•		TPH (Method 8015)	BTEX (Method 8021)	Voc (Method 8260)	RCRA 8 Metals	Cation / Anion		TCLP with H/P		TPH (418.1)	RIDE				Sample Cool	Sample Intact
Sample No./ Identification	Sample Date	Sample Time	Lab No.	8	ample Matrix	No./Volume	Preser HgCl, HC		TPH (ВТЕХ) (A)	RCRA	Cation	2	TCLP	PAH	TPH (CHLORIDE				Samp	Samp
Background 1'B6s of Pit	8/25/09	9:20	51408	Solid	Sludge Aqueous	1/402				V _T	2							1				V	
1'BGS of Pit	8/25/0g	9:03	51409	Solid Solid	Sludge Aqueous	1/407		V		V								V				/	
				Soil Solid	Sludge Aqueous			_															
				Soil Solid	Sludge Aqueous																		
				Soil Solid	Sludge Aqueous			ļ.															
				Soil Solid	Sludge Aqueous																		
				Soil Solid	Sludge Aqueous																		
				Soil Solid	Sludge Aqueous	,																	
				Soil Solid	Sludge Aqueous																		
				Soil Solid	Sludge Aqueous																		
Relinquished by: (Signa	ature)				8/25/09	Time 16:56	Red	ceive	d by:	(Signa	(ature استر			_ ′	R	- ~				Da Sh	ite 5/09	Tir //a	ļ
Relinquished by: (Signa	ature)							ceive	d by:	(Signa	ature)					ノ				012	-1	,,,	
Relinquished by: (Signa	ature)						Red	ceive	d by:	(Signa	ature)		•					~-	.,,,,,				
						env		r C	t Lc	e	C	ry						,	-	1			

5796 US Highway 64 • Farmington, NM 87401 • 505-632-0615 • lab@envirotech-inc.com

				and the second second							
page no: $\frac{1}{0}$ of $\frac{2}{3}$	(/,-8		(50	•	(800) 362-18			MENTAL SPECIALIST:			
		1	5796 U.S. Hury 64, Farmington, NM 87401 LAT: N X 2.5 (LONG: W 628.7.9)								
FIELD REPORT: BGT / PIT CLOSURE VERIFICATION											
LOCATION: NAME: (2)	154 (a)	al 8	WELL #:	1.	TEMP PIT:	PERMAN	FNT PIT.	✓ BGT:			
LOCATION: NAME: 6546 COUS WELL#: \ TEMP PIT: PERMANENT PIT: \ BGT: LEGAL ADD: UNIT: 另以/N/S SEC: 8 TWP: 25 N RNG: 1/2 U PM: NM											
QTR/FOOTAGE: 1700' FNC 21850' FEL CNTY: Gan Juan ST: New Mex 20											
				Julius Julius			· / u/=/				
EXCAVATION APPROX:	15	FT. X	15	FT. X			<u> </u>	ARDAGE: /o			
DISPOSAL FACILITY:	Envi	rotech	•		TION METHO			2			
LAND OWNER:	rede	ral.		045 <u>28</u>		BGT / PIT V					
CONSTRUCTION MATERIA		<u>m</u>	DOUBLE-		WITH LEAK I		· W/H	<u>'</u>			
LOCATION APPROXIMATE	•		FT. 3	39	FROM WELL	HEAD					
DEPTH TO GROUNDWATE							·				
TEMPORARY PIT - GR											
BENZENE ≤ 0.2 mg/kg, B'	$1EX \le 50 \text{ mg/l}$	kg, GRO & DR	O FRACTIO	$N(8015) \le 50$	00 mg/kg, TPH (418.1) ≤ 2500	mg/kg, CHL	ORIDES ≤ 500 mg/kg			
TEMPORARY PIT - GR		_						•			
BENZENE ≤ 0.2 mg/kg, BT	$EX \le 50 \text{ mg/k}$	g, GRO & DRO) FRACTION	$N(8015) \le 50$	0 mg/kg, TPH (4	$118.1) \le 2500$	mg/kg, CHL	ORIDES ≤ 1000 mg/kg			
X PERMANENT PIT OR E	3GT										
BENZENE ≤ 0.2 mg/kg, B		kg, TPH (418.1)) ≤ 100 mg/kg	, CHLORIDI	ES ≤ 250 mg/kg						
			, ,		D,418.1 ANAL	veie					
	TIME	SAMPLE I.D.	LAB NO.	WEIGHT (g	mL FREON	DILUTION	READING	CALC. (mg/kg)			
	8:30	200 STD				-	202	202			
	14153	Bettom	1	_5	20	٤/	129	526			
	15:09	Bottom of PA	2	5	20	4	17	6 8			
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	. 3 4	71		<u> </u>	<u> </u>	,			
			5	F-1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	* 1						
			6		44.1						
PERIME	ETER		FIELD C	HLORIDE:	S RESULTS		PRO	OFILE 4			
			SAMPLE	READING	CALC.						
			Both - of a		(mg/kg) 3 <i>5</i> 1						
			אין איי איי פררטען	-6	331_						
					_ 						
				PID RESUI	TS						
<i>:</i> .					RESULTS						
				PLE ID	(ppm)						
			Bottom o	\$ PIT	0.0						
				· ·							
					·		•				
								,			
		1									
LAB SAMPLES		NOTES:									
SAMPLE ID ANALYSIS BENZENE	RESULTS	1									
BTEX	 	1									
GRO & DRO											
CHLORIDES		1									

WHO ORDERED

WORKORDER#

.

PAGE NO: 2 OF 2)	A Control of the Cont	(50		Otech (800) 362-18]		MENTAL SPECIALIST:
DATE STARTED: 8050 DATE FINISHED: 8/25/			5796 U	U.S. Hwy 64, F	armington, NM 8:	7401		6° 25.0946 109° 7.9291
		EPORT:	RGT / Pi	TTCTO	SURE VE	RIFICAT		
LOCATION: NAME: 131		16:	WELL#:		TEMP PIT:		ENT PIT: X	BGT:
		SEC: 9	TILL TT.	TWP: 2	5 N	RNG: 1/2		PM: Wm
QTR/FOOTAGE: 1700'	- Marie	850'FEL	CNTY: 5	antiu	· · · · · · · · · · · · · · · · · · ·	ST: Nec		
EXCAVATION APPROX:	15	FT. X	15	FT. X	食	FT. DEEP	CUBIC YA	rdage: 10
DISPOSAL FACILITY:	Enviro	rech			TION METHO		rdfer	m
LAND OWNER:	Federa		API: 30	04528	328	BGT / PIT V		
CONSTRUCTION MATERIAL					VITH LEAK D		: N/A	
LOCATION APPROXIMATEL DEPTH TO GROUNDWATER	<i>"</i>		FT. 32	27	FROM WELL	ПЕАЦ		
TEMPORARY PIT - GRO	DUNDWATI	ER 50-100 FE			· · · · · · · · · · · · · · · · · · ·			
BENZENE ≤ 0.2 mg/kg, BT	EX ≤ 50 mg/k	g, GRO & DRO	O FRACTIO	$N(8015) \le 50$	0 mg/kg, TPH (418.1) ≤ 2500	mg/kg, CHL	ORIDES ≤ 500 mg/kg
TEMPORARY PIT - GRO								
BENZENE ≤ 0.2 mg/kg, BTF		g, GRO & DRC	FRACTION	$\sqrt{(8015)} \le 50$	0 mg/kg, TPH (4	18.1) ≤ 2500	mg/kg, CHLC	ORIDES ≤ 1000 mg/kg
PENZENE 402		- TDIT (410 C)	100	OH 05	70 40 70 7			
BENZENE ≤ 0.2 mg/kg, BT	EX ≤ 50 mg/k	g, IPH (418.1)) ≤ 100 mg/kg	-		,		
Г	TIME	SAMPLE I.D.	LAB NO.	FIEL WEIGHT (g	D 418.1 ANAL mL FREON	YSIS DILUTION	READING	CALC. (mg/kg)
13	3553	200 STD	LAD NO.	"LIGITI (g	-	-	- ILLADING	191
[4	1103	1'BGS 2174	1	_5	20	4	19	7.6
}			3					
· <u> </u>			4		31			
a [.		er (Professional) Los (Professional)	5 6					
			1	1	• 1		<u>. </u>	
PERIME	ΓER	`	LIETTA O	HLORIDE	S RESULTS		PRC	OFILE 4
			SAMPLE	READING	CALC.			
			ID 1'B65. Pit	5	(mg/kg) 243			
[pit	_		Backgon	N.D	D.D.			
(mr)	(A)	9\	<u>-</u>					•
BUT	(sep)	\						
	•			III) BEGI	TC].	•	11-1
\		}		PID RESUI	RESULTS	1	~ . <i>,</i>	*15
1704				PLE ID	(ppm)		1	{ <u></u>
) Ø 4			1' BGS of	Vit	0.0		}	1/2/
		/ /					Y MA	a ·
		Maround.					J.,	
	(8B	ackgrounds				<u></u>		
LAB SAMPLES		NOTES:						
SAMPLE ID ANALYSIS BENZENE	RESULTS							.•
BTEX								, •
GRO & DRO		·						• •
CHLORIDES		}						
		WORKORDE	R#	,	WHO ORDER	ED		



Bill of Lading

PHON	E: (505) 632-0615 • 579	96 U.S. HIGHWAY	64 • FARMINGTO	ON, NEW M	EXICO 87	401	DATE 82	5.09	юв# <u>С</u>	13056-0185
LOAD	CON	IPLETE DESCRI	PTION OF SHIF	PMENT						DMPANY
NO.	POINT OF ORIGIN	DESTINATION	MATERIAL	GRID	YDS	BBLS	COMPANY	TRK#	TIME	DRIVER SIGNATURE
	Elm Ridge Bisti Cool 8#1	LFII	Con't	E 17	8		4-4	78	1109	alpellering.
(50,0	/						
					Ď					
			· · · · · · · · · · · · · · · · · · ·							
							·			
,										
RESULT -268		LANDFARM EMPLOYEE:	Coyle	al-			NOTES:	ERED	AUG	2 7 2009
	PAINT FILTER TEST					(ab)	 			
nat no a	the material hauled from the additional materials have bee	en added."				s the sam	e material received	from the	above r	mentioned Generator, and
IAME 4	John Mikoned		COMPANY	ZIM	Relage	-	SIGN	IATURE!		
OMPA	NY CONTACT LANGE		PHONE	321-	<i>Q7/1</i>		DATE	S	<u>^25</u>	707

District I 1625 N. French Dr., Hobbs, NM 88240	age hit
District II 1301 W. Grand Avenue, Artesia, NM 88210	
District III 1000 Rio Brazos Road, Astéc, NMI87410 District IV	D
District IV 1220 S. St. Francis Dr. Santa Fe, NM 87505	_
LUUS FEB 2 PM 1	0.

State of New Mexico **Energy Minerals and Natural Resources** Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or


Proposed Alternative Method Permit or Closure Plan Application
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: Elm Ridge Exploration OGRID #: 149052
Address: P.O. Box 156; Bloomfield, NM 87413
Facility or well name: <u>Bisti Coal 8 Com 1</u>
API Number: <u>3004528328</u> OCD Permit Number:
U/L or Qtr/Qtr G Section 8 Township 25N Range 12W County: San Juan
Center of Proposed Design: Latitude <u>36.418262</u> Longitude <u>-108.132177</u> NAD: □1927 ☑ 1983
Surface Owner: Federal State Private Tribal Trust or Indian Allotment
2. ☑ Pit: Subsection F or G of 19.15.17.11 NMAC Ceased emptying into prior to June 16, 2008
Temporary:
☐ Permanent ☐ Emergency ☐ Cavitation ☐ P&A
☐ Lined ☑ Unlined Liner type: Thickness mil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other
☐ String-Reinforced
Liner Seams: Welded Factory Other Volume: bbl Dimensions: L 7.5' x W 7' x D 3'
3.
3. Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of
3. Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
3. Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other
3. Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other
3. Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other
3. Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other Liner Seams: Welded Factory Other
3. Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other Liner Seams: Welded Factory Other 4. Below-grade tank: Subsection I of 19.15.17.11 NMAC
3. Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other Liner Seams: Welded Factory Other 4. Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume: bbl Type of fluid: Produced water
3. Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other Liner Seams: Welded Factory Other Other Liner Seams: Subsection I of 19.15.17.11 NMAC 4. Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume: bbl Type of fluid: Produced water Tank Construction material:
Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other Liner Seams: Welded Factory Other Construction I of 19.15.17.11 NMAC Produced water Tank Construction material: Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation:
Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other Liner Seams: Welded Factory Other Construction I of 19.15.17.11 NMAC Produced water Tank Construction material: Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other Liner Seams: Welded Factory Other At
Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other Liner Seams: Welded Factory Other

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)	
☐ Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church)	hospital,
☐ Four foot height, four strands of barbed wire evenly spaced between one and four feet	
Alternate. Please specify 4' pipe with hogwire fencing	
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)	
☐ Screen ☒ Netting ☐ Other	•
Monthly inspections (If netting or screening is not physically feasible)	
8. Signs: Subsection C of 19.15.17.11 NMAC	,
☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers	
☑ Signed in compliance with 19.15.3.103 NMAC	
9. Administrative Approvals and Exceptions:	
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank:	
Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval.	office for
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying above-grade tanks associated with a closed-loop system.	priate district pproval.
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).0. - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - (Applies to temporary, emergency, or cavitation pits and below-grade tanks) -	☐ Yes ☐ No ☑ NA
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits)	
 Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock 	☐ Yes ☐ No ☐ NA
watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	
Within 500 feet of a wetland.	☐ Yes ☐ No
Within the area overlying a subsurface mine.	
- Within an unstable area.	☐ Yes ☐ No
Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No
	☐ Yes ☐ No

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Operating and Maintenance Plan API Number: (Applies only to closed-loop system that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: ☐ Drilling ☐ Workover ☐ Emergency ☐ Cavitation ☐ P&A ☐ Permanent Pit ☐ Below-grade Tank ☐ Closed-loop System ☐ Alternative Proposed Closure Method: ☐ Waste Excavation and Removal ☐ Waste Removal (Closed-loop systems only) ☐ On-site Closure Method (Only for temporary pits and closed-loop systems) ☐ In-place Burial ☐ On-site Trench Burial ☐ Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. ☐ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC ☐ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC ☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) ☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC ☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.1 Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if facilities are required.									
* Disposal Facility Name: Disposal Facility Permit Number:									
Disposal Facility Name: Disposal Facility Permit Number:									
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations? Yes (If yes, please provide the information below) No									
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	c 								
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate dist considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Just demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	rict office or may be								
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA								
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA								
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA								
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No								
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No								
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No								
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No								
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No								
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No								
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	.□ Yes□ No								
Within a 100-year floodplain FEMA map	Yes No								
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cann Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	15.17.11 NMAC								

Operator Application Certification: I hereby certify that the information submitted with this application is true, accurately.	rate and complete to the best of my knowledge and belief.	
Name (Print) Ms. Athy Mackey	Title: Administrative Manager	
Signature My Ochu	Date: 1-27-09	
E-mail address: amackey@elmridge.net	Telephone: (505) 632-3476 Ext. 201	
20. OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)		
OCD Representative Signature: lang Charez	Approval Date: 2/19/2009	
Title: Environmental Engineer	OCD Permit Number:	
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date:		
	Closure Completion Date.	
22. Closure Method: Waste Excavation and Removal ☐ On-Site Closure Method ☐ Altern If different from approved plan, please explain.	native Closure Method	
23. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.		
-	Disposal Facility Permit Number:	
Disposal Facility Name:	Disposal Facility Permit Number:	
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No		
Required for impacted areas which will not be used for future service and operations:		
Site Reclamation (Photo Documentation)	·	
☐ Soil Backfilling and Cover Installation ☐ Re-vegetation Application Rates and Seeding Technique		
24.		
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.		
☐ Proof of Closure Notice (surface owner and division) ☐ Proof of Deed Notice (required for on-site closure)		
Plot Plan (for on-site closures and temporary pits)	•	
☐ Confirmation Sampling Analytical Results (if applicable)	•	
Waste Material Sampling Analytical Results (required for on-site closure)		
☐ Disposal Facility Name and Permit Number☐ Soil Backfilling and Cover Installation		
☐ Soil Backfilling and Cover Installation ☐ Re-vegetation Application Rates and Seeding Technique		
Site Reclamation (Photo Documentation)		
On-site Closure Location: Latitude Longi	tude NAD: 1927 1983	
25.		
Operator Closure Certification:		
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.		
Name (Print):	Title:	
Signature:	Date:	
E-mail address:	Telephone:	



EARTHEN PIT CLOSURE PLAN

SITE NAME:

BISTI COAL 8 COM 1
UNIT LETTER G, SECTION 8, TOWNSHIP 25N, RANGE 12W
SAN JUAN COUNTY, NEW MEXICO
LATITUDE 36.418262 LONGITUDE -108.132177

SUBMITTED TO:

MR. WAYNE PRICE
NEW MEXICO OIL CONSERVATION DIVISION
1220 SOUTH ST. FRANCIS DRIVE
SANTA FE, NEW MEXICO 87505
(505) 476-3490

SUBMITTED BY:

Ms. Amy Mackey
ELM RIDGE EXPLORATION
P.O. Box 156
BLOOMFIELD, NEW MEXICO 87413
(505) 632-3476 Ext. 201

JANUARY 2009

EARTHEN PIT CLOSURE PLAN ELM RIDGE EXPLORATION BISTI COAL 9 COM 1 SAN JUAN COUNTY, NEW MEXICO

TABLE OF CONTENTS

INTRODUCTION	1
SCOPE OF CLOSURE ACTIVITIES	1
REPORTING	3

INTRODUCTION

Elm Ridge Exploration would like to submit a closure plan for the earthen pit at the Bisti Coal 8 COM 1 located in the SW ¼ NE ¼ of Section 8, Township 25N, Range 12W, San Juan County, New Mexico. This closure plan has been prepared in conformance with the closure requirements of 19.15.17.13 NMAC.

SCOPE OF CLOSURE ACTIVITIES

The purpose of this closure plan is to provide the details of activities involved in the closure of the permanent unlined pit at the Bisti Coal 8 COM 1. The following scope of closure activities has been designed to meet this objective:

- 1) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will close all former earthen pits prior to the closure date agreed upon by the New Mexico Oil Conservation Division of December 31, 2009.
- 2) In accordance with of Subsection A of 19.15.17.13 NMAC, Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will close any earthen pits at a date the division requires because of imminent danger to fresh water, public health, or the environment.
- 3) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will close earthen pits first which seem to pose a greater risk to fresh water, public health, or the environment. This will be determined by the locations proximity to surface water sources and distance to groundwater.
- 4) No less than 60 days prior to any earthen pit closure activities, Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will provide written notification to the Santa Fe NMOCD office as well as a schedule of on-site activities, as in accordance with 19.15.17.13 Subsection J Paragraph (3) NMAC.
- 5) No less than 24 hours and no greater than one (1) week prior to earthen pit removal Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will provide written notification to the appropriate surface owner as well as a schedule of on-site activities, as in accordance with 19.15.17.13 Subsection J Paragraph (1) NMAC. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will notify the surface owner by certified mail, return receipt requested, that the operator plans to close an earthen pit. The return receipt will be used to ensure that the surface owner has received written notification no less than 24 hours and no greater than one (1) week prior to the beginning of BGT closure activities. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records is sufficient to demonstrate compliance with this requirement. Closure activities that will take place on tribal land will have notifications sent by certified mail, return receipt requested, to the appropriate tribal office. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will notify the Bureau of Land Management (BLM) of closure activities for wells located on federal land per a Sundry Notice, as in accordance with 19.15.17.13 Subsection J Paragraph (1) NMAC. All notices will be sent in such a way that the surface owner received notice at least 24 hours prior to the beginning of

closure activities.

- 6) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will remove all liquids, and/or sludge, to visual extents, prior to closure sampling. Material will be disposed of at Envirotech's Landfarm #2, Permit # NM-01-0011, TNT Environmental Inc. Landfarm, Permit # NM-01-0008, Industrial Ecosystems Inc. (IEI) Landfarm, Permit # NM-01-0010B or Basin Disposal, Permit # NM-01-0005, depending on the consistence of the material removed, as in accordance with 19.15.17.13 Subsection C Paragraph (1) NMAC.
- 7) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will remove all on-site equipment associated with this earthen pit unless it is required for some other purpose, as in accordance with 19.15.17.13 Subsection C Paragraph (2) NMAC. The equipment that meets the requirements of 19.15.9.712 Subsection A NMAC and 19.15.9.712 Subsection D Paragraph (1) will be disposed of at San Juan County Regional Landfill. Waste that is classified by 19.15.9.712 Subsection D Paragraph (2) will be sampled accordingly to determine acceptance of this material at the San Juan County Regional Landfill. Waste that is unable to be accepted at the San Juan County Regional Landfill will be submitted to the OCD on a case-by-case basis in accordance with Paragraph (3) of Subsection D of 19.15.9.712.
- 8) Once the earthen pit is removed to visual extents of contamination, a five (5)-point composite sample will be collected from directly below the liner(s) or at native soil. Additional discrete samples will be collected from any area that is wet, discolored, or show other evidence of a release. All samples being collected will be analyzed for benzene, and total BTEX via USEPA Method 8021B, TPH via USEPA Method 418.1, and chlorides via USEPA 300.1, as in accordance with 19.15.17.13 Subsection C Paragraph (3) NMAC.
- 9) Depending on soil sample results the area will be either backfilled or the area will be excavated.
 - a. If soil samples do not exceed the regulatory standards of 0.2 mg/kg benzene, 50 mg/kg BTEX, 100 mg/kg TPH, and 250 mg/kg or background concentration of chlorides, as in accordance with 19.15.17.13 Subsection C Paragraph (3) NMAC.
 - i. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, shall submit a Form C-141 with the laboratory results so that the division may review the results to determine if additional delineation is required in accordance with Paragraph (4) of Subsection C of 19.15.17.13 NMAC.
 - ii. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will backfill the excavation or impacted area with non-waste containing, earthen material, in accordance with 19.15.17.13 Subsection E Paragraph (6) NMAC. A soil cover shall be installed for all backfilled excavations consisting of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater in accordance with Subsections H of 19.15.17.13 NMAC. The operator shall construct the soil cover to the site's existing grade and prevent ponding of water and erosion of the cover material.
 - iii. All areas of the well site that are no longer utilized on a day to day basis for the production of oil and/or gas, Elm Ridge Exploration, or a

contractor acting on behalf of Elm Ridge Exploration, will substantially restore, re-contour, and re-vegetate the areas, in accordance with 19.15.17.13 Subsections G and I NMAC. The operator shall notify the division when it has been re-seeded and when it has achieved successful re-vegetation. For re-vegetation methods, please see attached re-vegetation plan.

b. If soil samples exceed the regulatory standards stated above.

- i. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, shall submit a Form C-141 with the laboratory results so that the division may review the results to determine if additional delineation is required in accordance with Paragraph (4) of Subsection C of 19.15.17.13 NMAC.
- ii. Activities beyond this point will be in accordance with 19.15.3.116 NMAC and 19.15.11.19 NMAC.

REPORTING

Elm Ridge Exploration will submit a closure report within 60 days following the earthen pit closure. The closure report will consist of a form C-144 with all supporting data and a form C-141 with all supporting data. The supporting data will include proof of closure notice to the surface owner and the OCD, confirmation sampling analytical results, a site diagram, soil backfilling and cover installation, re-vegetation rates, re-seeding techniques and site reclamation photo documentation if applicable, along with all other information related to the onsite activities.

We appreciate the opportunity to be of service. If you have any questions or require further information, please do not hesitate to contact our office at (505) 632-3476 Ext. 201.

Respectfully Submitted:

Elm Ridge Exploration

Amy Mackey

Elm\Ridge Exploration

Elm Ridge Exploration

Re-Seeding Techniques and Seed Mixture Ratios

These applied practices by Elm Ridge Exploration will at a minimum comply with the New Mexico Oil Conservation Divisions rule 19.15.17.13, Subsection I NMAC Elm Ridge Exploration has adopted these re-seeding application techniques, ratios and mixtures as their standard operating procedures.

- 1. The first growing season after closure of a below grade tank or pit, all areas of the well site not utilized for the production of oil and/or gas on a daily basis will be re-seeded with the specified seed mixture.
- 2. The seed mixture used will be certified with no primary or secondary noxious weeds in seed mixtures. The seed labels from each bag shall be available for inspection while seed is being sown.
- 3. The operator shall accomplish seeding by drilling on the contour whenever practical or by other division-approved methods. The operator shall obtain vegetative cover that equals 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.
- 4. Hand seeding with hydro-mulch, excelsior netting or mulch with netting is required on the cut/fill slopes. Mulch will be spread at a rate of 2,000-3,000 pounds per acre.
- 5. Compacted areas determined by visual inspection will be ripped to a depth of twelve (12) inches below ground surface and disked to a depth of six (6) inches before seeding. Seeding shall be done with a disk type drill with two (2) boxes for various seed sizes. The drill rows shall be eight (8) to ten (10) inches apart. Seed shall be planted at no less than one-half (1/2) inch deep or more than one (1) inch deep. The seeder shall be followed with a drag, packer, or roller to ensure uniform coverage of the seed and adequate compaction. Drilling shall be done on the contour where possible, but not up and down the slope.
- 6. Where slopes are too steep for contour drilling a hand seeder shall be used. Seed shall be covered to the depth stated above by whatever means is practical. If the seed is unable to be covered by the means listed above, the prescribed seed mixture amount will be doubled.

- 7. Elm Ridge Exploration shall repeat seeding or planting until it successfully achieves the required vegetative cover of 70% of the native perennial vegetation cover.
- 8. Upon abandonment of a well site, if the retention of the access road is not considered necessary for the management and multiple uses of the natural resources, or by the surface owner, it will be ripped a minimum of twelve (12) inches in depth. After ripping, water bars will be installed. All ripped surfaces are to be protected from vehicular travel by construction of a dead end ditch and earthen barricade at the entrance to these ripped areas. Re-seeding of areas affected by the ditch and barriers will be re-seeded if necessary.
- 9. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will inform the division once successful re-vegetation has occurred.