

Submit to Appropriate District Office
State Lease - 6 copies
Fee Lease - 5 copies
District I

State of New Mexico
Energy, Minerals and Natural Resources

Form C-105
Revised June 10, 2003

District II
1625 N. French, Hobbs, NM 88240
District III
1301 W. Grand Avenue, Artesia, NM 88210
District IV
1000 Rio Brazos Rd., Aztec, NM 87410
District V
1220 S. St. Francis Dr., Santa Fe, NM 87505

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.

30-059-20493

5. Indicate Type Of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

L06200

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:

OIL WELL ☐ GAS WELL ☐ DRY ☐ OTHER ☒ CO2 Supply Well

b. Type of Completion:

NEW WELL ☒ WORK OVER ☐ DEEPEN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ OTHER ☐

2. Name of Operator

OXY USA Inc.

16696

8. Well No.

362

3. Address of Operator

P.O. Box 4294 Houston, TX 77210-4294

9. Pool name or Wildcat

Bravo Dome Carbon Dioxide Gas 640

4. Well Location

Unit Letter G : 1834 Feet From The N Line and 1778 Feet From The E Line

Section 36 Township 24N Range 33E NMPM Union County

10. Date Spudded

07/30/08

11. Date T.D. Reached

08/03/08

12. Date Compl. (Ready to Prod.)

13. Elevations (DF & RKB, RT, GR, etc.)

5089.2' GR

14. Elev. Casinghead

15. Total Depth

2717'

16. Plug Back T.D.

2696'

17. If Multiple Compl. How Many Zones?

18. Intervals Drilled By

Rotary Tools

X

Cable Tools

19. Producing Interval(s), of this completion - Top, Bottom, Name

2486-2546' - Tubb

20. Was Directional Survey Made

No

21. Type Electric and Other Logs Run

CN/DL/CB

22. Was Well Cored

No

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8-5/8"	24#	693'	12-1/4"	400 SX	N/A
5-1/2"	5.3#FG/15.5#	2702'	7-7/8"	350 SX	N/A

24. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET

25. TUBING RECORD

26. Perforation record (interval, size, and number)

2486-2546' @ 4 SPF (244 Total Holes)

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
2486-2546'	21265g CO2 gel frac w/918 sx snd

28. PRODUCTION

Date First Production

Production Method (Flowing, gas lift, pumping - Size and type pump)

Well Status (Prod. or Shut-in)

Shut-In

Date of Test

Hours Tested

Choke Size

Prod'n For Test Period

Oil - Bbl.

Gas - MCF

Water - Bbl.

Gas - Oil Ratio

Flow Tubing Press.

Casing Pressure

Calculated 24-Hour Rate

Oil - Bbl.

Gas - MCF

Water - Bbl.

Oil Gravity - API - (Corr.)

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

Sold

Test Witnessed By

30. List Attachments

Deviation Svy. Log Online (NMOCD)

31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature

Printed Name

Kimberly Long

Title

Sr. Reg Analyst

Date

09/21/09

E-mail address

Kimberly Long@oxy.com

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northeastern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn. "B"
T. Salt	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"
B. Salt	T. Atoka	T. Pictured Cliffs	T. Penn. "D"
T. Yates	T. Miss	T. Cliff House	T. Leadville
T. 7 Rivers	T. Devonian	T. Menefee	T. Madison
T. Queen	T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg	T. Montoya	T. Mancos	T. McCracken
T. San Andres 1767	T. Simpson	T. Gallup	T. Ignacio Otzte
T. Glorieta 1974	T. McKee	Base Greenhorn	T. Granite
T. Paddock	T. Ellenburger	T. Dakota	T.
T. Blinebry	T. Gr. Wash	T. Morrison	T.
T. Tubb 2476	T. Delaware Sand	T. Todilto	T.
T. Drinkard	T. Bone Springs	T. Entrada	T.
T. Abo	T. Santa Rosa	1486 T. Wingate	T.
T. Wolfcamp	Yeso	2084 T. Chinle	T.
T. Penn	T. Cimarron	2458 T. Permian	T.
T. Cisco (Bough C)	T.	T. Penn "A"	T.

OIL OR GAS SANDS OR ZONES

No. 1, from _____ to _____
No. 2, from _____ to _____

No. 3, from ----- to -----
No. 4, from ----- to -----

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet _____

No. 2, from _____ to _____ feet _____

No. 3. from _____ to _____ feet _____

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology		From	To	Thickness in Feet	Lithology
0 693	693 2717	693 2024	redbed sandstone/shale					


OXY PERMIAN
P.O. Box 1729
Addison, TX 75001-1729


Bravo Dome (BDCDGU) #2433-362G
Union County, New Mexico

RECEIVED OCD

2009 SEP 23 A 11: 28


675	6.75	1 3/4	3.06	20.67	20.67
1100	4.25	3/4	1.31	5.58	26.25
1511	4.11	1 1/4	2.19	8.99	35.24
2080	5.69	3	5.25	29.87	65.11
2680	6.00	3	5.25	31.50	96.61





Archie Brown- General Manager

The attached instrument was acknowledged before me on the 13th day of August, 2007 by Archie Brown- General Manager, CapStar Drilling L.P.



Notary Public