

Office

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM

87505

State of New Mexico  
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

OIL CONSERVATION  
DIVISION

Form C-103

May 27, 2004

WELL API NO. 30-007-20590

5. Indicate Type of Lease

STATE ☐ FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

VPR B

8. Well Number 91

9. OGRID Number 180514

10. Pool name or Wildcat

Van Bremmer - Vermejo Gas

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other Coalbed Methane

2. Name of Operator

EL PASO ENERGY RATON, L.L.C.

3. Address of Operator

PO BOX 190, RATON, NM 87740

4. Well Location

Unit Letter G : 1332 feet from the North line and 1505 feet from the East line

Section 27 Township 30N Range 18E NMPM Colfax County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

8,212' (GL)

Pit or Below-grade Tank Application ☐ or Closure ☐

Pit type Depth to Groundwater Distance from nearest fresh water well Distance from nearest surface water

Pit Liner Thickness: mil Below-Grade Tank: Volume bbls; Construction Material

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ P AND A ☐

CASING/CEMENT JOB ☐

OTHER: Completion ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 04/07/05 Schlumberger ran Cement Bond Log. Top of cement at surface. Good cement bond. ✓
- 04/23/05 Schlumberger perf'd 1<sup>st</sup> stage - 2348'- 2351', 2394'- 2397', 2437'- 2440' 36 Holes  
HES frac'd 1<sup>st</sup> stage - Pumped 404,218 scf 70% quality nitrogen foam with 20# Linear gel with 23,291 lbs 16/30 brown sand.
- 04/26/05 Schlumberger perf'd 2<sup>nd</sup> stage - 2189'- 2192' 12 Holes  
HES frac'd 2<sup>nd</sup> stage - Pumped 702,334 scf 70% quality nitrogen foam with 20# Linear gel with 26,662 lbs 16/30 brown sand.  
Schlumberger perf'd 3<sup>rd</sup> stage - 1824'- 1826', 1858'- 1861', 1911'- 1914' 32 Holes
- 04/27/05 HES frac'd 3<sup>rd</sup> stage - Pumped 316,598 scf 70% quality nitrogen foam with 20# Linear gel with 39,904 lbs 16/30 brown sand.  
Schlumberger perf'd 4<sup>th</sup> stage - 1114'- 1118' 16 Holes  
HES frac'd 4<sup>th</sup> stage - Pumped 252,692 scf 70% quality nitrogen foam with 20# Linear gel with 27,843 lbs 16/30 brown sand.  
Schlumberger perf'd 5<sup>th</sup> stage - 910'- 913', 948'- 952', 991'- 1000', 1039'- 1042' 76 Holes  
HES frac'd 5<sup>th</sup> stage - Pumped 701,867 scf 70% quality nitrogen foam with 20# Linear gel with 81,139 lbs 16/39 brown sand.
- 05/19/05 Clean out well bore. RIH tubing, rods and pump. Well is ready to be tested and put on production.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOC guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Shirley A. Mitchell TITLE Regulatory Analyst DATE 07/05/05

Type or print name Shirley A. Mitchell E-mail address: shirley.mitchell@elpaso.com Telephone No. (505) 445-6785

For State Use Only

APPROVED BY: [Signature] TITLE DISTRICT SUPERVISOR DATE 7/20/05

Conditions of Approval (if any):